

REGIONAL HERBICIDE RECOMMENDATIONS

Kentucky

As weeds continue to develop resistance to glyphosate and other herbicides, growers have to modify and diversify their weed management programs. Resistance Fighter[®] from Syngenta provides education, a comprehensive herbicide portfolio and local recommendations that help growers and retailers effectively manage resistant weeds in their specific area.

CORN (GLYPHOSATE TOLERANT) *Problem weeds: pigweed species, horseweed/marestail, morningglory, burcucumber*

Burndown	At-planting or pre-emergence	In-crop
Gramoxone [®] SL 2.0 40 fl oz/A + (2,4-D 1 pt/A OR Dicamba* 1 pt/A)	Acuron [®] 1.5 qt/A + AAtrex [®] 4L 1 to 2 pts/A	Halex [®] GT 3.6 pt/A + AAtrex 4L 1 to 1.5 qt/A ¹
		OR Acuron 1.25 qt/A + Glyphosate 32 fl oz/A ¹
	OR	Glyphosate 32 fl oz/A (if needed for J-grass) ¹
	Acuron 2.5 qt/A	

*Please refer to specific dicamba product labels for tank mix and use restrictions.

SOYBEAN (GLYPHOSATE TOLERANT) *Problem weeds: pigweed species, horseweed/marestail, morningglory, Italian ryegrass*

Burndown	At-planting or pre-emergence	In-crop (14-21 days following pre-emergence application)	Late-season	Comments
(Gramoxone SL 2.0 40 fl oz/A + Dicamba* 8 to 16 oz/A) OR 2,4-D 1 pt/A	Boundary [®] 1.5 to 2 pt/A	Prefix 2 pt/A + Glyphosate	Glyphosate 32 oz/A	For additional control of glyphosate-resistant marestail, Sharpen[®] 1 oz/A may be added to the at-plant or pre-emergence herbicide application
	OR			
	BroadAxe [®] XC 20 oz.	Prefix 2 pt/A + Glyphosate		
	OR			
	BroadAxe XC 20 oz.	Flexstar [®] GT 3.5 3.5 pt/A + MSO 1%		
	Prefix [®] 2 pt/A	Sequence [®] 3 pts.		

*Please refer to specific dicamba product labels for tank mix and use restrictions.

¹Check with your local Syngenta representative or retailer for correct adjuvants.