according to the OSHA Hazard Communication Standard



ACTARA

Version **Revision Date:** SDS Number: Date of last issue: 10/13/2020 08/14/2023 S13945202 Date of first issue: 07/22/2015 3.0

SECTION 1. IDENTIFICATION

Product name : ACTARA Design code A9584C

Product Registration number : 100-938

Manufacturer or supplier's details

Company name of supplier Syngenta Crop Protection, LLC

Post Office Box 18300 Address

Greensboro NC 27419

United States of America (USA)

Telephone 1 800 334 9481 Telefax 1 336 632 2192

E-mail address : sds.requests@syngenta.com Recommended use of the chemical and restrictions on use

Recommended use Insecticide

General Use Pesticide Restrictions on use

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Combustible dust

GHS label elements

Signal Word : Warning

Hazard Statements May form combustible dust concentrations in air.

Other hazards

May form combustible dust concentrations in air.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
starch	9005-25-8	>= 50 - < 70
thiamethoxam	153719-23-4	25
lignosulfonic acid, ethoxylated, sodium salts	68611-14-3	>= 5 - < 10
silica	61790-53-2	>= 5 - < 10
sulfuric acid, mono-C12-14-alkyl esters, sodium salts	85586-07-8	>= 1 - < 5

according to the OSHA Hazard Communication Standard



ACTARA

SDS Number: Version **Revision Date:** Date of last issue: 10/13/2020 Date of first issue: 07/22/2015 08/14/2023 S13945202 3.0

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice Have the product container, label or Safety Data Sheet with

you when calling the emergency number, a poison control

center or physician, or going for treatment.

If inhaled Take the victim into fresh air.

If breathing is irregular or stopped, administer artificial

respiration.

Keep patient warm and at rest.

Call a physician or poison control center immediately.

In case of skin contact Take off all contaminated clothing immediately.

> Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.

Rinse immediately with plenty of water, also under the eyelids, In case of eye contact

> for at least 15 minutes. Remove contact lenses.

Immediate medical attention is required.

If swallowed If swallowed, seek medical advice immediately and show this

container or label.

Do NOT induce vomiting.

Most important symptoms

and effects, both acute and

delayed

Nonspecific

No symptoms known or expected.

Notes to physician There is no specific antidote available.

Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Extinguishing media - small fires

Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Extinguishing media - large fires

Alcohol-resistant foam

or

Water spray

Unsuitable extinguishing

Do not use a solid water stream as it may scatter and spread

Specific hazards during fire

fighting

As the product contains combustible organic ingredients, fire

will produce dense black smoke containing hazardous

products of combustion (see section 10).

Exposure to decomposition products may be a hazard to

health.

Further information Do not allow run-off from fire fighting to enter drains or water

courses.

Cool closed containers exposed to fire with water spray. Wear full protective clothing and self-contained breathing

Special protective equipment:

for fire-fighters

apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

according to the OSHA Hazard Communication Standard



ACTARA

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10/13/2020

 3.0
 08/14/2023
 \$13945202
 Date of first issue: 07/22/2015

Personal precautions, protective equipment and emergency procedures

Refer to protective measures listed in sections 7 and 8.

Avoid dust formation.

Environmental precautions : Do not flush into surface water or sanitary sewer system.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Contain spillage, pick up with an electrically protected vacuum cleaner or by wet-brushing and transfer to a container for disposal according to local regulations (see section 13).

Do not create a powder cloud by using a brush or compressed

air.

Clean contaminated surface thoroughly. Clean with detergents. Avoid solvents.

Retain and dispose of contaminated wash water.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : This material is capable of forming flammable dust clouds in

air, which, if ignited, can produce a dust cloud explosion. Flames, hot surfaces, mechanical sparks and electrostatic discharges can serve as ignition sources for this material.

Electrical equipment should be compatible with the

flammability characteristics of this material. The flammability characteristics will be made worse if the material contains traces of flammable solvents or is handled in the presence of

flammable solvents.

Avoid contact with skin and eyes. When using do not eat, drink or smoke. For personal protection see section 8.

Conditions for safe storage

Keep containers tightly closed in a dry, cool and well-

ventilated place.

Keep out of the reach of children.

Keep away from food, drink and animal feedingstuffs.

Further information on stor-

age stability

Physically and chemically stable for at least 2 years when stored in the original unopened sales container at ambient

temperatures.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
starch	9005-25-8	TWA	10 mg/m3	ACGIH
		TWA (Res- pirable)	5 mg/m3	NIOSH REL
		TWA (total)	10 mg/m3	NIOSH REL
		TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1

according to the OSHA Hazard Communication Standard



ACTARA

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10/13/2020

 3.0
 08/14/2023
 S13945202
 Date of first issue: 07/22/2015

		TWA (Total dust)	15 mg/m3	OSHA P0
		TWA (respirable dust fraction)	5 mg/m3	OSHA P0
thiamethoxam	153719-23-4	TWA	5 mg/m3	Syngenta
silica	61790-53-2	TWA	6 mg/m3	OSHA P0
		TWA (Dust)	20 Million particles per cubic foot (Silica)	OSHA Z-3
		TWA (Dust)	80 mg/m3 / %SiO2 (Silica)	OSHA Z-3
		TWA	6 mg/m3 (Silica)	NIOSH REL

Engineering measures

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated. The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure

standards.

Where necessary, seek additional occupational hygiene advice.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally

required.

When workers are facing concentrations above the exposure

limit they must use appropriate certified respirators.

Hand protection

Remarks : Wear protective gloves. The choice of an appropriate glove

does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things from the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Eye protection : No special protective equipment required.

Skin and body protection : Choose body protection in relation to its type, to the

according to the OSHA Hazard Communication Standard



ACTARA

Version Revision Date: SDS Number: Date of last issue: 10/13/2020 3.0 08/14/2023 S13945202 Date of first issue: 07/22/2015

concentration and amount of dangerous substances, and to

the specific work-place.

Remove and wash contaminated clothing before re-use.

Wear as appropriate:

Dust impervious protective suit

Protective measures : The use of technical measures should always have priority

over the use of personal protective equipment.

When selecting personal protective equipment, seek

appropriate professional advice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : granules

Color : beige to brown

Odor : musty

Odor Threshold : No data available

pH : 7 - 11

Concentration: 1 %w/v

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : May form combustible dust concentrations in air., Not classi-

fied as a flammability hazard

Burning number : $5 (212 \degree F / 100 \degree C)$

2 (68 °F / 20 °C)

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Density : No data available

Bulk density : 0.42 - 0.52 g/cm3

Solubility(ies)

Water solubility : No data available

according to the OSHA Hazard Communication Standard



ACTARA

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10/13/2020

 3.0
 08/14/2023
 S13945202
 Date of first issue: 07/22/2015

Solubility in other solvents : not soluble

Partition coefficient: n-

octanol/water

: No data available

Autoignition temperature : > 248 °F / > 120 °C

Decomposition temperature : No data available

Minimum ignition temperature : 400 °C

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Self-heating substances : The substance or mixture is not classified as self heating.

Surface tension : 43.0 - 50.4 mN/m, 0.600 g/l, 68 °F / 20 °C

Minimum ignition energy : 30 - 100 mJ

Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : None reasonably foreseeable.
Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

Stable at normal ambient temperature and pressure.

Hazardous polymerization does not occur.

At elevated temperatures it will undergo rapid, gas evolving

thermal decomposition.

No dangerous reaction known under conditions of normal use.

Conditions to avoid : No decomposition if used as directed.

Incompatible materials : None known.

Hazardous decomposition : Combustion or the

products ir

producis

Combustion or thermal decomposition will evolve toxic and

irritant vapors.

Hazardous decomposition : No hazardous decomposition products are known.

products

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Ingestion Inhalation Skin contact Eye contact

according to the OSHA Hazard Communication Standard



ACTARA

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10/13/2020

 3.0
 08/14/2023
 S13945202
 Date of first issue: 07/22/2015

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.29 g/m3

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Components:

thiamethoxam:

Acute oral toxicity : LD50 (Rat, male and female): 1,563 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 3.72 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

sulfuric acid, mono-C12-14-alkyl esters, sodium salts:

Acute oral toxicity : LD50 (Rat): 1,800 mg/kg

Method: OECD Test Guideline 401

Skin corrosion/irritation

Product:

Species : Rabbit

Result : No skin irritation

Components:

thiamethoxam:

Species : Rabbit

Result : No skin irritation

lignosulfonic acid, ethoxylated, sodium salts:

Result : Irritating to skin.

sulfuric acid, mono-C12-14-alkyl esters, sodium salts:

Result : Irritating to skin.

according to the OSHA Hazard Communication Standard



ACTARA

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10/13/2020

 3.0
 08/14/2023
 S13945202
 Date of first issue: 07/22/2015

Serious eye damage/eye irritation

Product:

Species : Rabbit

Result : No eye irritation

Components:

thiamethoxam:

Species : Rabbit

Result : No eye irritation

lignosulfonic acid, ethoxylated, sodium salts:

Result : Eye irritation

sulfuric acid, mono-C12-14-alkyl esters, sodium salts:

Result : Risk of serious damage to eyes.

Respiratory or skin sensitization

Product:

Test Type : Maximization Test

Species : Guinea pig

Result : Did not cause sensitization on laboratory animals.

Components:

thiamethoxam:

Species : Guinea pig

Result : Did not cause sensitization on laboratory animals.

Germ cell mutagenicity

Components:

thiamethoxam:

Germ cell mutagenicity -

: Animal testing did not show any mutagenic effects.

Assessment

Carcinogenicity

Components:

thiamethoxam:

ment

Carcinogenicity - Assess-

: Weight of evidence does not support classification as a car-

cinogen

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

OSHANo component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

according to the OSHA Hazard Communication Standard



ACTARA

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10/13/2020

 3.0
 08/14/2023
 S13945202
 Date of first issue: 07/22/2015

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Components:

thiamethoxam:

Reproductive toxicity - As-

sessment

: Weight of evidence does not support classification for

reproductive toxicity

STOT-single exposure

Components:

thiamethoxam:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

lignosulfonic acid, ethoxylated, sodium salts:

Assessment : The substance or mixture is classified as specific target organ

toxicant, single exposure, category 3 with respiratory tract

irritation.

STOT-repeated exposure

Components:

thiamethoxam:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Chironomus riparius (harlequin fly)): 0.154 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)):

100 mg/l

Exposure time: 72 h

NOEC (Raphidocelis subcapitata (freshwater green alga)): 25

ng/l

End point: Growth rate Exposure time: 72 h

according to the OSHA Hazard Communication Standard



ACTARA

Version **Revision Date:** SDS Number: Date of last issue: 10/13/2020 S13945202 Date of first issue: 07/22/2015 3.0 08/14/2023

Components:

thiamethoxam:

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

EC50 (Cloeon sp.): 0.014 mg/l

Exposure time: 48 h

EC50 (Chironomus riparius (harlequin fly)): 0.035 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)): >

81.8 mg/l

Exposure time: 72 h

NOEC (Raphidocelis subcapitata (freshwater green alga)):

81.8 mg/l

End point: Growth rate Exposure time: 72 h

Toxicity to fish (Chronic tox-

icity)

NOEC (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 28 d

Test Type: flow-through test

NOEC (Oncorhynchus mykiss (rainbow trout)): > 20 mg/l

Exposure time: 88 d Test Type: Early-life Stage

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 100 mg/l

Exposure time: 21 d

NOEC (Chironomus riparius (Midge larvae)): 0.01 mg/l

Exposure time: 30 d

Toxicity to microorganisms EC50 (activated sludge): > 100 mg/l

Exposure time: 3 h

sulfuric acid, mono-C12-14-alkyl esters, sodium salts:

LC50 (Oncorhynchus mykiss (rainbow trout)): 3.6 mg/l Toxicity to fish

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 4.7 mg/l

Exposure time: 48 h

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Invertebrates): 0.508 mg/l

according to the OSHA Hazard Communication Standard



ACTARA

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10/13/2020

 3.0
 08/14/2023
 S13945202
 Date of first issue: 07/22/2015

Persistence and degradability

Components:

thiamethoxam:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 11 d

Remarks: Product is not persistent.

silica:

Biodegradability : Result: Not readily biodegradable.

sulfuric acid, mono-C12-14-alkyl esters, sodium salts:

Biodegradability : Result: Readily biodegradable.

Bioaccumulative potential

Components:

thiamethoxam:

Bioaccumulation : Remarks: Low bioaccumulation potential.

Partition coefficient: n-

octanol/water

log Pow: -0.13 (77 °F / 25 °C)

Mobility in soil

Components:

thiamethoxam:

Distribution among environ-

mental compartments

Stability in soil

Remarks: Moderately mobile in soils

: Dissipation time: 51 d

Percentage dissipation: 50 % (DT50) Remarks: Product is not persistent.

Other adverse effects

Components:

thiamethoxam:

Results of PBT and vPvB

assessment

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulating (vPvB).

silica:

Results of PBT and vPvB

assessment

: This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulating (vPvB).

sulfuric acid, mono-C12-14-alkyl esters, sodium salts:

Results of PBT and vPvB : This substance is not considered to be persistent, bioaccumu-

according to the OSHA Hazard Communication Standard



ACTARA

Version **Revision Date:** SDS Number: Date of last issue: 10/13/2020 08/14/2023 S13945202 Date of first issue: 07/22/2015 3.0

assessment lating and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulating (vPvB).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues Do not contaminate ponds, waterways or ditches with

chemical or used container.

Do not dispose of waste into sewer.

Where possible recycling is preferred to disposal or

incineration.

If recycling is not practicable, dispose of in compliance with

local regulations.

Empty remaining contents. Contaminated packaging

Triple rinse containers.

Empty containers should be taken to an approved waste

handling site for recycling or disposal. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number **UN 3077**

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(THIAMETHOXAM)

Class 9 Packing group Ш Labels 9 Environmentally hazardous yes

Remarks This product can be subject to exemptions when packaged in

single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

IATA-DGR

UN/ID No. UN 3077

Environmentally hazardous substance, solid, n.o.s. Proper shipping name

956

(THIAMETHOXAM)

Class 9 Ш Packing group

Labels Miscellaneous

Packing instruction (cargo

aircraft)

Packing instruction (passen-

956 ger aircraft)

Environmentally hazardous

yes

Remarks This product can be subject to exemptions when packaged in

> single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

according to the OSHA Hazard Communication Standard



ACTARA

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10/13/2020

 3.0
 08/14/2023
 \$13945202
 Date of first issue: 07/22/2015

IMDG-Code

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(THIAMETHOXAM)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F

Marine pollutant : yes

Remarks : This product can be subject to exemptions when packaged in

single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

Remarks : Shipment by ground under DOT is non-regulated; however it

may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: Caution

Harmful if absorbed through skin.

Harmful if swallowed.

Harmful if inhaled.

Causes moderate eye irritation.

Avoid contact with skin, eyes or clothing.

Avoid breathing spray mist.

Avoid breathing dust.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Remove and wash contaminated clothing before re-use.

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

according to the OSHA Hazard Communication Standard



ACTARA

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10/13/2020

 3.0
 08/14/2023
 \$13945202
 Date of first issue: 07/22/2015

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Combustible dust

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:

Health 0 Instability

Special hazard

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL : USA. NIOSH Recommended Exposure Limits

OSHA PO : USA. Table Z-1-A Limits for Air Contaminants (1989 vacated

values)

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-

its for Air Contaminants

OSHA Z-3 : USA. Occupational Exposure Limits (OSHA) - Table Z-3 Min-

eral Dusts

Syngenta : Syngenta Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour

workday during a 40-hour workweek

OSHA P0 / TWA : 8-hour time weighted average
OSHA Z-1 / TWA : 8-hour time weighted average
OSHA Z-3 / TWA : 8-hour time weighted average
Syngenta / TWA : Time weighted average

according to the OSHA Hazard Communication Standard



ACTARA

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10/13/2020

 3.0
 08/14/2023
 S13945202
 Date of first issue: 07/22/2015

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC -International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 08/14/2023

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8