according to the OSHA Hazard Communication Standard



EVIK DF

Version Revision Date: SDS Number: Date of last issue: -

1.1 06/25/2024 S12043909 Date of first issue: 07/10/2015

SECTION 1. IDENTIFICATION

Product name : EVIK DF Design code : A8670B

Product Registration number : 100-786

Manufacturer or supplier's details

Company name of supplier : Syngenta Crop Protection, LLC

Address : Post Office Box 18300

Greensboro NC 27419

United States of America (USA)

Telephone : 1 800 334 9481 Telefax : 1 336 632 2192

E-mail address : sds.requests@syngenta.com

Emergency telephone : 1 800 888 8372

Recommended use of the chemical and restrictions on use

Recommended use : Herbicide

Restrictions on use : General Use Pesticide

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Combustible dust

GHS label elements

Signal Word : Warning

Hazard Statements : May form combustible dust concentrations in air.

Other hazards

May form combustible dust concentrations in air.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

| Chemical name | CAS-No. | Concentration (% w/w) |
|--|--------------|-----------------------|
| ametryn | 834-12-8 | 80 |
| reaction product of naphthalene, butanol, sulfonated and neutralized by caustic soda | Not Assigned | >= 1 - < 5 |
| disodium maleate | 371-47-1 | >= 0.1 - < 1 |

Actual concentration is withheld as a trade secret

according to the OSHA Hazard Communication Standard



EVIK DF

Version **Revision Date:** SDS Number: Date of last issue: -

S12043909 Date of first issue: 07/10/2015 06/25/2024 1.1

SECTION 4. FIRST AID MEASURES

General advice Have the product container, label or Safety Data Sheet with

you when calling the emergency number, a poison control

center or physician, or going for treatment.

If inhaled Take the victim into fresh air.

If breathing is irregular or stopped, administer artificial

respiration.

Keep patient warm and at rest.

Call a physician or poison control center immediately.

In case of skin contact Take off all contaminated clothing immediately.

> Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.

Rinse immediately with plenty of water, also under the eyelids, In case of eye contact

> for at least 15 minutes. Remove contact lenses.

Immediate medical attention is required.

If swallowed If swallowed, seek medical advice immediately and show this

container or label.

Do NOT induce vomiting.

Most important symptoms

and effects, both acute and

delayed

Nonspecific

No symptoms known or expected.

Notes to physician There is no specific antidote available.

Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Extinguishing media - small fires

Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Extinguishing media - large fires

Alcohol-resistant foam

or

Water spray

Unsuitable extinguishing

media

Do not use a solid water stream as it may scatter and spread

Specific hazards during fire

fighting

As the product contains combustible organic ingredients, fire

will produce dense black smoke containing hazardous

products of combustion (see section 10).

Exposure to decomposition products may be a hazard to

health.

Further information Do not allow run-off from fire fighting to enter drains or water

Cool closed containers exposed to fire with water spray.

Special protective equipment:

for fire-fighters

Wear full protective clothing and self-contained breathing

apparatus.

according to the OSHA Hazard Communication Standard



EVIK DF

Version Revision Date: SDS Number: Date of last issue: -

1.1 06/25/2024 S12043909 Date of first issue: 07/10/2015

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Refer to protective measures listed in sections 7 and 8.

Avoid dust formation.

6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, pick up with an electrically protected vacuum

cleaner or by wet-brushing and transfer to a container for disposal according to local regulations (see section 13). Do not create a powder cloud by using a brush or compressed

air.

Clean contaminated surface thoroughly. Clean with detergents. Avoid solvents.

Retain and dispose of contaminated wash water.

6.4 Reference to other sections

For disposal considerations see section 13., Refer to protective measures listed in sections 7 and 8.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : This material is capable of forming flammable dust clouds in

air, which, if ignited, can produce a dust cloud explosion. Flames, hot surfaces, mechanical sparks and electrostatic discharges can serve as ignition sources for this material.

Electrical equipment should be compatible with the

flammability characteristics of this material. The flammability characteristics will be made worse if the material contains traces of flammable solvents or is handled in the presence of

flammable solvents.

In general personnel handling this material and all conducting equipment should be electrically earthed or grounded. Bulk bags (FIBC) used to contain this material should be Type B,

Type C or Type D. Type C bags must be electrically grounded or earthed before powder is charged to or

discharged from the bag. If metal or fiber drums are used to contain this material, make certain the metal parts are bonded

to the filling equipment and grounded.

This material can become readily charged in most operations.

Avoid contact with skin and eyes. When using do not eat, drink or smoke. For personal protection see section 8.

Conditions for safe storage : Keep containers tightly closed in a dry, cool and well-

ventilated place.

Keep out of the reach of children.

Keep away from food, drink and animal feedingstuffs.

according to the OSHA Hazard Communication Standard



EVIK DF

Version Revision Date: SDS Number: Date of last issue: -

1.1 06/25/2024 S12043909 Date of first issue: 07/10/2015

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

| Components | CAS-No. | Value type (Form of | Control parame- ters / Permissible | Basis |
|------------|----------|------------------------|---------------------------------------|----------|
| | | exposure) | concentration | |
| ametryn | 834-12-8 | TWA | 3 mg/m3 | Syngenta |
| | | TWA (Inhal- | 2 mg/m3 | ACGIH |
| | | able particu- | | |
| | | late matter) | | |

Engineering measures : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE

CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS

CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the

actual risks in use.

Maintain air concentrations below occupational exposure

standards.

Where necessary, seek additional occupational hygiene

advice.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally

required.

When workers are facing concentrations above the exposure

limit they must use appropriate certified respirators.

Hand protection

Remarks : No special protective equipment required.

Eye protection : No special protective equipment required. Skin and body protection : No special protective equipment required.

Select skin and body protection based on the physical job

requirements.

Protective measures : The use of technical measures should always have priority

over the use of personal protective equipment. When selecting personal protective equipment, seek

appropriate professional advice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : granules

Color : Light beige to beige

Odor : No data available

according to the OSHA Hazard Communication Standard



EVIK DF

Version Revision Date: SDS Number: Date of last issue: -

1.1 06/25/2024 S12043909 Date of first issue: 07/10/2015

Odor Threshold : No data available

pH : 8 - 11

Concentration: 1 %w/v

Melting point/freezing point : 176 °F / 80 °C

Initial boiling point and boiling

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : May form combustible dust concentrations in air., Not classi-

fied as a flammability hazard

Burning number : $2 (68 \degree F / 20 \degree C)$

5 (212 °F / 100 °C)

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Density : 1 g/cm3

Bulk density : 0.3 - 0.6 g/cm3

Solubility(ies)

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Minimum ignition temperature : 440 °C

Viscosity

Viscosity, kinematic : No data available

Explosive properties : No data available

Oxidizing properties : No data available

Minimum ignition energy : 10 - 1,000 mJ

according to the OSHA Hazard Communication Standard



EVIK DF

Version Revision Date: SDS Number: Date of last issue: -

1.1 06/25/2024 S12043909 Date of first issue: 07/10/2015

Particle characteristics

Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : None reasonably foreseeable.
Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

No dangerous reaction known under conditions of normal use.

No decomposition if used as directed.

Incompatible materials : None known.

Hazardous decomposition : No hazardous decomposition products are known.

products

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Ingestion Inhalation Skin contact

Conditions to avoid

Eye contact

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity : LD50 (Rat, female): 4,083 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.67 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,020 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Components:

ametryn:

Acute oral toxicity : LD50 (Rat, female): 1,360 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 2.22 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

according to the OSHA Hazard Communication Standard



EVIK DF

Version Revision Date: SDS Number: Date of last issue: -

1.1 06/25/2024 S12043909 Date of first issue: 07/10/2015

reaction product of naphthalene, butanol, sulfonated and neutralized by caustic soda:

Acute oral toxicity : LD50 (Rat): 1,800 mg/kg

Acute inhalation toxicity : LC50 (Rat): 4.08 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): 3,000 mg/kg

disodium maleate:

Acute oral toxicity : Assessment: The component/mixture is moderately toxic after

single ingestion.

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit

Result : No skin irritation

Components:

ametryn:

Species : Rabbit

Result : No skin irritation

disodium maleate:

Result : Irritating to skin.

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit

Result : No eye irritation

Components:

ametryn:

Species : Rabbit

Result : No eye irritation

reaction product of naphthalene, butanol, sulfonated and neutralized by caustic soda:

Species : Rabbit

Result : Risk of serious damage to eyes.

disodium maleate:

Result : Eye irritation

according to the OSHA Hazard Communication Standard



EVIK DF

Version **Revision Date:** SDS Number: Date of last issue: -

S12043909 Date of first issue: 07/10/2015 1.1 06/25/2024

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Not classified due to lack of data.

Product:

Test Type **Buehler Test Species** Guinea pig

Result Does not cause skin sensitization.

Components:

ametryn:

Species Guinea pig

Result Does not cause skin sensitization.

disodium maleate:

Result May cause sensitization by skin contact.

Germ cell mutagenicity

Not classified due to lack of data.

Components:

ametryn:

Germ cell mutagenicity -

: Animal testing did not show any mutagenic effects.

Assessment

reaction product of naphthalene, butanol, sulfonated and neutralized by caustic soda:

Germ cell mutagenicity -: In vitro tests did not show mutagenic effects

Assessment

Carcinogenicity

Not classified due to lack of data.

Components:

ametryn:

Carcinogenicity - Assess-

: No evidence of carcinogenicity in animal studies.

ment

Reproductive toxicity

Not classified due to lack of data.

Components:

ametryn:

Reproductive toxicity - As- : No toxicity to reproduction

sessment

according to the OSHA Hazard Communication Standard



EVIK DF

Version Revision Date: SDS Number: Date of last issue: -

1.1 06/25/2024 S12043909 Date of first issue: 07/10/2015

STOT-single exposure

Not classified due to lack of data.

Components:

reaction product of naphthalene, butanol, sulfonated and neutralized by caustic soda:

Assessment : The substance or mixture is classified as specific target organ

toxicant, single exposure, category 3 with respiratory tract

irritation.

disodium maleate:

Assessment : The substance or mixture is classified as specific target organ

toxicant, single exposure, category 3 with respiratory tract

irritation.

STOT-repeated exposure

Not classified due to lack of data.

Components:

ametryn:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Aspiration toxicity

Not classified due to lack of data.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

ametryn:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 3.6 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Americamysis): 2.3 mg/l

Exposure time: 96 h

Toxicity to algae/aquatic

plants

ErC50 (Lemna gibba (gibbous duckweed)): 0.015 mg/l

Exposure time: 7 d

NOEC (Lemna gibba (gibbous duckweed)): 0.0019 mg/l

End point: Growth rate Exposure time: 7 d

ErC50 (Skeletonema costatum (marine diatom)): 0.0068 mg/l

Exposure time: 96 h

EC10 (Skeletonema costatum (marine diatom)): 0.0012 mg/l

End point: Growth rate Exposure time: 96 h

according to the OSHA Hazard Communication Standard



EVIK DF

Version Revision Date: SDS Number: Date of last issue: -

1.1 06/25/2024 S12043909 Date of first issue: 07/10/2015

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 0.7 mg/l

Exposure time: 35 d

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.32 mg/l

Exposure time: 21 d

NOEC (Americamysis): 0.05 mg/l

Exposure time: 28 d

reaction product of naphthalene, butanol, sulfonated and neutralized by caustic soda:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Remarks: Information given is based on data obtained from

similar substances.

Toxicity to algae/aquatic

plants

EC50 (Raphidocelis subcapitata (freshwater green alga)): >

200 mg/l

Exposure time: 72 h

Remarks: Information given is based on data obtained from

similar substances.

Persistence and degradability

Components:

ametryn:

Biodegradability : Result: Not readily biodegradable.

reaction product of naphthalene, butanol, sulfonated and neutralized by caustic soda:

Biodegradability : Result: Readily biodegradable.

Remarks: Information given is based on data obtained from

similar substances.

Bioaccumulative potential

Components:

ametryn:

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-

octanol/water

log Pow: 2.63 (77 °F / 25 °C)

Mobility in soil

Components:

ametryn:

Distribution among environ- : Remarks: Moderately mobile in soils

according to the OSHA Hazard Communication Standard



EVIK DF

Version Revision Date: SDS Number: Date of last issue: -

1.1 06/25/2024 S12043909 Date of first issue: 07/10/2015

mental compartments

Stability in soil : Dissipation time: 9.2 d

Percentage dissipation: 50 % (DT50) Remarks: Product is not persistent.

Other adverse effects

Components:

ametryn:

Results of PBT and vPvB

assessment

Substance is not persistent, bioaccumulative, and toxic (PBT).

Substance is not very persistent and very bioaccumulative

(vPvB).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not contaminate ponds, waterways or ditches with

chemical or used container.

Do not dispose of waste into sewer.

Where possible recycling is preferred to disposal or

incineration.

If recycling is not practicable, dispose of in compliance with

local regulations.

Contaminated packaging : Empty remaining contents.

Triple rinse containers.

Empty containers should be taken to an approved waste

handling site for recycling or disposal. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(AMETRYN)

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

Remarks : This product can be subject to exemptions when packaged in

single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

IATA-DGR

UN/ID No. : UN 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.

(AMETRYN)

Class : 9 Packing group : III

according to the OSHA Hazard Communication Standard



EVIK DF

Version Revision Date: SDS Number: Date of last issue: -

1.1 06/25/2024 S12043909 Date of first issue: 07/10/2015

956

Labels : Miscellaneous

Packing instruction (cargo

aircraft)

Packing instruction (passen: 956

ger aircraft)

Environmentally hazardous : yes

Remarks : This pr

: This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

IMDG-Code

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(AMETRYN)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Remarks : This product can be subject to exemptions when packaged in

single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

Remarks : Shipment by ground under DOT is non-regulated; however it

may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Caution

Causes moderate eye irritation.

Harmful if swallowed.

Harmful if absorbed through skin.

Harmful if inhaled.

Avoid contact with skin, eyes or clothing.

according to the OSHA Hazard Communication Standard



EVIK DF

Version Revision Date: SDS Number: Date of last issue: -

1.1 06/25/2024 S12043909 Date of first issue: 07/10/2015

SARA 304 Extremely Hazardous Substances Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Combustible dust

SARA 313 : The following components are subject to reporting levels

established by SARA Title III, Section 313:

ametryn 834-12-8 >= 70 - < 90 %

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:

Flammability Health Instability

Special hazard

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
Syngenta : Syngenta Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average

Syngenta / TWA : Time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - In-

according to the OSHA Hazard Communication Standard



EVIK DF

Version Revision Date: SDS Number: Date of last issue: -

1.1 06/25/2024 S12043909 Date of first issue: 07/10/2015

ternational Agency for Research on Cancer; IATA - International Air Transport Association; IBC -International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 06/25/2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8