

**TALINOR**

Version 2.1      Revision Date: 02/22/2023      SDS Number: S00038055004      This version replaces all previous versions.

**SECTION 1. IDENTIFICATION**

Product name : TALINOR

Design code. : A19278A

Product Registration number : 100-1570

**Manufacturer or supplier's details**

Company name of supplier : Syngenta Crop Protection, LLC

Address : Post Office Box 18300  
Greensboro NC 27419  
United States of America (USA)

Telephone : 1 800 334 9481

Telefax : 1 336 632 2192

E-mail address : sds.requests@syngenta.com

Emergency telephone : 1 800 888 8372

**Recommended use of the chemical and restrictions on use**

Recommended use : Herbicide

Restrictions on use : General Use Pesticide

**SECTION 2. HAZARDS IDENTIFICATION****GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Flammable liquids : Category 4

Acute toxicity (Oral) : Category 4

Skin sensitization : Sub-category 1B

Carcinogenicity : Category 2

Reproductive toxicity : Category 1B

Aspiration hazard : Category 1

**GHS label elements**

**TALINOR**Version  
2.1Revision Date:  
02/22/2023SDS Number:  
S00038055004

This version replaces all previous versions.

Hazard pictograms

:



Signal Word

:

Danger

Hazard Statements

:

H227 Combustible liquid.  
H302 Harmful if swallowed.  
H304 May be fatal if swallowed and enters airways.  
H317 May cause an allergic skin reaction.  
H351 Suspected of causing cancer.  
H360D May damage the unborn child.

Precautionary Statements

:

**Prevention:**

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.  
P261 Avoid breathing mist or vapors.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P272 Contaminated work clothing must not be allowed out of the workplace.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.  
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P331 Do NOT induce vomiting.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P363 Wash contaminated clothing before reuse.  
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

**Storage:**

P403 + P235 Store in a well-ventilated place. Keep cool.  
P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

**TALINOR**

Version 2.1      Revision Date: 02/22/2023      SDS Number: S00038055004      This version replaces all previous versions.

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
solvent naphtha (petroleum), highly arom.	64742-94-5	$\geq 30$ - $< 50$
ethanone, 1-phenyl-	98-86-2	$\geq 20$ - $< 30$
bromoxynil-octanoate	1689-99-2	23.16
bicyclopyrone	352010-68-5	3.4091
benzenesulfonic acid, C10-13-alkyl derivs., calcium salts	1335202-81-7	$\geq 1$ - $< 5$
2-ethylhexan-1-ol	104-76-7	$\geq 1$ - $< 5$
cloquintocet-mexyl	99607-70-2	$\geq 0.1$ - $< 1$
naphthalene	91-20-3	$\geq 0.1$ - $< 1$

Actual concentration is withheld as a trade secret

**SECTION 4. FIRST AID MEASURES**

- General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.
- If inhaled : Take the victim into fresh air.  
If breathing is irregular or stopped, administer artificial respiration.  
Keep patient warm and at rest.  
Call a physician or poison control center immediately.
- In case of skin contact : Take off all contaminated clothing immediately.  
Wash off immediately with plenty of water.  
If skin irritation persists, call a physician.  
Wash contaminated clothing before re-use.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
Remove contact lenses.  
Immediate medical attention is required.
- If swallowed : If swallowed, seek medical advice immediately and show this container or label.  
Do not induce vomiting: contains petroleum distillates and/or aromatic solvents.
- Most important symptoms and effects, both acute and delayed : Aspiration may cause pulmonary edema and pneumonitis.
- Notes to physician : There is no specific antidote available.  
Treat symptomatically.  
Do not induce vomiting: contains petroleum distillates and/or aromatic solvents.

**SECTION 5. FIRE-FIGHTING MEASURES**

## TALINOR

Version 2.1	Revision Date: 02/22/2023	SDS Number: S00038055004	This version replaces all previous versions.
----------------	------------------------------	-----------------------------	--

- Suitable extinguishing media : Extinguishing media - small fires  
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.  
Extinguishing media - large fires  
Alcohol-resistant foam
- Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.
- Specific hazards during fire fighting : As the product contains combustible organic ingredients, fire will produce dense black smoke containing hazardous products of combustion (see section 10).  
Exposure to decomposition products may be a hazard to health.  
Flash back possible over considerable distance.
- Further information : Do not allow run-off from fire fighting to enter drains or water courses.  
Cool closed containers exposed to fire with water spray.
- Special protective equipment for fire-fighters : Wear full protective clothing and self-contained breathing apparatus.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.  
Keep people away from and upwind of spill/leak.  
Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.  
Remove all sources of ignition.  
Pay attention to flashback.
- Environmental precautions : Prevent further leakage or spillage if safe to do so.  
Do not flush into surface water or sanitary sewer system.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).  
Clean contaminated surface thoroughly.  
Clean with detergents. Avoid solvents.  
Retain and dispose of contaminated wash water.

### SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Avoid contact with skin and eyes.  
When using do not eat, drink or smoke.  
Use only in an area containing flame proof equipment.  
Take precautionary measures against static discharges.  
For personal protection see section 8.
- Conditions for safe storage : Keep containers tightly closed in a dry, cool and well-

## TALINOR

Version  
2.1

Revision Date:  
02/22/2023

SDS Number:  
S00038055004

This version replaces all previous versions.

ventilated place.  
Keep out of the reach of children.  
Keep away from combustible material.  
Keep in an area equipped with sprinklers.  
Keep away from food, drink and animal feedingstuffs.  
No smoking.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
solvent naphtha (petroleum), highly arom.	64742-94-5	TWA	8 ppm 50 mg/m <sup>3</sup>	Supplier
		TWA	200 mg/m <sup>3</sup> (total hydrocarbon vapor)	ACGIH
ethanone, 1-phenyl-	98-86-2	TWA	10 ppm	ACGIH
		TWA	10 ppm	US WEEL
bicyclopyrone	352010-68-5	TWA	0.7 mg/m <sup>3</sup>	Syngenta
2-ethylhexan-1-ol	104-76-7	TWA	5 ppm	ACGIH
cloquintocet-mexyl	99607-70-2	TWA	1 mg/m <sup>3</sup>	Syngenta
naphthalene	91-20-3	TWA	10 ppm	ACGIH
		TWA	10 ppm 50 mg/m <sup>3</sup>	NIOSH REL
		ST	15 ppm 75 mg/m <sup>3</sup>	NIOSH REL
		TWA	10 ppm 50 mg/m <sup>3</sup>	OSHA Z-1
		TWA	10 ppm 50 mg/m <sup>3</sup>	OSHA P0
		STEL	15 ppm 75 mg/m <sup>3</sup>	OSHA P0

**Engineering measures** : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.  
The extent of these protection measures depends on the actual risks in use.  
Maintain air concentrations below occupational exposure standards.  
Where necessary, seek additional occupational hygiene advice.

**TALINOR**Version  
2.1Revision Date:  
02/22/2023SDS Number:  
S00038055004

This version replaces all previous versions.

**Personal protective equipment**

Respiratory protection : Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection

Remarks : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The breakthrough time depends amongst other things from the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : No special protective equipment required.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.  
Remove and wash contaminated clothing before re-use.  
Wear as appropriate:  
Impervious clothing

Protective measures : The use of technical measures should always have priority over the use of personal protective equipment.  
When selecting personal protective equipment, seek appropriate professional advice.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Color : brownish to brownish yellow

Odor : No data available

Odor Threshold : No data available

**TALINOR**

Version 2.1	Revision Date: 02/22/2023	SDS Number: S00038055004	This version replaces all previous versions.
----------------	------------------------------	-----------------------------	--

pH	:	3.7 Concentration: 1 %w/v
Melting point/range	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	198 °F / 92 °C Method: Pensky-Martens closed cup
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Density	:	1.1 g/cm3 (77 °F / 25 °C)
Solubility(ies)		
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	770 °F / 410 °C
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Particle size	:	No data available

**SECTION 10. STABILITY AND REACTIVITY**

**TALINOR**

Version 2.1	Revision Date: 02/22/2023	SDS Number: S00038055004	This version replaces all previous versions.
----------------	------------------------------	-----------------------------	--

Reactivity	: None reasonably foreseeable.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: No decomposition if used as directed.
Incompatible materials	: None known.
Hazardous decomposition products	: No hazardous decomposition products are known.

**SECTION 11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

Ingestion  
Inhalation  
Skin contact  
Eye contact

**Acute toxicity****Product:**

Acute oral toxicity	: LD50 (Rat, female): 1,030 mg/kg
Acute inhalation toxicity	: LC50 (Rat, male and female): > 5.11 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	: LD50 (Rat, male and female): > 5,000 mg/kg

**Components:****ethanone, 1-phenyl-:**

Acute oral toxicity	: LD50 (Rat): 2,081 mg/kg
---------------------	---------------------------

**bromoxynil-octanoate:**

Acute oral toxicity	: LD50 (Rat): 250 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 0.72 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	: LD50 (Rabbit): 1,675 mg/kg

**bicyclopyrone:**

Acute oral toxicity	: LD50 (Rat, female): > 5,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat, male and female): > 5.21 mg/l Exposure time: 4 h Test atmosphere: dust/mist



**TALINOR**

Version 2.1	Revision Date: 02/22/2023	SDS Number: S00038055004	This version replaces all previous versions.
----------------	------------------------------	-----------------------------	--

Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

**benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:**

Acute oral toxicity : LD50 (Rat): 4,445 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

**2-ethylhexan-1-ol:**

Acute oral toxicity : LD50 (Rat): 2,047 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 0.89 - 5.3 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The component/mixture is moderately toxic after short term inhalation.

**cloquintocet-mexyl:**

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 0.935 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The component/mixture is moderately toxic after short term inhalation.  
Remarks: Highest attainable concentration

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

**naphthalene:**

Acute oral toxicity : Assessment: The component/mixture is moderately toxic after single ingestion.

**Skin corrosion/irritation****Product:**

Species : Rabbit  
Result : Mild skin irritation

**Components:****bicyclopyrone:**

Species : Rabbit  
Result : No skin irritation

**TALINOR**

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
2.1	02/22/2023	S00038055004	

**benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:**

Species	: Rabbit
Result	: Irritating to skin.

**2-ethylhexan-1-ol:**

Species	: Rabbit
Result	: Irritating to skin.

**cloquintocet-mexyl:**

Species	: Rabbit
Result	: No skin irritation

**Serious eye damage/eye irritation****Product:**

Species	: Rabbit
Result	: No eye irritation

**Components:****ethanone, 1-phenyl-:**

Result	: Eye irritation
--------	------------------

**bicyclopyrone:**

Species	: Rabbit
Result	: No eye irritation

**benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:**

Species	: Rabbit
Result	: Risk of serious damage to eyes.

**2-ethylhexan-1-ol:**

Species	: Rabbit
Result	: Irritation to eyes, reversing within 21 days

**cloquintocet-mexyl:**

Species	: Rabbit
Result	: No eye irritation

**Respiratory or skin sensitization****Product:**

Test Type	: Local lymph node assay (LLNA)
Species	: Mouse
Result	: The product is a skin sensitizer, sub-category 1B.

## TALINOR

Version 2.1	Revision Date: 02/22/2023	SDS Number: S00038055004	This version replaces all previous versions.
----------------	------------------------------	-----------------------------	--

### Components:

#### **bromoxynil-octanoate:**

Result : May cause sensitization by skin contact.

#### **bicyclopyrone:**

Test Type : mouse lymphoma cells  
Species : Mouse  
Result : Did not cause sensitization on laboratory animals.

#### **cloquintocet-mexyl:**

Species : Guinea pig  
Result : May cause sensitization by skin contact.

### **Germ cell mutagenicity**

#### Components:

#### **bicyclopyrone:**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

#### **cloquintocet-mexyl:**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

### **Carcinogenicity**

#### Components:

#### **bicyclopyrone:**

Carcinogenicity - Assessment : This substance has been reported to cause tumors in certain animal species., There is no evidence that these findings are relevant to humans., Weight of evidence does not support classification as a carcinogen

#### **cloquintocet-mexyl:**

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

#### **naphthalene:**

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

<b>IARC</b>	Group 2B: Possibly carcinogenic to humans naphthalene	91-20-3
-------------	--	---------

<b>OSHA</b>	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
-------------	--

<b>NTP</b>	Reasonably anticipated to be a human carcinogen
------------	---

**TALINOR**Version  
2.1Revision Date:  
02/22/2023SDS Number:  
S00038055004

This version replaces all previous versions.

naphthalene

91-20-3

**Reproductive toxicity****Components:****bromoxynil-octanoate:**

Reproductive toxicity - Assessment

: Some evidence of adverse effects on development, based on animal experiments.

**bicyclopyrone:**

Reproductive toxicity - Assessment

: Animal testing did not show any effects on fertility., These concentrations exceed relevant human dose levels., Clear evidence of adverse effects on development, based on animal experiments.

**cloquintocet-mexyl:**

Reproductive toxicity - Assessment

: No toxicity to reproduction

**STOT-single exposure****Components:****2-ethylhexan-1-ol:**

Assessment

: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

**cloquintocet-mexyl:**

Assessment

: The substance or mixture is not classified as specific target organ toxicant, single exposure.

**STOT-repeated exposure****Components:****bicyclopyrone:**

Assessment

: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

**cloquintocet-mexyl:**

Target Organs

: Urinary system, Liver

Assessment

: The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

**TALINOR**

Version 2.1	Revision Date: 02/22/2023	SDS Number: S00038055004	This version replaces all previous versions.
----------------	------------------------------	-----------------------------	--

**Aspiration toxicity****Components:****solvent naphtha (petroleum), highly arom.:**

May be fatal if swallowed and enters airways.

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Product:**

Toxicity to algae/aquatic plants : ErC50 (Lemna gibba G3 (gibbous duckweed)): 0.79 mg/l  
Exposure time: 7 d

EC10 (Lemna gibba G3 (gibbous duckweed)): 0.078 mg/l  
End point: Frond growth  
Exposure time: 7 d

**Ecotoxicology Assessment**

Acute aquatic toxicity : Very toxic to aquatic life.

**Components:****solvent naphtha (petroleum), highly arom.:****Ecotoxicology Assessment**

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

**ethanone, 1-phenyl-:**

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 86.4 mg/l  
Exposure time: 72 h

**bromoxynil-octanoate:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.1 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.11 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Raphidocelis subcapitata (freshwater green alga)): 0.22 mg/l  
Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 10

M-Factor (Chronic aquatic toxicity) : 10

## TALINOR

Version 2.1	Revision Date: 02/22/2023	SDS Number: S00038055004	This version replaces all previous versions.
----------------	------------------------------	-----------------------------	--

### bicyclopyrone:

- |  |   |  |
|--|---|--|
| Toxicity to fish   | : | LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l<br>Exposure time: 96 h                                      |
|  |   | LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l<br>Exposure time: 96 h                                     |
| Toxicity to daphnia and other aquatic invertebrates                    | : | EC50 (Daphnia magna (Water flea)): > 100 mg/l<br>Exposure time: 48 h   |
| Toxicity to algae/aquatic plants                                       | : | ErC50 (Raphidocelis subcapitata (freshwater green alga)): 5.4 mg/l<br>Exposure time: 96 h                          |
|  |   | EC10 (Raphidocelis subcapitata (freshwater green alga)): 1.9 mg/l<br>End point: Growth rate<br>Exposure time: 96 h |
|  |   | NOEC (Raphidocelis subcapitata (freshwater green alga)): 1 mg/l<br>End point: Growth rate<br>Exposure time: 96 h   |
|  |   | ErC50 (Lemna gibba (gibbous duckweed)): 0.055 mg/l<br>Exposure time: 7 d   |
|  |   | NOEC (Lemna gibba (gibbous duckweed)): 0.0032 mg/l<br>End point: Growth rate<br>Exposure time: 7 d                 |
| M-Factor (Acute aquatic toxicity)                                      | : | 10   |
| Toxicity to fish (Chronic toxicity)                                    | : | NOEC (Pimephales promelas (fathead minnow)): 10 mg/l<br>Exposure time: 33 d  |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC (Daphnia magna (Water flea)): 100 mg/l<br>Exposure time: 21 d   |
| M-Factor (Chronic aquatic toxicity)                                    | : | 10   |
| Toxicity to microorganisms   | : | EC50 (activated sludge): > 1,000 mg/l<br>Exposure time: 3 h  |

### Ecotoxicology Assessment

- |                        |   |                             |
|------------------------|---|-----------------------------|
| Acute aquatic toxicity | : | Very toxic to aquatic life. |
|------------------------|---|-----------------------------|

### benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:

- |                  |   |   |
|------------------|---|---|
| Toxicity to fish | : | LC50 (Fish): > 1 - < 10 mg/l<br>Exposure time: 96 h |
|------------------|---|---|

## TALINOR

Version 2.1	Revision Date: 02/22/2023	SDS Number: S00038055004	This version replaces all previous versions.
----------------	------------------------------	-----------------------------	--

- Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 2.9 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials
- Toxicity to algae/aquatic plants : ErC50 (*Raphidocelis subcapitata* (freshwater green alga)): 29 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials
- NOEC (*Raphidocelis subcapitata* (freshwater green alga)): 0.5 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials
- Toxicity to fish (Chronic toxicity) : NOEC (*Oncorhynchus mykiss* (rainbow trout)): 0.23 mg/l  
Exposure time: 72 d  
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 1.18 mg/l  
Exposure time: 21 d  
Remarks: Based on data from similar materials

### 2-ethylhexan-1-ol:

- Toxicity to fish : LC50 (*Leuciscus idus* (Golden orfe)): 17.1 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 39 mg/l  
Exposure time: 48 h
- Toxicity to algae/aquatic plants : EC50 (*Desmodesmus subspicatus* (green algae)): 16.6 mg/l  
Exposure time: 72 h

### cloquintocet-mexyl:

- Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): > 0.97 mg/l  
Exposure time: 96 h
- LC50 (*Gobiocypris rarus* (rare gudgeon)): 0.102 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): > 0.82 mg/l  
Exposure time: 48 h
- Toxicity to algae/aquatic plants : ErC50 (*Desmodesmus subspicatus* (green algae)): > 2.2 mg/l  
Exposure time: 72 h
- NOEC (*Desmodesmus subspicatus* (green algae)): 0.12 mg/l  
End point: Growth rate  
Exposure time: 72 h
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia*): > 0.437 mg/l  
Exposure time: 21 d
- Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l

**TALINOR**

Version 2.1	Revision Date: 02/22/2023	SDS Number: S00038055004	This version replaces all previous versions.
----------------	------------------------------	-----------------------------	--

Exposure time: 3 h

**naphthalene:****Ecotoxicology Assessment**

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

**Persistence and degradability****Components:****ethanone, 1-phenyl-:**

Biodegradability : Result: Readily biodegradable.

**bicyclopyrone:**

Biodegradability : Result: Not readily biodegradable.

**benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:**

Biodegradability : Result: Readily biodegradable.

**2-ethylhexan-1-ol:**

Biodegradability : Result: Readily biodegradable.

**cloquintocet-mexyl:**

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 0.4 d  
Remarks: Product is not persistent.**Bioaccumulative potential****Components:****bicyclopyrone:**

Bioaccumulation : Remarks: No data available

Partition coefficient: n-octanol/water : log Pow: -1.9 (77 °F / 25 °C)

**cloquintocet-mexyl:**

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 5.24 (77 °F / 25 °C)



**TALINOR**Version  
2.1Revision Date:  
02/22/2023SDS Number:  
S00038055004

This version replaces all previous versions.

**Mobility in soil****Components:****bicyclopyrone:**

Distribution among environmental compartments : Remarks: Very highly mobile in soil.

Stability in soil : Remarks: Product is not persistent.

**cloquintocet-mexyl:**

Distribution among environmental compartments : Remarks: immobile

Stability in soil : Dissipation time: 2.4 d  
Percentage dissipation: 50 % (DT50)  
Remarks: Product is not persistent.**Other adverse effects****Components:****ethanone, 1-phenyl-:**

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

**bicyclopyrone:**

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

**cloquintocet-mexyl:**

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

**naphthalene:**

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**Waste from residues : Do not contaminate ponds, waterways or ditches with chemical or used container.  
Do not dispose of waste into sewer.  
Where possible recycling is preferred to disposal or incineration.  
If recycling is not practicable, dispose of in compliance with

## TALINOR

Version 2.1	Revision Date: 02/22/2023	SDS Number: S00038055004	This version replaces all previous versions.
----------------	------------------------------	-----------------------------	--

local regulations.

Contaminated packaging : Empty remaining contents.  
Triple rinse containers.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Do not re-use empty containers.

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BROMOXYNIL-OCTANOATE, BICYCLOPYRONE)
Class	: 9
Packing group	: III
Labels	: 9

##### IATA-DGR

UN/ID No.	: UN 3082
Proper shipping name	: Environmentally hazardous substance, liquid, n.o.s. (BROMOXYNIL-OCTANOATE, BICYCLOPYRONE)
Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 964
Packing instruction (passenger aircraft)	: 964
Environmentally hazardous	: yes

##### IMDG-Code

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BROMOXYNIL-OCTANOATE, BICYCLOPYRONE)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### Domestic regulation

##### 49 CFR

UN/ID/NA number	: NA 1993
Proper shipping name	: Compounds, weed killing, liquid (SOLVENT NAPHTHA, 2-ETHYLHEXAN-1-OL)
Class	: 3
Packing group	: III

## TALINOR

Version 2.1      Revision Date: 02/22/2023      SDS Number: S00038055004      This version replaces all previous versions.

Labels : FLAMMABLE LIQUID  
 ERG Code : 128  
 Marine pollutant : no  
 Remarks : Above applies only to containers over 119 gallons or 450 liters. Not regulated if shipped in packages less than or equal to 119 gallons (450 liters).

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

### Caution

Harmful if swallowed.

Causes moderate eye irritation.

Avoid contact with skin or clothing.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

### CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
ethanone, 1-phenyl-	98-86-2	5000	17793

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Flammable (gases, aerosols, liquids, or solids)  
 Acute toxicity (any route of exposure)  
 Respiratory or skin sensitization  
 Carcinogenicity  
 Reproductive toxicity  
 Aspiration hazard

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

ethanone, 1-phenyl-	98-86-2	>= 20 - < 30 %
bromoxynil-octanoate	1689-99-2	>= 20 - < 30 %
naphthalene	91-20-3	>= 0.1 - < 1 %

### The ingredients of this product are reported in the following inventories:

TSCA : Product contains substance(s) not listed on TSCA inventory.

## TALINOR

Version  
2.1Revision Date:  
02/22/2023SDS Number:  
S00038055004

This version replaces all previous versions.

### TSCA list

The following substance(s) is/are subject to a Significant New Use Rule:

cloquintocet-mexyl

99607-70-2


See 40 CFR § 721.304; Final Rule

No substances are subject to TSCA 12(b) export notification requirements.

## SECTION 16. OTHER INFORMATION

### Further information

#### NFPA 704:



#### HMIS® IV:

HEALTH	*	3
FLAMMABILITY		2
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA P0	:	USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
US WEEL	:	USA. Workplace Environmental Exposure Levels (WEEL)
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OSHA P0 / TWA	:	8-hour time weighted average
OSHA P0 / STEL	:	Short-term exposure limit
OSHA Z-1 / TWA	:	8-hour time weighted average
US WEEL / TWA	:	8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Sub-

**TALINOR**

Version 2.1	Revision Date: 02/22/2023	SDS Number: S00038055004	This version replaces all previous versions.
----------------	------------------------------	-----------------------------	--

stances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECS - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 02/22/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8