PULL HERE TO OPEN

Epivio[®]Zn

syngenta

Micronutrient Zinc Solution for Rice Seed Treatment.

GUARANTEED ANALYSIS

Derived from Zinc EDTA.

Contains 0.273 lb zinc per gallon.

KEEP OUT OF REACH OF CHILDREN. CAUTION

Information about the components of this lot of fertilizer may be obtained by writing to Syngenta Crop Protection, LLC, P.O. Box 18300, Greensboro, North Carolina 27419-8300 and giving the lot number which is found on the container.

EPA Est. 100-NE-001

SCP ZN-L1A 1118 4101853

Net Contents: 2.5 gallons Net Weight: 23.5 pounds



FIRST AID	
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If on skin or clothing	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
Have	the product container or label with you when calling a poison control center or doctor, or going for treatment.
	HOT LINE NUMBER For 24-Hour Medical Emergency Assistance (Human or Animal) Or Chemical Emergency Assistance (Spill, Leak, Fire or Accident) Call

1-800-888-8372

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

PRODUCT INFORMATION

Epivio[®] Zn is a micronutrient zinc solution to control early season zinc deficiencies in rice. It can be used with CruiserMaxx[®] Rice and other rice seed treatment products. Check compatibility of other products prior to use.

MIXING INSTRUCTIONS

Thoroughly shake the container of Epivio Zn prior to use.

Apply Epivio Zn as a water-based slurry utilizing standard slurry seed treatment equipment which provides uniform seed coverage. Uneven or incomplete seed coverage may not give the desired level of zinc deficiency control. Standard slurry volume is 25-30 fl oz per 100 lb of rice seed.

Thoroughly mix the specified amount of Epivio Zn into the required amount of water for the slurry treater and dilution rate to be used. The typical density of Epivio Zn is 9.41 pounds per gallon. Consult the manufacturer of the application equipment you plan to use for suitability for this application and for instructions on operation and calibration of the equipment.

- If using with a product without a colorant, a dye must be added to the slurry.
- Allow seed to dry before bagging.
- Store away from feed or foodstuffs.

DIRECTIONS FOR USE

Apply Epivio Zn at 10 fl oz per 100 lb of rice seed to supply 0.34 oz zinc per 100 lb seed.

Due to seed quality and seed storage conditions beyond the control of Syngenta, no claims are made to guarantee the germination of carry-over seed.

DO NOT USE TREATED SEED FOR FEED, FOOD OR OIL PURPOSES.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store the material in a well-ventilated, secure area out of reach of children and domestic animals. Do not store food, beverages or tobacco products in the storage area. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

CONTAINER DISPOSAL: Do not reuse empty container. Triple rinse (or equivalent) during mixing and loading and add rinse water to spray tank. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the ACRC web page at www.acrecycle.org. Decontaminated containers may also be disposed of in a sanitary landfill.

CONTAINER IS NOT SAFE FOR FOOD, FEED, OR DRINKING WATER.

CONDITIONS OF SALE AND LIMITATION OF LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of SYNGENTA CROP PROTECTION, LLC or Seller. To the extent permitted by applicable law, Buyer and User agree to hold SYNGENTA and Seller harmless for any claims relating to such factors.

SYNGENTA warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. To the extent permitted by applicable law: (1) this warranty does not extend to the use of the product contrary to label instructions, or under conditions not reasonably foreseeable to or beyond the control of Seller or SYNGENTA, and (2) Buyer and User assume the risk of any such use. TO THE EXTENT PERMITTED BY APPLICABLE LAW, SYNGENTA MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS WARRANTED BY THIS LABEL.

To the extent permitted by applicable law, in no event shall SYNGENTA be liable for any incidental, consequential or special damages resulting from the use or handling of this product. TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF SYNGENTA AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF SYNGENTA OR SELLER, THE REPLACEMENT OF THE PRODUCT.

SYNGENTA and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of SYNGENTA.

CruiserMaxx[®], Epivio[®] Zn, the ALLIANCE FRAME the SYNGENTA Logo, and the PURPOSE ICON are Trademarks of a Syngenta Group Company

©2018 Syngenta

For non-emergency (e.g. current product information), call Syngenta Crop Protection at 1-800-334-9481.

Manufactured for: Syngenta Crop Protection, LLC P.O. Box 18300 Greensboro, North Carolina 27419-8300

SCP ZN-L1A 1118 4101853



Micronutrient Zinc Solution for Rice Seed Treatment.

GUARANTEED ANALYSIS

Zinc (Zn)

Derived from Zinc EDTA.

Contains 0.273 lb zinc per gallon.

Information about the components of this lot of fertilizer may be obtained by writing to Syngenta Crop Protection, LLC, P.O. Box 18300, Greensboro, North Carolina 27419-8300 and giving the lot number which is found on the container.

EPA Est. 100-NE-001

Epivio® Zn, and the SYNGENTA Logo are Trademarks of a Syngenta Group Company

©2018 Syngenta

Manufactured for: Syngenta Crop Protection, LLC P.O. Box 18300 Greensboro, North Carolina 27419-8300

SCP ZN-L1A 1118 4101853

KEEP OUT OF REACH OF CHILDREN.

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

HOT LINE NUMBER: For 24-Hour Medical Emergency Assistance (Human or Animal) Or Chemical Emergency Assistance (Spill, Leak, Fire or Accident) Call 1-800-888-8372

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals

CAUTION

Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

PRODUCT INFORMATION

 ${\sf Epivio}^{\circledast}$ Zn is a micronutrient zinc solution to control early season zinc deficiencies in rice. It can be used with CruiserMaxx® Rice and other rice seed treatment products. Check compatibility of other products prior to use.

DIRECTIONS FOR USE

Apply Epivio Zn at 10 fl oz per 100 lb of rice seed to supply 0.34 oz zinc per 100 lb seed

DO NOT USE TREATED SEED FOR FEED, FOOD OR OIL PURPOSES.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store the material in a well-ventilated, secure area out of reach of children and domestic animals. Do not store food, beverages or tobacco products in the storage area. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

CONTAINER DISPOSAL: Do not reuse empty container. Triple rinse (or equivalent) during mixing and loading and add rinse water to spray tank. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the ACRC web page at www.acrecycle.org. Decontaminated containers may also be disposed of in a sanitary landfill. CONTAINER IS NOT SAFE FOR FOOD, FEED, OR DRINKING WATER.

Net Contents: 2.5 gallons Net Weight: 23.5 pounds



