



## MAXIMUM WEED MANAGEMENT on Either Side of Planting

Uncontrolled weeds compete with soybean plants for sunlight, water and nutrients. Especially early in the season, weed pressure is one of the top threats to yield potential. But Prefix<sup>®</sup> herbicide, a combination of S-metolachlor and fomesafen, helps you maintain clean fields with extended residual activity against key broadleaf and grass species. A flexible application window allows Prefix to be applied as a preemergent herbicide or an early post-emergent herbicide, with residual control of up to five weeks.

### Works in a two-pass system

In dicamba-tolerant soybeans, a preemergence application of Prefix can be followed by a post-emergence application of a dicamba herbicide, such as **Tavium<sup>®</sup> Plus VaporGrip<sup>®</sup> Technology** herbicide. Or, Prefix can be applied early post-emergence following a preemergent treatment of **Boundary<sup>®</sup> 6.5 EC** herbicide.

#### USE RATES

Apply Prefix at 2 – 3 pt/A.  
Refer to the label, as rates vary based on growing region.

### Extend residual control with Prefix

- ▶ Provides timely weed management of problem grass and broadleaf weeds using two effective sites of action to manage key ALS- and glyphosate-resistant weeds
- ▶ Delivers extended residual activity – up to five weeks – against key grass and broadleaf weeds
- ▶ Provides application flexibility with a pre-planting program that ensures clean fields when soybeans go into the ground, or an early post-planting program that kills weeds before they can emerge
- ▶ Fits into any trait system, expanding the options for weed resistance management

## WEEDS CONTROLLED

Prefix controls annual broadleaf weeds, including:

- ▶ Waterhemp spp.
- ▶ Pigweed spp.
- ▶ Pennsylvania smartweed
- ▶ Morningglory
- ▶ Ragweed spp.
- ▶ Black nightshade
- ▶ Common lambsquarters
- ▶ Marestail/horseweed
- ▶ Prickly sida

Prefix controls annual grass weeds, including:

- ▶ Barnyardgrass
- ▶ Goosegrass
- ▶ Foxtail spp.
- ▶ Crabgrass spp.
- ▶ Fall panicum

## Proven in-field performance



Boundary<sup>®</sup> 6.5 EC herbicide  
fb Prefix<sup>®</sup> herbicide



Fierce<sup>®</sup> herbicide

*Syngenta trials, 2016; Marysville, Ohio.*



Prefix<sup>®</sup> herbicide



Sonic<sup>®</sup> herbicide

*Syngenta trials, 2018; Morgan, Minnesota.*



Get the flexibility to control tough weeds on either side of planting with Prefix. Speak to your retailer or [visit \*\*SyngentaUS.com/Prefix\*\*](https://www.syngenta.com/Prefix) to learn more.



@SyngentaUS

 **Prefix<sup>®</sup>**

 **syngenta.**

All photos are either the property of Syngenta or are used with permission.

Performance assessments are based upon results or analysis of public information, field observations and/or internal Syngenta evaluations. Trials reflect treatment rates commonly recommended in the marketplace.

©2020 Syngenta. **Important: Always read and follow label instructions. Some products may not be registered for sale or use in all states or counties. Please check with your local extension service to ensure registration status. Tavium Plus VaporGrip Technology is a Restricted Use Pesticide.** For use by certified applicators only. Boundary<sup>®</sup>, Prefix<sup>®</sup>, Tavium<sup>®</sup>, the Alliance Frame, the Purpose Icon and the Syngenta logo are trademarks of a Syngenta Group Company. Fierce<sup>®</sup> is a registered trademark of Valent U.S.A., LLC. Sonic<sup>®</sup> is a registered trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow. VaporGrip<sup>®</sup> is a registered trademark of, and used under license from, Monsanto Technology, LLC.