

**AATREX NINE-O** 

Version Revision Date: SDS Number: This version replaces all previous versions.

0.0 06/07/2023 S1179892

### **SECTION 1. IDENTIFICATION**

Product name : AATREX NINE-O

Design code : A5852E

Product Registration number : 100-585

Manufacturer or supplier's details

Company name of supplier : Syngenta Crop Protection, LLC

Address : Post Office Box 18300 Greensboro NC 27419

United States of America (USA)

Telephone : 1 800 334 9481 Telefax : 1 336 632 2192

E-mail address : sds.requests@syngenta.com

Emergency telephone : 1 800 888 8372

Recommended use of the chemical and restrictions on use

Recommended use : Herbicide

Restrictions on use : Restricted Use Pesticide

### **SECTION 2. HAZARDS IDENTIFICATION**

# GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Combustible dust

Specific target organ toxicity : Category 2 (Heart)

- repeated exposure

**GHS** label elements

Hazard pictograms :

Signal Word : Warning

Hazard Statements : May form combustible dust concentrations in air.

H373 May cause damage to organs (Heart) through prolonged

or repeated exposure.

Precautionary Statements : Prevention:

P260 Do not breathe dust.

Response:

P314 Get medical advice/ attention if you feel unwell.



Version Revision Date: SDS Number: This version replaces all previous versions. 06/07/2023 0.0 S1179892

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

#### Other hazards

May form combustible dust concentrations in air.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
atrazine	1912-24-9	90
lignosulfonic acid, sodium salt	8061-51-6	>= 1 - < 5
sodium dibutylnaphthalenesulpho-	25417-20-3	>= 1 - < 5
nate		
gum arabic	9000-01-5	>= 1 - < 5
sodium 2-[methyloleoylamino]ethane-	137-20-2	>= 1 - < 5
1-sulphonate		

Actual concentration is withheld as a trade secret

### **SECTION 4. FIRST AID MEASURES**

General advice Have the product container, label or Safety Data Sheet with

you when calling the emergency number, a poison control

center or physician, or going for treatment.

If inhaled Take the victim into fresh air.

If breathing is irregular or stopped, administer artificial

respiration.

Keep patient warm and at rest.

Call a physician or poison control center immediately.

In case of skin contact Take off all contaminated clothing immediately.

Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.

In case of eye contact Rinse immediately with plenty of water, also under the eyelids,

> for at least 15 minutes. Remove contact lenses.

Immediate medical attention is required.

If swallowed If swallowed, seek medical advice immediately and show this

container or label.

Do NOT induce vomiting.

Most important symptoms and effects, both acute and Nonspecific

delayed

No symptoms known or expected.

There is no specific antidote available. Notes to physician

Treat symptomatically.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Extinguishing media - small fires



Version 0.0

**Revision Date:** 06/07/2023

SDS Number: S1179892

This version replaces all previous versions.

Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Extinguishing media - large fires

Alcohol-resistant foam

Water spray

Unsuitable extinguishing

Specific hazards during fire

media

fighting

Do not use a solid water stream as it may scatter and spread

As the product contains combustible organic ingredients, fire

will produce dense black smoke containing hazardous

products of combustion (see section 10).

Exposure to decomposition products may be a hazard to

health.

Further information Do not allow run-off from fire fighting to enter drains or water

courses.

Cool closed containers exposed to fire with water spray. Wear full protective clothing and self-contained breathing

Special protective equipment

for fire-fighters

apparatus.

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protec- : tive equipment and emergency procedures

Refer to protective measures listed in sections 7 and 8.

Avoid dust formation.

**Environmental precautions** Do not flush into surface water or sanitary sewer system.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up Contain spillage, pick up with an electrically protected vacuum cleaner or by wet-brushing and transfer to a container for

disposal according to local regulations (see section 13).

Do not create a powder cloud by using a brush or compressed

Clean contaminated surface thoroughly. Clean with detergents. Avoid solvents.

Retain and dispose of contaminated wash water.

### **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling

This material is capable of forming flammable dust clouds in air, which, if ignited, can produce a dust cloud explosion.

Flames, hot surfaces, mechanical sparks and electrostatic discharges can serve as ignition sources for this material. Electrical equipment should be compatible with the

flammability characteristics of this material. The flammability characteristics will be made worse if the material contains traces of flammable solvents or is handled in the presence of

flammable solvents.

In general personnel handling this material and all conducting equipment should be electrically earthed or grounded. Bulk bags (FIBC) used to contain this material should be Type B. Type C or Type D. Type C bags must be electrically grounded or earthed before powder is charged to or



**AATREX NINE-O** 

Version Revision Date: SDS Number: This version replaces all previous versions. 0.0 06/07/2023 S1179892

discharged from the bag. If metal or fiber drums are used to contain this material, make certain the metal parts are bonded

to the filling equipment and grounded.

This material could become charged under certain conditions

such as pneumatic conveying.

Avoid contact with skin and eyes.

When using do not eat, drink or smoke.

For personal protection see section 8.

Conditions for safe storage : Keep containers tightly closed in a dry, cool and well-

ventilated place.

Keep out of the reach of children.

Keep away from food, drink and animal feedingstuffs.

# **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

### Ingredients with workplace control parameters

Components	CAS-No.	Value type	Control parame-	Basis
		(Form of	ters / Permissible	
		exposure)	concentration	
atrazine	1912-24-9	TWA	2 mg/m3	Syngenta
		TWA	5 mg/m3	NIOSH REL
		TWA	5 mg/m3	OSHA P0
		TWA (Inhal-	2 mg/m3	ACGIH
		able particu-		
		late matter)		

Engineering measures : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE

CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS

CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure

standards.

Where necessary, seek additional occupational hygiene

advice.

### Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally

required.

When workers are facing concentrations above the exposure

limit they must use appropriate certified respirators.

Hand protection

Remarks : No special protective equipment required.
Eye protection : No special protective equipment required.
Skin and body protection : No special protective equipment required.

Select skin and body protection based on the physical job

requirements.

Protective measures : The use of technical measures should always have priority



**AATREX NINE-O** 

Version 0.0

Revision Date: 06/07/2023

SDS Number: S1179892

This version replaces all previous versions.

over the use of personal protective equipment.
When selecting personal protective equipment, seek

appropriate professional advice.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES** 

Appearance : granules

Color : Light beige to brown

Odor : earthy

Odor Threshold : No data available

pH : 8.5

Concentration: 1 %w/v

Melting point/range : No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : May form combustible dust concentrations in air.

Burning number : 2 (68 °F / 20 °C)

5 (212 °F / 100 °C)

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Density : No data available

Bulk density : 0.485 g/cm3

Solubility(ies)

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Autoignition temperature : No data available

Decomposition temperature :

No data available

Viscosity



**AATREX NINE-O** 

Version 0.0

Revision Date: 06/07/2023

SDS Number: S1179892

This version replaces all previous versions.

Viscosity, dynamic No data available

Viscosity, kinematic No data available

Explosive properties Not explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

The substance or mixture is not classified as self heating. Self-heating substances

Surface tension 34.2 mN/m, 68 °F / 20 °C

Minimum ignition energy 10 - 30 mJ

Particle size No data available

# **SECTION 10. STABILITY AND REACTIVITY**

Reactivity None reasonably foreseeable. Chemical stability Stable under normal conditions.

Possibility of hazardous reac-

tions

No decomposition if used as directed.

Incompatible materials None known.

Hazardous decomposition

Conditions to avoid

products

No hazardous decomposition products are known.

No dangerous reaction known under conditions of normal use.

# **SECTION 11. TOXICOLOGICAL INFORMATION**

# Information on likely routes of exposure

Ingestion Inhalation Skin contact Eye contact

### **Acute toxicity**

**Product:** 

Acute oral toxicity LD50 (Rat, female): 3,129 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 2.67 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

LD50 (Rat, male and female): > 5,050 mg/kg Acute dermal toxicity

**Components:** 

atrazine:

Acute oral toxicity LD50 (Rat, male and female): 3,090 mg/kg



**AATREX NINE-O** 

Version Revision Date: SDS Number: This version replaces all previous versions. 0.0 06/07/2023 S1179892

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.82 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 3,100 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

sodium dibutylnaphthalenesulphonate:

Acute oral toxicity : LD50 (Rat): 1,800 mg/kg

Acute inhalation toxicity : LC50 (Rat): 4.08 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): 3,000 mg/kg

Skin corrosion/irritation

**Product:** 

Species : Rabbit

Result : No skin irritation

Components:

atrazine:

Species : Rabbit

Result : No skin irritation

sodium dibutylnaphthalenesulphonate:

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

**Product:** 

Species : Rabbit

Result : No eye irritation

**Components:** 

atrazine:

Species : Rabbit

Result : No eye irritation

lignosulfonic acid, sodium salt:

Result : Eye irritation



**AATREX NINE-O** 

Version Revision Date: SDS Number: This version replaces all previous versions.

0.0 06/07/2023 S1179892

sodium dibutylnaphthalenesulphonate:

Result : Risk of serious damage to eyes.

Rabbit

gum arabic:

**Species** 

Result : Eye irritation

sodium 2-[methyloleoylamino]ethane-1-sulphonate:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Respiratory or skin sensitization

**Product:** 

Species : Guinea pig

Result : Did not cause sensitization on laboratory animals.

**Components:** 

atrazine:

Test Type : Maximization Test Species : Guinea pig

Result : The product is a skin sensitizer, sub-category 1A.

sodium dibutylnaphthalenesulphonate:

Test Type : Maximization Test Species : Guinea pig

Result : Not a skin sensitizer.

Germ cell mutagenicity

**Components:** 

atrazine:

Germ cell mutagenicity - : Did not show mutagenic or teratogenic effects in animal ex-

Assessment periments.

sodium dibutylnaphthalenesulphonate:

Germ cell mutagenicity - : In vitro tests did not show mutagenic effects

Assessment

sodium 2-[methyloleoylamino]ethane-1-sulphonate:

Germ cell mutagenicity - : In vitro tests did not show mutagenic effects

Assessment

Carcinogenicity

**Components:** 

atrazine:

Carcinogenicity - Assess-

ment

This substance has been reported to cause tumors in certain animal species., These is no evidence that these findings are



**AATREX NINE-O** 

Version Revision Date: SDS Number: This version replaces all previous versions. 0.0 06/07/2023 S1179892

0.0 00/01/2020 01170002

relevant to humans.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA**No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

**Components:** 

atrazine:

Reproductive toxicity - As-

No toxicity to reproduction

sessment

sodium 2-[methyloleoylamino]ethane-1-sulphonate:

Reproductive toxicity - As-

sessment

: No toxicity to reproduction

STOT-single exposure

**Components:** 

sodium dibutylnaphthalenesulphonate:

Target Organs : Respiratory system

Assessment : The substance or mixture is classified as specific target organ

toxicant, single exposure, category 3 with respiratory tract

irritation.

STOT-repeated exposure

**Components:** 

atrazine:

Target Organs : Heart

Assessment : The substance or mixture is classified as specific target organ

toxicant, repeated exposure, category 2.

**SECTION 12. ECOLOGICAL INFORMATION** 

**Ecotoxicity** 

**Product:** 

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 4.4 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 27.1 mg/l

Exposure time: 48 h



**AATREX NINE-O** 

Version Revision Date: SDS Number: This version replaces all previous versions. 0.0 06/07/2023 S1179892

Components:

atrazine:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 4.5 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Americamysis): 5.4 mg/l

Exposure time: 96 h

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)):

0.16 mg/l

Exposure time: 96 h

NOEC (Raphidocelis subcapitata (freshwater green alga)):

0.011 mg/l

End point: Growth rate Exposure time: 96 h

Toxicity to fish (Chronic tox-

icity)

(Oncorhynchus mykiss (rainbow trout)): 0.06 mg/l

Exposure time: 21 d

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Americamysis): 0.26 mg/l

Exposure time: 28 d

NOEC (Daphnia magna Straus (Water flea)): 0.04 mg/l

Exposure time: 21 d

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l

Exposure time: 3 h

sodium 2-[methyloleoylamino]ethane-1-sulphonate:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 1.32 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 5.76 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): 197 mg/l

Exposure time: 72 h

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 2 mg/l

Exposure time: 21 d

Persistence and degradability

**Components:** 

atrazine:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Remarks: Product is not persistent.

sodium 2-[methyloleoylamino]ethane-1-sulphonate:

Biodegradability : Result: Readily biodegradable.



**AATREX NINE-O** 

Version 0.0

**Revision Date:** 06/07/2023

SDS Number: S1179892

This version replaces all previous versions.

Bioaccumulative potential

Components:

atrazine:

Bioaccumulation Remarks: Does not bioaccumulate.

Partition coefficient: n-

octanol/water

log Pow: 2.5 (77 °F / 25 °C)

Mobility in soil

**Components:** 

atrazine:

Distribution among environ-

mental compartments

Stability in soil Dissipation time: 38.5 d

Percentage dissipation: 50 % (DT50) Remarks: Product is not persistent.

Remarks: Highly mobile in soils

Other adverse effects

**Components:** 

atrazine:

Results of PBT and vPvB

assessment

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulating (vPvB).

**SECTION 13. DISPOSAL CONSIDERATIONS** 

**Disposal methods** 

Waste from residues Do not contaminate ponds, waterways or ditches with

chemical or used container.

Do not dispose of waste into sewer.

Where possible recycling is preferred to disposal or

incineration.

If recycling is not practicable, dispose of in compliance with

local regulations.

Contaminated packaging Empty remaining contents.

Triple rinse containers.

Empty containers should be taken to an approved waste

handling site for recycling or disposal.

Do not re-use empty containers.

**SECTION 14. TRANSPORT INFORMATION** 

International Regulations

**UNRTDG** 

**UN 3077 UN** number

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, Proper shipping name

N.O.S.



Version **Revision Date:** SDS Number: This version replaces all previous versions. 0.0 06/07/2023 S1179892

(ATRAZINE)

Class : 9 Packing group Ш Labels

Remarks This product can be subject to exemptions when packaged in

single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

**IATA-DGR** 

UN/ID No. UN 3077

Proper shipping name Environmentally hazardous substance, solid, n.o.s.

(ATRAZINE)

956

Class Packing group Ш

Miscellaneous Labels

Packing instruction (cargo 956

aircraft)

Packing instruction (passen-

ger aircraft)

Environmentally hazardous

yes Remarks

This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per

single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

**IMDG-Code** 

UN 3077 **UN** number

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(ATRAZINE)

Class 9 Packing group Ш Labels 9 **EmS Code** 

F-A, S-F Marine pollutant

This product can be subject to exemptions when packaged in Remarks

single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

**Domestic regulation** 

**49 CFR** 

Not regulated as a dangerous good

Shipment by ground under DOT is non-regulated; however it Remarks

may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.



Version Revision Date: SDS Number: This version replaces all previous versions. 0.0 06/07/2023 S1179892

**SECTION 15. REGULATORY INFORMATION** 

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: Caution

Harmful if swallowed.

Do not breathe mist.

Avoid breathing dust.

Avoid contact with skin, eyes or clothing.

### **CERCLA Reportable Quantity**

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Combustible dust

Specific target organ toxicity (single or repeated exposure)

SARA 313 : The following components are subject to reporting levels

established by SARA Title III, Section 313:

atrazine 1912-24-9 >= 90 - <= 100 %

### California Prop. 65

WARNING: This product can expose you to chemicals including atrazine, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.


# **SECTION 16. OTHER INFORMATION**

### **Further information**



Version Revision Date: SDS Number: This version replaces all previous versions. 0.0 06/07/2023 S1179892

#### **NFPA 704:**



Special hazard

#### HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL : USA. NIOSH Recommended Exposure Limits

OSHA P0 : USA. Table Z-1-A Limits for Air Contaminants (1989 vacated

values)

ACGIH / TWA : 8-hour, time-weighted average

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour

workday during a 40-hour workweek

OSHA P0 / TWA : 8-hour time weighted average Syngenta / TWA : Time weighted average

AllC - Australian Inventory of Industrial Chemicals: ASTN

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC -International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic sub-



**AATREX NINE-O** 

Version Revision Date: SDS Number: This version replaces all previous versions. 0.0 06/07/2023 S1179892

stance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 06/07/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8