according to the OSHA Hazard Communication Standard



# 

ersion .0	Revision Date: 09/09/2024	SDS Number: S00027505513	Date of last issue: 07/06/2022 Date of first issue: 08/07/2019
ECTION	1. IDENTIFICATION		
Product name Design code		: AFRAME : A12705T	
Product Registration number		er : 100-1098	
Manu	facturer or supplier	s details	
Company name of supplier Address		: Post Office Bo Greensboro N	
Telep Telefa		: 1 800 334 948 : 1 336 632 219	
E-mail address Emergency telephone		: sds.requests : 1 800 888 837	
Reco	mmended use of the	chemical and restr	ictions on use
Recommended use		: Fungicide	
Restr	ictions on use	: General Use	Pesticide

### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

### **GHS** label elements

Not a hazardous substance or mixture.

#### Other hazards

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Azoxystrobin	131860-33-8	22.9358
propane-1,2-diol	57-55-6	>= 10 - < 20
naphthalenesulfonic acid, dimethyl-, polymer with formaldehyde and me- thylnaphthalenesulfonic acid, sodium salt	9084-06-4	>= 1 - < 5

Actual concentration is withheld as a trade secret

### **SECTION 4. FIRST AID MEASURES**

according to the OSHA Hazard Communication Standard



# AFRAME

Version 2.0	Revision Date: 09/09/2024	SDS Number S0002750551					
Gene	General advice		product container, label or Safety Data Sheet with calling the emergency number, a poison control physician, or going for treatment.				
If inhaled		: Take the v If breathin respiration Keep pation	Take the victim into fresh air. If breathing is irregular or stopped, administer artificial respiration. Keep patient warm and at rest. Call a physician or poison control center immediately.				
In case of skin contact		: Take off a Wash off i If skin irrit	Il contaminated clothing immediately. Immediately with plenty of water. ation persists, call a physician. taminated clothing before re-use.				
In case of eye contact		: Rinse imn for at leas Remove c	nediately with plenty of water, also under the eyelids, t 15 minutes. contact lenses. e medical attention is required.				
lf swa	allowed	: If swallow container	ed, seek medical advice immediately and show this				
	important symptoms ffects, both acute and ed	: Nonspecif	-				
	s to physician		o specific antidote available. ptomatically.				

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Extinguishing media - small fires Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Extinguishing media - large fires Alcohol-resistant foam or Water spray
Unsuitable extinguishing media	:	Do not use a solid water stream as it may scatter and spread fire.
Specific hazards during fire fighting	:	As the product contains combustible organic ingredients, fire will produce dense black smoke containing hazardous products of combustion (see section 10). Exposure to decomposition products may be a hazard to health.
Further information	:	Do not allow run-off from fire fighting to enter drains or water courses. Cool closed containers exposed to fire with water spray.
Special protective equipment for fire-fighters	:	Wear full protective clothing and self-contained breathing apparatus.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : Refer to protective measures listed in sections 7 and 8.

according to the OSHA Hazard Communication Standard



# AFRAME

Version 2.0	Revision Date: 09/09/2024		DS Number: 00027505513	Date of last issue: 07/06/2022 Date of first issue: 08/07/2019
	quipment and emer-			
Enviro	onmental precautions	:	Do not flush into a	akage or spillage if safe to do so. surface water or sanitary sewer system. taminates rivers and lakes or drains inform ities.
	Methods and materials for : containment and cleaning up		absorbent materia vermiculite) and p local / national re- Clean contaminat Clean with deterg	and then collect with non-combustible al, (e.g. sand, earth, diatomaceous earth, place in container for disposal according to gulations (see section 13). ted surface thoroughly. gents. Avoid solvents. se of contaminated wash water.

### SECTION 7. HANDLING AND STORAGE

Advice on safe handling	<ul> <li>No special protective measures against fire required.</li> <li>Avoid contact with skin and eyes.</li> <li>When using do not eat, drink or smoke.</li> <li>For personal protection see section 8.</li> </ul>	
Conditions for safe storage	<ul> <li>No special storage conditions required.</li> <li>Keep containers tightly closed in a dry, cool and well- ventilated place.</li> <li>Keep out of the reach of children.</li> <li>Keep away from food, drink and animal feedingstuffs.</li> </ul>	

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Azoxystrobin	131860-33-8	TWA	0.7 mg/m3	Syngenta
propane-1,2-diol	57-55-6	TWA	10 mg/m3	US WEEL
Engineering measures :	CONTROLS/F FOR THE MA PACKAGING APPLICATION CONSULT TH Containment a protection mea The extent of actual risks in Maintain air co standards.	PERSONAL PRO NUFACTURE, F OF THE PRODINS AND/OR ON IE PRODUCT La and/or segregation asure if exposure these protection use.	ENDATIONS FOR EX DTECTION ARE INTI- CORMULATION AND JCT. FOR COMMER -FARM APPLICATIO ABEL. on is the most reliable e cannot be eliminate measures depends of low occupational exp onal occupational hyg	ENDED CIAL NS e technical ed. on the

according to the OSHA Hazard Communication Standard



# AFRAME

Version	Revision Date:	SDS N	lumber:	Date of last issue: 07/06/2022			
2.0	09/09/2024	S0002	27505513	Date of first issue: 08/07/2019			
Perso	onal protective equip	ment					
1 01 50		nont					
Respiratory protection		reo W	No personal respiratory protective equipment normally required. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.				
Hand	Hand protection		2				
Re	Remarks		special prot	ective equipment required.			
Eve p	protection		No special protective equipment required.				
	and body protection		No special protective equipment required.				
Chart		Se		body protection based on the physical job			
Prote	ctive measures	ov W	er the use of hen selecting	nnical measures should always have priority personal protective equipment. personal protective equipment, seek fessional advice.			

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	suspension
Color	:	off-white to yellow
Odor	:	chemical
Odor Threshold	:	No data available
рН	:	6.8 - 8.8 Concentration: 100 %w/v
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Method: Pensky-Martens closed cup does not flash
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Density	:	1.09 g/cm3 (77 °F / 25 °C)
Solubility(ies)		

according to the OSHA Hazard Communication Standard



# AFRAME

		• —			
Vers 2.0	ion	Revision Date: 09/09/2024		S Number: )027505513	Date of last issue: 07/06/2022 Date of first issue: 08/07/2019
	Wate	er solubility	:	No data available	)
	Solu	bility in other solvents	:	No data available	)
	Partition octanol	n coefficient: n-	:	No data available	)
		ition temperature	:	887 °F / 475 °C	
	Decom	position temperature	:	No data available	
	Viscosit Visc	ty osity, kinematic	:	No data available	)
	Explosi	ve properties	:	Not explosive	
		ng properties	:	The substance of	r mixture is not classified as oxidizing.
	Particle Particle	characteristics size	:	No data available	

### SECTION 10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reac- tions	:	None reasonably foreseeable. Stable under normal conditions. No dangerous reaction known under conditions of normal use.
Conditions to avoid Incompatible materials Hazardous decomposition products	:	No decomposition if used as directed. None known. No hazardous decomposition products are known.

### SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes Ingestion Inhalation Skin contact Eye contact	of	exposure
Acute toxicity		
Product:		
Acute oral toxicity	:	LD50 (Rat, male and female): > 5,000 mg/kg Remarks: Based on data from similar materials
Acute inhalation toxicity	:	LC50 (Rat, male and female): > 6.32 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhala- tion toxicity Remarks: Based on data from similar materials

according to the OSHA Hazard Communication Standard



# AFRAME

FRAN				
rsion	Revision Date: 09/09/2024		OS Number: 00027505513	Date of last issue: 07/06/2022 Date of first issue: 08/07/2019
Acute o	dermal toxicity	:	Assessment: The toxicity	and female): > 4,000 mg/kg substance or mixture has no acute dermal on data from similar materials
Compo	onents:			
Azoxy	strobin:			
Acute of	oral toxicity	:	LD50 (Rat, male	and female): > 5,000 mg/kg
Acute i	nhalation toxicity	:	LC50 (Rat, female Exposure time: 4 Test atmosphere:	h
Acute o	dermal toxicity	:		and female): > 2,000 mg/kg substance or mixture has no acute dermal
propar	ne-1,2-diol:			
Acute of	oral toxicity	:	LD50 (Rat): > 20,	000 mg/kg
			Assessment: The icity	substance or mixture has no acute oral tox-
Acute i	nhalation toxicity	:	LC50 (Rabbit): 31 Exposure time: 2 Test atmosphere:	h
Acute o	dermal toxicity	:	LD50 (Rabbit): > Assessment: The toxicity	2,000 mg/kg substance or mixture has no acute dermal
Skin c	orrosion/irritation			
Produ	ct:			
Specie	S	:	Rabbit	
Result		:	No skin irritation	
Remar	KS	:	Based on data fro	om similar materials
Compo	onents:			
-	strobin:			
Specie	S	:	Rabbit	
Result		:	No skin irritation	
propar	ne-1,2-diol:			
Result		:	No skin irritation	
			ethyl-, polymer wi	th formaldehyde and methylnaphtha-
	Ifonic acid, sodium s	alt:	Dabbit	
Specie	5	:	Rabbit	

according to the OSHA Hazard Communication Standard



	Revision Date: 09/09/2024	-	0S Number: 0027505513	Date of last issue: 07/06/2022 Date of first issue: 08/07/2019				
Resu	lt	:	Irritating to skin					
Seric	ous eye damage/eye	irritati	on					
<u>Prod</u>	uct:							
Spec		:	Rabbit					
Resu Rema		:	: No eye irritation : Based on data from similar materials					
Com	nononto:							
	ponents:							
Spec	ystrobin:		Rabbit					
Resu		:	No eye irritation					
prop	ane-1,2-diol:							
 Resu		:	No eye irritation					
Spec Resu		:	Rabbit Irritation to eyes	, reversing within 21 days				
Resp	biratory or skin sensi	itizatio	'n					
-								
<u>Prod</u>	-							
Spec	uct: ies	:	Guinea pig					
Spec Resu	uct: ies It	:	Does not cause	skin sensitization. rom similar materials				
Spec Resu	uct: ies It	:	Does not cause	skin sensitization. rom similar materials				
Spec Resu Rema	uct: ies It	:	Does not cause					
Spec Resu Rema <u>Com</u> Azox	uct: ies It arks ponents: rystrobin:	:	Does not cause Based on data f					
Spec Resu Rema <u>Com</u> Azox Spec	uct: ies It arks <b>ponents:</b> <b>ystrobin:</b> ies		Does not cause Based on data f Guinea pig	rom similar materials				
Spec Resu Rema <u>Com</u> Azox Spec	uct: ies It arks <b>ponents:</b> <b>ystrobin:</b> ies		Does not cause Based on data f Guinea pig					
Spec Resu Rema <b>Com</b> <b>Azox</b> Spec Resu <b>prop</b>	uct: ies It arks <b>ponents:</b> <b>ystrobin:</b> ies It ane-1,2-diol:		Does not cause Based on data f Guinea pig Does not cause	rom similar materials skin sensitization.				
Spec Resu Rema <u>Com</u> Azox Spec Resu prop	uct: ies It arks <b>ponents:</b> <b>ystrobin:</b> ies It ane-1,2-diol:		Does not cause Based on data f Guinea pig Does not cause	rom similar materials				
Spec Resu Rema <b>Com</b> <b>Azox</b> Spec Resu <b>prop</b> Resu	uct: ies It arks <b>ponents:</b> <b>ystrobin:</b> ies It ane-1,2-diol:		Does not cause Based on data f Guinea pig Does not cause	rom similar materials skin sensitization.				
Spec Resu Rema <b>Com</b> <b>Azox</b> Spec Resu <b>prop</b> Resu <b>Germ</b>	uct: ies It arks <b>ponents:</b> iystrobin: ies It <b>ane-1,2-diol:</b> It		Does not cause Based on data f Guinea pig Does not cause	rom similar materials skin sensitization.				
Azox Spec Resu prop Resu Gern <u>Com</u>	uct: ies It arks ponents: cystrobin: ies It ane-1,2-diol: It n cell mutagenicity		Does not cause Based on data f Guinea pig Does not cause	rom similar materials skin sensitization.				
Spec Resu Rema <b>Com</b> Azox Spec Resu prop Resu Germ <u>Com</u> Azox	uct: ies It arks ponents: systrobin: ies It ane-1,2-diol: It n cell mutagenicity ponents:		Does not cause Based on data f Guinea pig Does not cause Does not cause	rom similar materials skin sensitization.				
Spec Resu Rema <b>Com</b> Azox Spec Resu <b>prop</b> Resu <b>Germ</b> Azox Germ	uct: ies It arks ponents: cystrobin: ies It ane-1,2-diol: It n cell mutagenicity ponents: cystrobin: in cell mutagenicity -		Does not cause Based on data f Guinea pig Does not cause Does not cause	rom similar materials skin sensitization. skin sensitization.				

according to the OSHA Hazard Communication Standard



# AFRAME

ГКАІ				
rsion	Revision Date: 09/09/2024		DS Number: 00027505513	Date of last issue: 07/06/2022 Date of first issue: 08/07/2019
Carcii	nogenicity			
Comp	onents:			
Azoxy	strobin:			
Carcin ment	ogenicity - Asses	s- :	No evidence of o	carcinogenicity in animal studies.
	ne-1,2-diol:			
Carcir ment	ogenicity - Asses	S- :	No evidence of o	carcinogenicity in animal studies.
IARC				nt at levels greater than or equal to 0.1% is confirmed human carcinogen by IARC.
OSHA			this product pres regulated carcinc	ent at levels greater than or equal to 0.1% is ogens.
NTP				nt at levels greater than or equal to 0.1% is d carcinogen by NTP.
Repro	ductive toxicity			
Comp	onents:			
Azoxy	strobin:			
Repro sessm	ductive toxicity - /	As- :	No toxicity to rep	production, No effects on or via lactation
	ne-1,2-diol:	-		
Repro sessm	ductive toxicity - / ient	As- :		production, No effects on or via lactation id not show any effects on fetal development.
STOT	-single exposure	;		
Comp	onents:			
propa	ne-1,2-diol:			
Asses	sment	:	The substance of organ toxicant, s	or mixture is not classified as specific target single exposure.
STOT	-repeated expos	ure		
<u>Comp</u>	onents:			
Azoxy	strobin:			
Targe Asses	t Organs sment	:		or mixture is classified as specific target organ ad exposure, category 2.
propa	ne-1,2-diol:			
Asses		:		or mixture is not classified as specific target epeated exposure.

according to the OSHA Hazard Communication Standard



# AFRAME

Version	Revision Date:	SDS Number:	Date of last issue: 07/06/2022
2.0	09/09/2024	S00027505513	Date of first issue: 08/07/2019

### Aspiration toxicity

### **Components:**

# propane-1,2-diol:

No aspiration toxicity classification

### **SECTION 12. ECOLOGICAL INFORMATION**

### Ecotoxicity

Product:		
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 2.4 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	•	EC50 (Daphnia magna (Water flea)): 0.47 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	ErC50 (Scenedesmus capricornutum (fresh water algae)): 2.6 mg/l Exposure time: 120 h Remarks: Based on data from similar materials
		NOEC (Scenedesmus capricornutum (fresh water algae)): 0.2 mg/l End point: Growth rate Exposure time: 120 h Remarks: Based on data from similar materials
Components:		
Azoxystrobin:		
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 0.47 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.28 mg/l Exposure time: 48 h
		EC50 (Americamysis): 0.055 mg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	:	ErC50 (Raphidocelis subcapitata (freshwater green alga)):
		1.109 mg/l Exposure time: 72 h
		Exposure time: 72 h EC10 (Raphidocelis subcapitata (freshwater green alga)): 0.0303 mg/l End point: Growth rate

according to the OSHA Hazard Communication Standard



AFRAI	ME			
/ersion 2.0	Revision Date: 09/09/2024		0S Number: 0027505513	Date of last issue: 07/06/2022 Date of first issue: 08/07/2019
			Exposure time: 72	2 h
			NOEC (Skeletone End point: Growth Exposure time: 72	
Toxici icity)	ty to fish (Chronic tox-	:	NOEC (Oncorhyn Exposure time: 28	chus mykiss (rainbow trout)): 0.16 mg/l 3 d
			EC10 (Pimephale Exposure time: 33	s promelas (fathead minnow)): 0.2197 mg/l 3 d
aquati	ty to daphnia and other ic invertebrates (Chron-	:	NOEC (Daphnia r Exposure time: 21	nagna (Water flea)): 0.044 mg/l I d
ic toxi	City)		NOEC (Americam Exposure time: 28	nysis): 0.00954 mg/l 3 d
Toxici	ty to microorganisms	:	IC50 (Pseudomor Exposure time: 6	nas putida): > 3.2 mg/l h
propa	ine-1,2-diol:			
	ty to fish	:	LC50 (Oncorhync Exposure time: 96 Test Type: static t	
	ty to daphnia and other ic invertebrates	:	(Ceriodaphnia du Exposure time: 48 Test Type: static t	
Toxici plants	ty to algae/aquatic	:	ErC50 (Raphidoce 19,000 mg/l Exposure time: 96	elis subcapitata (freshwater green alga)): S h
	ty to daphnia and other ic invertebrates (Chron- city)	:	NOEC (Ceriodaph Exposure time: 7 Test Type: semi-s	
Persis	stence and degradabili	ity		
Comp	oonents:			
-	<b>/strobin:</b> gradability	:	Result: Not readily	y biodegradable.
Stabili	ity in water	:	Degradation half I Remarks: Persiste	
propa	ine-1,2-diol:			
Biode	gradability	:	Result: Readily bi	odegradable.

naphthalenesulfonic acid, dimethyl-, polymer with formaldehyde and methylnaphthalenesulfonic acid, sodium salt:

according to the OSHA Hazard Communication Standard



# AFRAME

ersion 0	Revision Date: 09/09/2024		DS Number: )0027505513	Date of last issue: 07/06/2022 Date of first issue: 08/07/2019
Biode	egradability	:	Result: Not rea	dily biodegradable.
Bioa	ccumulative potential			
Com	ponents:			
Azox	ystrobin:			
Bioac	cumulation	:	Remarks: Does	s not bioaccumulate.
Mobi	lity in soil			
Com	ponents:			
Azox	ystrobin:			
	bution among environ-	:	Remarks: Low	mobility in soil.
	al compartments lity in soil	:	Dissipation time	
				sipation: 50 % (DT50) uct is not persistent.
Othe	r adverse effects			
Com	ponents:			
Azox	ystrobin:			
	Its of PBT and vPvB ssment	:		ot persistent, bioaccumulative, and toxic (PB ot very persistent and very bioaccumulative

### SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	<ul> <li>Do not contaminate ponds, waterways or ditches with chemical or used container.</li> <li>Do not dispose of waste into sewer.</li> <li>Where possible recycling is preferred to disposal or incineration.</li> <li>If recycling is not practicable, dispose of in compliance with local regulations.</li> </ul>
Contaminated packaging	<ul> <li>Empty remaining contents.</li> <li>Triple rinse containers.</li> <li>Empty containers should be taken to an approved waste handling site for recycling or disposal.</li> <li>Do not re-use empty containers.</li> </ul>

### SECTION 14. TRANSPORT INFORMATION

### International Regulations

### UNRTDG

according to the OSHA Hazard Communication Standard



# AFRAME

	evision Date: 0/09/2024	SDS Nun S000275		Date of last issue: 07/06/2022 Date of first issue: 08/07/2019
Class Packing gr Labels Environme Remarks	oup entally hazardous	: 9 : III : 9 : yes : This p single single	e or combina e or inner pac	N) be subject to exemptions when packaged in tion packagings containing a net quantity per ckaging of 5 L or less for liquids, or having a br less for solids.
Class Packing gr Labels	pping name	(AZC : 9 : III		azardous substance, liquid, n.o.s. N)
Packing in ger aircraft	struction (passen- t) entally hazardous	single single	e or combina e or inner pac	be subject to exemptions when packaged in tion packagings containing a net quantity per ckaging of 5 L or less for liquids, or having a br less for solids.
IMDG-Coc UN numbe Proper ship Class Packing gr Labels EmS Code Marine pol Remarks	er pping name roup	N.O.S (AZO : 9 : III : 9 : F-A, S : yes : This p single single	RONMENTA 3. XYSTROBIN S-F product can b or combina or inner pag	LLY HAZARDOUS SUBSTANCE, LIQUID, be subject to exemptions when packaged in tion packagings containing a net quantity per ckaging of 5 L or less for liquids, or having a or less for solids.

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### **Domestic regulation**

#### 49 CFR

Not regulated as a dangerous good Remarks : S

Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data

according to the OSHA Hazard Communication Standard



### AFRAME

Version	Revision Date:	SDS Number:	Date of last issue: 07/06/2022
2.0	09/09/2024	S00027505513	Date of first issue: 08/07/2019

Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### **SECTION 15. REGULATORY INFORMATION**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: Caution

Harmful if absorbed through skin.

Avoid contact with skin, eyes or clothing.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Remove and wash contaminated clothing before re-use.

### **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
sodium hydroxide	1310-73-2	1000	

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	No SARA Hazards
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### SECTION 16. OTHER INFORMATION

Further information

according to the OSHA Hazard Communication Standard



### AFRAME



### Full text of other abbreviations

Syngenta	:	Syngenta Occupational Exposure Limits
US WEEL	:	USA. Workplace Environmental Exposure Levels (WEEL)
Syngenta / TWA	:	Time weighted average
US WEEL / TWA	:	8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC -International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk: IC50 - Half maximal inhibitory concentration: ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act: REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amend-

according to the OSHA Hazard Communication Standard



## AFRAME

Version	Revision Date:	SDS Number:	Date of last issue: 07/06/2022
2.0	09/09/2024	S00027505513	Date of first issue: 08/07/2019

ments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 09/09/2024

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8