according to the OSHA Hazard Communication Standard



## AGRI-FLEX MITICIDE/INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: -

3.0 03/21/2024 S00030437699 Date of first issue: 08/21/2020

#### **SECTION 1. IDENTIFICATION**

Product name : AGRI-FLEX MITICIDE/INSECTICIDE

Design code : A15543E

Product Registration number : 100-1350

Manufacturer or supplier's details

Company name of supplier : Syngenta Crop Protection, LLC

Address : Post Office Box 18300 Greensboro NC 27419

United States of America (USA)

Telephone : 1 800 334 9481 Telefax : 1 336 632 2192

E-mail address : sds.requests@syngenta.com

Recommended use of the chemical and restrictions on use

Recommended use : Insecticide

Restrictions on use : General Use Pesticide

#### **SECTION 2. HAZARDS IDENTIFICATION**

# GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 2

Reproductive toxicity : Category 2

Specific target organ toxicity

- repeated exposure

Category 1 (Nervous system)

**GHS** label elements

Hazard pictograms



Signal Word : Danger

Hazard Statements : H302 Harmful if swallowed.

H330 Fatal if inhaled.

H361d Suspected of damaging the unborn child.

H372 Causes damage to organs (Nervous system) through

prolonged or repeated exposure.

according to the OSHA Hazard Communication Standard



## AGRI-FLEX MITICIDE/INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: -

3.0 03/21/2024 S00030437699 Date of first issue: 08/21/2020

Precautionary Statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P260 Do not breathe mist or vapors.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ protective clothing/ eye protection/

face protection.

P284 Wear respiratory protection.

#### Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON

CENTER/ doctor if you feel unwell. Rinse mouth.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

### Storage:

P403 + P233 Store in a well-ventilated place. Keep container

tightly closed.

P405 Store locked up.

#### Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

#### Other hazards

None known.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)		
thiamethoxam	153719-23-4	13.8545		
abamectin	71751-41-2	3.0182		
propane-1,2-diol	57-55-6	>= 1 - < 5		
ethanol	64-17-5	>= 0.1 - < 1		

Actual concentration is withheld as a trade secret

#### **SECTION 4. FIRST AID MEASURES**

General advice : Have the product container, label or Safety Data Sheet with

you when calling the emergency number, a poison control

center or physician, or going for treatment.

If inhaled : Take the victim into fresh air.

If breathing is irregular or stopped, administer artificial

respiration.

according to the OSHA Hazard Communication Standard



AGRI-FLEX MITICIDE/INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: -

03/21/2024 S00030437699 Date of first issue: 08/21/2020 3.0

Keep patient warm and at rest.

Call a physician or poison control center immediately.

In case of skin contact Take off all contaminated clothing immediately.

> Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.

Rinse immediately with plenty of water, also under the eyelids, In case of eye contact

> for at least 15 minutes. Remove contact lenses.

Immediate medical attention is required.

If swallowed If swallowed, seek medical advice immediately and show this

container or label.

Do NOT induce vomiting.

Most important symptoms and effects, both acute and

delayed

Lack of coordination

**Tremors** 

Dilatation of the pupil Harmful if swallowed. Fatal if inhaled.

Suspected of damaging the unborn child.

Causes damage to organs through prolonged or repeated

exposure.

Notes to physician This material is believed to enhance GABA activity in animals.

> It is probably wise to avoid drugs that enhance GABA activity (barbiturates, benzodiaziphines, valproic acid) in patients with

potentially toxic mectin exposure.

Toxicity can be minimized by early administration of chemical

absorbents (e.g. activated charcoal).

If toxicity from exposure has progressed to cause severe vomiting, the extent of resultant fluid and electrolyte imbalance

should be gauged.

Appropriate supportive parental fluid replacement therapy should be given, along with other required supportive measures as indicated by clinical signs, symptoms and

measurements.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Extinguishing media - small fires

Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Extinguishing media - large fires

Alcohol-resistant foam

or

Water spray

Unsuitable extinguishing

Do not use a solid water stream as it may scatter and spread

Specific hazards during fire

fighting

As the product contains combustible organic ingredients, fire

will produce dense black smoke containing hazardous

products of combustion (see section 10).

Exposure to decomposition products may be a hazard to

health.

Further information Do not allow run-off from fire fighting to enter drains or water

courses.

Cool closed containers exposed to fire with water spray.

according to the OSHA Hazard Communication Standard



## AGRI-FLEX MITICIDE/INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: -

3.0 03/21/2024 S00030437699 Date of first issue: 08/21/2020

Special protective equipment :

for fire-fighters

Wear full protective clothing and self-contained breathing

apparatus.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Refer to protective measures listed in sections 7 and 8.

#### 6.2 Environmental precautions

Environmental precautions : Prevent further leakage or spillage if safe to do so.

Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform

respective authorities.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible

absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to

local / national regulations (see section 13). Clean contaminated surface thoroughly. Clean with detergents. Avoid solvents.

Retain and dispose of contaminated wash water.

### 6.4 Reference to other sections

For disposal considerations see section 13., Refer to protective measures listed in sections 7 and 8.

#### **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : No special protective measures against fire required.

Avoid contact with skin and eyes. When using do not eat, drink or smoke.

For personal protection see section 8.

Conditions for safe storage : No special storage conditions required.

Keep containers tightly closed in a dry, cool and well-

ventilated place.

Keep out of the reach of children.

Keep away from food, drink and animal feedingstuffs.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Components	CAS-No.	Value type	Control parame-	Basis
Componento	0710110.	(Form of	ters / Permissible	Baolo
		exposure)	concentration	
thiamethoxam	153719-23-4	TWA	5 mg/m3	Syngenta
abamectin	71751-41-2	TWA	0.02 mg/m3	Syngenta
propane-1,2-diol	57-55-6	TWA	10 mg/m3	US WEEL
ethanol	64-17-5	STEL	1,000 ppm	ACGIH
		TWA	1,000 ppm	NIOSH REL
			1,900 mg/m3	
		TWA	1,000 ppm	OSHA Z-1

according to the OSHA Hazard Communication Standard



## AGRI-FLEX MITICIDE/INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: -

3.0 03/21/2024 S00030437699 Date of first issue: 08/21/2020

	1,900 mg/m3	
TWA	1,000 ppm	OSHA P0
	1,900 mg/m3	

**Engineering measures** : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE

CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS

CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure

standards.

Seek additional occupational hygiene advice.

#### Personal protective equipment

Respiratory protection : Where concentrations are above recommended limits or are

unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided

by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other

circumstance where air purifying respirators may not provide

adequate protection.

Hand protection

Remarks : Wear protective gloves. The choice of an appropriate glove

does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things from the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Eye protection : No special protective equipment required.

Skin and body protection : Choose body protection in relation to its type, to the

concentration and amount of dangerous substances, and to

the specific work-place.

Remove and wash contaminated clothing before re-use.

Wear as appropriate: Impervious clothing

Protective measures : The use of technical measures should always have priority

over the use of personal protective equipment. When selecting personal protective equipment, seek

according to the OSHA Hazard Communication Standard



## AGRI-FLEX MITICIDE/INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: -

3.0 03/21/2024 S00030437699 Date of first issue: 08/21/2020

appropriate professional advice.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Color : beige

Odor : No data available

Odor Threshold : No data available

pH : 5.9

Concentration: 100 %w/v

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point :  $> 210.00 \, ^{\circ}\text{F} / > 98.89 \, ^{\circ}\text{C}$ 

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Density : 1.1 g/cm3 (68 °F / 20 °C)

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-

: No data available

octanol/water

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

according to the OSHA Hazard Communication Standard



## AGRI-FLEX MITICIDE/INSECTICIDE

Version **Revision Date:** SDS Number: Date of last issue: -

S00030437699 Date of first issue: 08/21/2020 3.0 03/21/2024

No data available Explosive properties

Oxidizing properties No data available

Particle characteristics

Particle size No data available

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity None reasonably foreseeable. Chemical stability Stable under normal conditions.

Possibility of hazardous reac-

No dangerous reaction known under conditions of normal use.

Conditions to avoid No decomposition if used as directed.

Incompatible materials None known.

Hazardous decomposition

No hazardous decomposition products are known.

products

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Ingestion Inhalation Skin contact Eve contact

### **Acute toxicity**

Harmful if swallowed. Fatal if inhaled.

#### **Product:**

LD50 (Rat, female): 550 mg/kg Acute oral toxicity

Remarks: Based on data from similar materials

Acute inhalation toxicity LC50 (Rat, male and female): 0.052 - 0.52 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance/mixture is not toxic on inhalation

as defined by dangerous goods regulations. Remarks: Based on data from similar materials

Acute dermal toxicity LD50 (Rat, male and female): > 5,000 mg/kg

Remarks: Based on data from similar materials

### **Components:**

thiamethoxam:

Acute oral toxicity LD50 (Rat, male and female): 1,563 mg/kg

Acute inhalation toxicity LC50 (Rat, male and female): > 3.72 mg/l

Exposure time: 4 h

according to the OSHA Hazard Communication Standard



AGRI-FLEX MITICIDE/INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: -

3.0 03/21/2024 S00030437699 Date of first issue: 08/21/2020

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

abamectin:

Acute oral toxicity : LD50 (Rat, male): 8.7 mg/kg

Acute inhalation toxicity : LC50 (Rat, female): > 0.034 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male): 200 - 300 mg/kg

Assessment: The component/mixture is toxic after single con-

tact with skin.

propane-1,2-diol:

Acute oral toxicity : LD50 (Rat): > 20,000 mg/kg

Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : LC50 (Rabbit): 317,042 mg/l

Exposure time: 2 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

ethanol:

Acute oral toxicity : LD50 (Rat): 10,470 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 1,800 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rabbit): 15,800 mg/kg

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

**Product:** 

Species : Rabbit

Result : No skin irritation

Remarks : Based on data from similar materials

according to the OSHA Hazard Communication Standard



## **AGRI-FLEX MITICIDE/INSECTICIDE**

Version Revision Date: SDS Number: Date of last issue: -

3.0 03/21/2024 S00030437699 Date of first issue: 08/21/2020

**Components:** 

thiamethoxam:

Species : Rabbit

Result : No skin irritation

abamectin:

Species : Rabbit

Result : No skin irritation

propane-1,2-diol:

Result : No skin irritation

ethanol:

Result : No skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

**Product:** 

Species : Rabbit

Result : No eye irritation

Remarks : Based on data from similar materials

**Components:** 

thiamethoxam:

Species : Rabbit

Result : No eye irritation

abamectin:

Species : Rabbit

Result : No eye irritation

propane-1,2-diol:

Result : No eye irritation

ethanol:

Result : No eye irritation

Respiratory or skin sensitization

Skin sensitization

Not classified due to lack of data.

Respiratory sensitization

Not classified due to lack of data.

according to the OSHA Hazard Communication Standard



## **AGRI-FLEX MITICIDE/INSECTICIDE**

Version Revision Date: SDS Number: Date of last issue: -

3.0 03/21/2024 S00030437699 Date of first issue: 08/21/2020

**Components:** 

thiamethoxam:

Species : Guinea pig

Result : Does not cause skin sensitization.

abamectin:

Test Type : Local lymph node assay (LLNA)

Species : Mouse

Result : Does not cause skin sensitization.

propane-1,2-diol:

Result : Does not cause skin sensitization.

ethanol:

Result : Does not cause skin sensitization.

Germ cell mutagenicity

Not classified due to lack of data.

Components:

thiamethoxam:

Germ cell mutagenicity - : Animal testing did not show any mutagenic effects.

Assessment

abamectin:

Germ cell mutagenicity - : Animal testing did not show any mutagenic effects.

Assessment

propane-1,2-diol:

Germ cell mutagenicity - : Animal testing did not show any mutagenic effects.

Assessment

ethanol:

Germ cell mutagenicity - : Weight of evidence does not support classification as a germ

Assessment cell mutagen.

Carcinogenicity

Not classified due to lack of data.

**Components:** 

thiamethoxam:

Carcinogenicity - Assess- : Weight of evidence does not support classification as a car-

ment cinogen

abamectin:

Carcinogenicity - Assess- : No evidence

ment

No evidence of carcinogenicity in animal studies.

according to the OSHA Hazard Communication Standard



## AGRI-FLEX MITICIDE/INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: -

3.0 03/21/2024 S00030437699 Date of first issue: 08/21/2020

propane-1,2-diol:

Carcinogenicity - Assess-

ment

No evidence of carcinogenicity in animal studies.

ethanol:

Carcinogenicity - Assess-

No evidence of carcinogenicity in animal studies.

ment

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA**No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

### Reproductive toxicity

Suspected of damaging the unborn child.

### **Components:**

#### thiamethoxam:

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for

reproductive toxicity

#### abamectin:

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on development, based on

animal experiments.

### propane-1,2-diol:

Reproductive toxicity - As-

sessment

No toxicity to reproduction, No effects on or via lactation

Animal testing did not show any effects on fetal development.

#### ethanol:

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for

reproductive toxicity

#### STOT-single exposure

Not classified due to lack of data.

#### **Components:**

#### thiamethoxam:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

#### propane-1,2-diol:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

according to the OSHA Hazard Communication Standard



## **AGRI-FLEX MITICIDE/INSECTICIDE**

Version Revision Date: SDS Number: Date of last issue: -

3.0 03/21/2024 S00030437699 Date of first issue: 08/21/2020

ethanol:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

STOT-repeated exposure

Causes damage to organs (Nervous system) through prolonged or repeated exposure.

**Components:** 

thiamethoxam:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

abamectin:

Target Organs : Nervous system

Assessment : The substance or mixture is classified as specific target organ

toxicant, repeated exposure, category 1.

propane-1,2-diol:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

ethanol:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

**Aspiration toxicity** 

Not classified due to lack of data.

Components:

propane-1,2-diol:

No aspiration toxicity classification

#### **SECTION 12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

**Components:** 

thiamethoxam:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

EC50 (Cloeon sp.): 0.014 mg/l

Exposure time: 48 h

EC50 (Chironomus riparius (harlequin fly)): 0.035 mg/l

according to the OSHA Hazard Communication Standard



AGRI-FLEX MITICIDE/INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: -

3.0 03/21/2024 S00030437699 Date of first issue: 08/21/2020

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)): >

81.8 mg/l

Exposure time: 72 h

NOEC (Raphidocelis subcapitata (freshwater green alga)):

81.8 mg/l

End point: Growth rate Exposure time: 72 h

Toxicity to fish (Chronic tox-

icity)

NOEC (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 28 d

Test Type: flow-through test

NOEC (Oncorhynchus mykiss (rainbow trout)): > 20 mg/l

Exposure time: 88 d Test Type: Early-life Stage

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 100 mg/l

Exposure time: 21 d

NOEC (Chironomus riparius (Midge larvae)): 0.01 mg/l

Exposure time: 30 d

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l

Exposure time: 3 h

abamectin:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.0027 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia pulex (Water flea)): 0.00012 mg/l

Exposure time: 48 h

EC50 (Americamysis): 0.000022 mg/l

Exposure time: 96 h

Toxicity to algae/aquatic

plants

ErC50 (Navicula pelliculosa (Freshwater diatom)): > 1 mg/l

Exposure time: 96 h

EC10 (Navicula pelliculosa (Freshwater diatom)): 0.71 mg/l

End point: Growth rate Exposure time: 96 h

Toxicity to fish (Chronic tox-

icity)

NOEC (Oncorhynchus mykiss (rainbow trout)): 0.00052 mg/l

Exposure time: 72 d

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

EC10 (Daphnia magna (Water flea)): 0.0032 µg/l

Exposure time: 21 d

NOEC (Americamysis): 0.0022 µg/l

Exposure time: 28 d

according to the OSHA Hazard Communication Standard



## AGRI-FLEX MITICIDE/INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: -

3.0 03/21/2024 S00030437699 Date of first issue: 08/21/2020

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l

Exposure time: 3 h

propane-1,2-diol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

(Ceriodaphnia dubia (water flea)): 18,340 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)):

19,000 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Ceriodaphnia dubia (Water flea)): 13,020 mg/l

Exposure time: 7 d

Test Type: semi-static test

#### Persistence and degradability

### **Components:**

thiamethoxam:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 11 d

Remarks: Product is not persistent.

abamectin:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 1.7 d

Remarks: Product is not persistent.

propane-1,2-diol:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 81 % Exposure time: 28 d

Method: OECD Test Guideline 301F

### **Bioaccumulative potential**

#### **Components:**

thiamethoxam:

Bioaccumulation : Remarks: Low bioaccumulation potential.

according to the OSHA Hazard Communication Standard



## AGRI-FLEX MITICIDE/INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: -

3.0 03/21/2024 S00030437699 Date of first issue: 08/21/2020

Partition coefficient: n-

octanol/water

: log Pow: -0.13 (77 °F / 25 °C)

abamectin:

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-

octanol/water

log Pow: 4.4

Mobility in soil

**Components:** 

thiamethoxam:

Distribution among environ-

mental compartments

Stability in soil

Remarks: Moderately mobile in soils

Dissipation time: 51 d

Percentage dissipation: 50 % (DT50) Remarks: Product is not persistent.

abamectin:

Distribution among environ-

mental compartments

Remarks: Slightly mobile in soils

Stability in soil : Dissipation time: 12 - 52 d

Percentage dissipation: 50 % (DT50) Remarks: Product is not persistent.

Other adverse effects

**Components:** 

thiamethoxam:

Results of PBT and vPvB

assessment

Substance is not persistent, bioaccumulative, and toxic (PBT).

Substance is not very persistent and very bioaccumulative

(vPvB).

abamectin:

Results of PBT and vPvB

assessment

: Substance is not persistent, bioaccumulative, and toxic (PBT).

Substance is not very persistent and very bioaccumulative

(vPvB).

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues : Do not contaminate ponds, waterways or ditches with

chemical or used container.

Do not dispose of waste into sewer.

Where possible recycling is preferred to disposal or

incineration.

If recycling is not practicable, dispose of in compliance with

local regulations.

This product will not be classified as a RCRA characteristic

hazardous waste when discarded.

Contaminated packaging : Empty remaining contents.

according to the OSHA Hazard Communication Standard



## AGRI-FLEX MITICIDE/INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: -

03/21/2024 S00030437699 Date of first issue: 08/21/2020 3.0

Triple rinse containers.

Empty containers should be taken to an approved waste

handling site for recycling or disposal. Do not re-use empty containers.

#### **SECTION 14. TRANSPORT INFORMATION**

### International Regulations

**UNRTDG** 

**UN** number **UN 3082** 

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, Proper shipping name

N.O.S.

(ABAMECTIN, THIAMETHOXAM)

Class 9 Packing group Ш Labels 9 Environmentally hazardous yes

Remarks This product can be subject to exemptions when packaged in

> single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

**IATA-DGR** 

UN/ID No. UN 3082

Proper shipping name Environmentally hazardous substance, liquid, n.o.s.

(ABAMECTIN, THIAMETHOXAM)

Class q Packing group Ш

Miscellaneous Labels

Packing instruction (cargo

aircraft)

Packing instruction (passen-

ger aircraft)

964

964

Environmentally hazardous

yes

Remarks This product can be subject to exemptions when packaged in

single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

**IMDG-Code** 

**UN** number UN 3082

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, Proper shipping name

(ABAMECTIN, THIAMETHOXAM)

Class 9 Ш Packing group Labels 9 **EmS Code** F-A, S-F Marine pollutant

This product can be subject to exemptions when packaged in Remarks

> single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

according to the OSHA Hazard Communication Standard



## AGRI-FLEX MITICIDE/INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: -

3.0 03/21/2024 S00030437699 Date of first issue: 08/21/2020

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **Domestic regulation**

#### **49 CFR**

Not regulated as a dangerous good

Remarks : Shipment by ground under DOT is non-regulated; however it

may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### **SECTION 15. REGULATORY INFORMATION**

Warning

May be fatal if inhaled.

Do not breathe mist.

Causes moderate eye irritation.

Avoid contact with skin, eyes or clothing.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Remove and wash contaminated clothing before re-use.

Harmful if swallowed.

Harmful if absorbed through skin.

### **CERCLA Reportable Quantity**

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Reproductive toxicity

Specific target organ toxicity (single or repeated exposure)

Acute toxicity (any route of exposure)

SARA 313 : The following components are subject to reporting levels

established by SARA Title III, Section 313:

abamectin 71751-41-2 >= 1 - < 5 %

#### California Prop. 65

WARNING: This product can expose you to chemicals including abamectin, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

according to the OSHA Hazard Communication Standard



## AGRI-FLEX MITICIDE/INSECTICIDE


Version Revision Date: SDS Number: Date of last issue: -

3.0 03/21/2024 S00030437699 Date of first issue: 08/21/2020

#### **SECTION 16. OTHER INFORMATION**

#### **Further information**

#### **NFPA 704:**



Special hazard

#### HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL : USA. NIOSH Recommended Exposure Limits

OSHA PO : USA. Table Z-1-A Limits for Air Contaminants (1989 vacated

values)

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-

its for Air Contaminants

Syngenta : Syngenta Occupational Exposure Limits

US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)

ACGIH / STEL : Short-term exposure limit

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour

workday during a 40-hour workweek

OSHA P0 / TWA : 8-hour time weighted average OSHA Z-1 / TWA : 8-hour time weighted average Syngenta / TWA : Time weighted average

US WEEL / TWA : 8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dan-

according to the OSHA Hazard Communication Standard



## AGRI-FLEX MITICIDE/INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: -

3.0 03/21/2024 S00030437699 Date of first issue: 08/21/2020

gerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods: vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 03/21/2024

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8