# ALTO 100SL FUNGICIDE

| Version | Revision Date: | SDS Number: | Date of last issue: 08/05/2015 |
|---|---|---|---|
| 1.2 | 06/15/2026 | S00033594904 | Date of first issue: 08/05/2015 |

## SECTION 1. IDENTIFICATION

Product name : ALTO 100SL FUNGICIDE
Design code : A9898A

Product Registration number : 100-1226

**Manufacturer or supplier's details**

Company name of supplier : Syngenta Crop Protection, LLC
Address : Post Office Box 18300
Greensboro NC 27419
United States of America (USA)

Telephone : 1 800 334 9481
Telefax : 1 336 632 2192

E-mail address : sds.requests@syngenta.com
Emergency telephone : 1 800 888 8372

**Recommended use of the chemical and restrictions on use**

Recommended use : Fungicide

Restrictions on use : General Use Pesticide

## SECTION 2. HAZARDS IDENTIFICATION

**GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

**Hazards for the product as supplied**

Reproductive toxicity : Category 1B

Specific target organ toxicity - repeated exposure : Category 2 (Liver)

**Other hazards**

None known.

**GHS label elements**

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H360D May damage the unborn child.
H373 May cause damage to organs (Liver) through prolonged or

repeated exposure.

Precautionary Statements :

**Prevention:**

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe mist or vapors.
P280 Wear protective gloves, protective clothing, eye protection and face protection.

**Response:**

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

**Components**

| Chemical name | CAS No./Unique ID | Concentration (% w/w) | Trade secret |
|---|---|---|---|
| poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy- | 25322-68-3* | >= 65 - <= 85 | TSC |
| cyproconazole (ISO) | 94361-06-5* | 8.9286 | - |
| N-methyl-2-pyrrolidone | 872-50-4* | >= 5 - <= 10 | TSC |
| 2-(2-nonylphenoxy)ethanol; phosphoric acid | 51811-79-1* | >= 3 - <= 7 | TSC |

* Indicates that the identifier is a CAS No.
TSC- the actual concentration or concentration range is withheld as a trade secret

## SECTION 4. FIRST AID MEASURES

General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.

If inhaled : Take the victim into fresh air.
If breathing is irregular or stopped, administer artificial respiration.
Keep patient warm and at rest.
Call a physician or poison control center immediately.

In case of skin contact : Take off all contaminated clothing immediately.

| | | |
|---|---|---|
| | | Wash off immediately with plenty of water.<br>If skin irritation persists, call a physician.<br>Wash contaminated clothing before re-use. |
| In case of eye contact | : | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.<br>Remove contact lenses.<br>Immediate medical attention is required. |
| If swallowed | : | If swallowed, seek medical advice immediately and show this container or label.<br>Do NOT induce vomiting. |
| Most important symptoms and effects, both acute and delayed | : | Nonspecific<br>No symptoms known or expected.<br>May damage the unborn child.<br>May cause damage to organs through prolonged or repeated exposure. |
| Notes to physician | : | There is no specific antidote available.<br>Treat symptomatically. |

## SECTION 5. FIRE-FIGHTING MEASURES

| | | |
|---|---|---|
| Suitable extinguishing media | : | Extinguishing media - small fires<br>Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.<br>Extinguishing media - large fires<br>Alcohol-resistant foam<br>or<br>Water spray |
| Unsuitable extinguishing media | : | Do not use a solid water stream as it may scatter and spread fire. |
| Specific hazards during fire fighting | : | As the product contains combustible organic ingredients, fire will produce dense black smoke containing hazardous products of combustion (see section 10).<br>Exposure to decomposition products may be a hazard to health. |
| Hazardous combustion products | : | Carbon oxides<br>Nitrogen oxides (NOx)<br>Chlorine compounds<br>Oxides of phosphorus |
| Further information | : | Do not allow run-off from fire fighting to enter drains or water courses.<br>Cool closed containers exposed to fire with water spray. |
| Special protective equipment for fire-fighters | : | Wear full protective clothing and self-contained breathing apparatus. |

## SECTION 6. ACCIDENTAL RELEASE MEASURES

| | | |
|---|---|---|
| Personal precautions, protective equipment and emer- | : | Refer to protective measures listed in sections 7 and 8. |

gency procedures

Environmental precautions : Prevent further leakage or spillage if safe to do so.
Do not flush into surface water or sanitary sewer system.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Clean contaminated surface thoroughly.
Clean with detergents. Avoid solvents.
Retain and dispose of contaminated wash water.

## SECTION 7. HANDLING AND STORAGE

Advice on safe handling : No special protective measures against fire required.
Avoid contact with skin and eyes.
When using do not eat, drink or smoke.
For personal protection see section 8.

Conditions for safe storage : No special storage conditions required.
Keep containers tightly closed in a dry, cool and well-ventilated place.
Keep out of the reach of children.
Keep away from food, drink and animal feedingstuffs.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Ingredients with workplace control parameters**

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|---|---|---|---|---|
| poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy- | 25322-68-3 | TWA (aerosol) | 10 mg/m3 | US WEEL |
| cyproconazole (ISO) | 94361-06-5 | TWA | 0.4 mg/m3 | Syngenta |
| N-methyl-2-pyrrolidone | 872-50-4 | TWA | 40 mg/m3 | Supplier |
| | | TWA | 15 ppm<br>60 mg/m3 | US WEEL |
| | | STEL | 30 ppm<br>120 mg/m3 | US WEEL |

**Biological occupational exposure limits**

| Components | CAS-No. | Control parameters | Biological specimen | Sampling time | Permissible concentration | Basis |
|---|---|---|---|---|---|---|
| N-methyl-2-pyrrolidone | 872-50-4 | 5-Hydroxy-N-methyl-2-pyrrolidone | Urine | End of shift (As soon as possible after | 100 mg/l | ACGIH BEI |

| | | | | | | |
|---|---|---|---|---|---|---|
| | | | | exposure ceases) | | |

**Engineering measures** : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.
Where necessary, seek additional occupational hygiene advice.

**Personal protective equipment**

Respiratory protection : No personal respiratory protective equipment normally required.
When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hand protection

Remarks : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things from the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : No special protective equipment required.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Remove and wash contaminated clothing before re-use.
Wear as appropriate:
Impervious clothing

Protective measures : The use of technical measures should always have priority over the use of personal protective equipment.
When selecting personal protective equipment, seek appropriate professional advice.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| | | |
|---|---|---|
| Appearance | : | liquid |
| Color | : | yellow to brown |
| Odor | : | weak |
| Odor Threshold | : | No data available |
| pH | : | 3.8<br>Concentration: 1 %w/v |
| Melting point/freezing point | : | No data available |
| Initial boiling point and boiling range | : | No data available |
| Flash point | : | 268 °F / 131 °C<br>(1,013 hPa)<br>Method: DIN EN 22719 |
| Evaporation rate | : | No data available |
| Flammability (solid, gas) | : | No data available |
| Upper explosion limit / Upper flammability limit | : | No data available |
| Lower explosion limit / Lower flammability limit | : | No data available |
| Vapor pressure | : | No data available |
| Relative vapor density | : | No data available |
| Density | : | 1.12 g/cm3 (77 °F / 25 °C) |
| Solubility(ies) | | |
| Solubility in other solvents | : | No data available |
| Partition coefficient: n-octanol/water | : | No data available |
| Autoignition temperature | : | 617 °F / 325 °C |
| Decomposition temperature | : | No data available |
| Viscosity | | |
| Viscosity, dynamic | : | 104 mPa.s (68 °F / 20 °C) |
| | | 40.3 mPa.s (104 °F / 40 °C) |

| | | |
|---|---|---|
| Viscosity, kinematic | : | No data available |
| Explosive properties | : | Not explosive |
| Oxidizing properties | : | The substance or mixture is not classified as oxidizing. |
| Surface tension | : | 32.3 mN/m, 0.500 %, 68 °F / 20 °C |
| Particle characteristics | | |
| Particle size | : | No data available |

## SECTION 10. STABILITY AND REACTIVITY

| | | |
|---|---|---|
| Reactivity | : | None reasonably foreseeable. |
| Chemical stability | : | Stable under normal conditions. |
| Possibility of hazardous reactions | : | No dangerous reaction known under conditions of normal use. |
| Conditions to avoid | : | No decomposition if used as directed. |
| Incompatible materials | : | None known. |
| Hazardous decomposition products | : | No hazardous decomposition products are known. |

## SECTION 11. TOXICOLOGICAL INFORMATION

**Information on likely routes of exposure**

Ingestion
Inhalation
Skin contact
Eye contact

**Acute toxicity**

Based on available data, the classification criteria are not met.

**Product:**

| | | |
|---|---|---|
| Acute oral toxicity | : | LD50 (Rat, male and female): > 2,000 mg/kg<br>Assessment: The substance or mixture has no acute oral toxicity |
| Acute inhalation toxicity | : | LC50 (Rat): > 5,000 mg/m3<br>Exposure time: 4 h<br>Test atmosphere: dust/mist |
| Acute dermal toxicity | : | LD50 (Rat, male and female): > 4,000 mg/kg<br>Assessment: The substance or mixture has no acute dermal toxicity |

**Components:**

**cyproconazole (ISO):**

| | | |
|---|---|---|
| Acute oral toxicity | : | LD50 (Rat, male): 350 mg/kg |

| | | |
|---|---|---|
| Acute inhalation toxicity | : | LC50 (Rat, male and female): > 2.03 mg/l<br>Exposure time: 4 h<br>Test atmosphere: dust/mist<br>Assessment: The substance or mixture has no acute inhalation toxicity |
| Acute dermal toxicity | : | LD50 (Rat, male and female): > 2,000 mg/kg<br>Assessment: The substance or mixture has no acute dermal toxicity |

**N-methyl-2-pyrrolidone:**

| | | |
|---|---|---|
| Acute oral toxicity | : | LD50 (Rat): 4,150 mg/kg |
| Acute inhalation toxicity | : | LC50 (Rat): > 5.1 mg/l<br>Exposure time: 4 h<br>Test atmosphere: dust/mist<br>Assessment: The substance or mixture has no acute inhalation toxicity |
| Acute dermal toxicity | : | LD50 (Rabbit): 8,000 mg/kg |

**Skin corrosion/irritation**

Based on available data, the classification criteria are not met.

**Product:**

| | | |
|---|---|---|
| Species | : | Rabbit |
| Result | : | No skin irritation |

**Components:**

**cyproconazole (ISO):**

| | | |
|---|---|---|
| Species | : | Rabbit |
| Result | : | No skin irritation |

**N-methyl-2-pyrrolidone:**

| | | |
|---|---|---|
| Species | : | Rabbit |
| Result | : | Irritating to skin. |

**2-(2-nonylphenoxy)ethanol; phosphoric acid:**

| | | |
|---|---|---|
| Result | : | Irritating to skin. |

**Serious eye damage/eye irritation**

Based on available data, the classification criteria are not met.

**Product:**

| | | |
|---|---|---|
| Species | : | Rabbit |
| Result | : | No eye irritation |

**Components:**

**cyproconazole (ISO):**

Species : Rabbit
Result : No eye irritation

**N-methyl-2-pyrrolidone:**

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days

**2-(2-nonylphenoxy)ethanol; phosphoric acid:**

Result : Risk of serious damage to eyes.

**Respiratory or skin sensitization**

**Skin sensitization**

Based on available data, the classification criteria are not met.

**Respiratory sensitization**

Not classified due to lack of data.

**Product:**

Species : Guinea pig
Result : Does not cause skin sensitization.

**Components:**

**cyproconazole (ISO):**

Species : Guinea pig
Result : Does not cause skin sensitization.

**N-methyl-2-pyrrolidone:**

Test Type : Local lymph node assay (LLNA)
Species : Mouse
Result : Not a skin sensitizer.

**Germ cell mutagenicity**

Not classified due to lack of data.

**Components:**

**cyproconazole (ISO):**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

**N-methyl-2-pyrrolidone:**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

**Carcinogenicity**

Not classified due to lack of data.

**Components:**

**cyproconazole (ISO):**

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

**N-methyl-2-pyrrolidone:**

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

**IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**Reproductive toxicity**

May damage the unborn child.

**Components:**

**cyproconazole (ISO):**

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

**N-methyl-2-pyrrolidone:**

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments.

**STOT-single exposure**

Not classified due to lack of data.

**Components:**

**N-methyl-2-pyrrolidone:**

Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

**STOT-repeated exposure**

May cause damage to organs (Liver) through prolonged or repeated exposure.

**Components:**

**cyproconazole (ISO):**

Target Organs : Liver
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

**N-methyl-2-pyrrolidone:**

| | | |
|---|---|---|
| Assessment | : | The substance or mixture is not classified as specific target organ toxicant, repeated exposure. |
| Remarks | : | Not classified due to data which are conclusive although insufficient for classification. |

**Aspiration toxicity**

Not classified due to lack of data.

## SECTION 12. ECOLOGICAL INFORMATION

**Ecotoxicity**

**Product:**

| | | |
|---|---|---|
| Toxicity to fish | : | LC50 (Cyprinus carpio (Carp)): 64.5 mg/l<br>Exposure time: 96 h<br><br>LC50 (Oncorhynchus mykiss (rainbow trout)): 141 mg/l<br>Exposure time: 96 h |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 59 mg/l<br>Exposure time: 48 h |
| Toxicity to algae/aquatic plants | : | ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 10 mg/l<br>Exposure time: 72 h<br><br>NOEC (Raphidocelis subcapitata (freshwater green alga)): 1 mg/l<br>End point: Growth rate<br>Exposure time: 72 h |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC (Daphnia magna (Water flea)): 5.6 mg/l<br>Exposure time: 21 d |

**Components:**

**cyproconazole (ISO):**

| | | |
|---|---|---|
| Toxicity to fish | : | LC50 (Oncorhynchus mykiss (rainbow trout)): 19 mg/l<br>Exposure time: 96 h |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 26 mg/l<br>Exposure time: 48 h |
| Toxicity to algae/aquatic plants | : | EC50 (Desmodesmus subspicatus (green algae)): 0.077 mg/l<br>Exposure time: 96 h<br><br>NOEC (Desmodesmus subspicatus (green algae)): 0.021 mg/l<br>Exposure time: 96 h<br><br>ErC50 (Lemna gibba (gibbous duckweed)): > 0.2 mg/l<br>Exposure time: 7 d |

NOEC (Lemna gibba (gibbous duckweed)): 0.025 mg/l
End point: Growth rate
Exposure time: 7 d

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.305 mg/l
Exposure time: 93 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.023 mg/l
Exposure time: 21 d

**N-methyl-2-pyrrolidone:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 500 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l
Exposure time: 24 h

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 500 mg/l
Exposure time: 72 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 12.5 mg/l
Exposure time: 21 d

**2-(2-nonylphenoxy)ethanol; phosphoric acid:**

Toxicity to fish : LC50 (Poecilia reticulata (guppy)): 12.7 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 19.5 mg/l
Exposure time: 48 h

**Persistence and degradability**

**Components:**

**poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-:**

Biodegradability : Result: Readily biodegradable.

**cyproconazole (ISO):**

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 5 d (20 °C)
Remarks: Product is not persistent.

**N-methyl-2-pyrrolidone:**

Biodegradability : Result: Readily biodegradable.

**2-(2-nonylphenoxy)ethanol; phosphoric acid:**

Biodegradability : Result: Biodegradable

**Bioaccumulative potential**

**Components:**

**cyproconazole (ISO):**

Bioaccumulation : Remarks: Does not bioaccumulate.

**N-methyl-2-pyrrolidone:**

Partition coefficient: n-octanol/water : log Pow: -0.46 (77 °F / 25 °C)

**Mobility in soil**

**Components:**

**cyproconazole (ISO):**

Distribution among environmental compartments : Remarks: Moderately mobile in soils

Stability in soil : Dissipation time: 100 - 124 d
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.

**Other adverse effects**

**Components:**

**cyproconazole (ISO):**

Results of PBT and vPvB assessment : Not persistent, bioaccumulative, and toxic (PBT).

Endocrine disrupting potential : Does not have endocrine disrupting properties.

**N-methyl-2-pyrrolidone:**

Results of PBT and vPvB assessment : Not persistent, bioaccumulative, and toxic (PBT).

## SECTION 13. DISPOSAL CONSIDERATIONS

**Disposal methods**

Waste from residues : Do not contaminate ponds, waterways or ditches with chemical or used container.
Do not dispose of waste into sewer.
Where possible recycling is preferred to disposal or incineration.
If recycling is not practicable, dispose of in compliance with local regulations.
This product will not be classified as a RCRA characteristic hazardous waste when discarded.

Contaminated packaging : Empty remaining contents.
Triple rinse containers.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

**UNRTDG**

| | | |
|---|---|---|
| UN number | : | UN 3082 |
| Proper shipping name | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CYPROCONAZOLE) |
| Class | : | 9 |
| Packing group | : | III |
| Labels | : | 9 |
| Environmentally hazardous | : | yes |
| Remarks | : | This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids. |

**IATA-DGR**

| | | |
|---|---|---|
| UN/ID No. | : | UN 3082 |
| Proper shipping name | : | Environmentally hazardous substance, liquid, n.o.s. (CYPROCONAZOLE) |
| Class | : | 9 |
| Packing group | : | III |
| Labels | : | Miscellaneous |
| Packing instruction (cargo aircraft) | : | 964 |
| Packing instruction (passenger aircraft) | : | 964 |
| Environmentally hazardous | : | yes |
| Remarks | : | This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids. |

**IMDG-Code**

| | | |
|---|---|---|
| UN number | : | UN 3082 |
| Proper shipping name | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CYPROCONAZOLE) |
| Class | : | 9 |
| Packing group | : | III |
| Labels | : | 9 |
| EmS Code | : | F-A, S-F |
| Marine pollutant | : | yes |
| Remarks | : | This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids. |

**Transport in bulk according to IMO instruments**

Not applicable for product as supplied.

**Domestic regulation**

**49 CFR**
Not regulated as a dangerous good
Remarks : Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:
Caution
Harmful if swallowed.
Harmful if inhaled.
Harmful if absorbed through skin.
Avoid contact with skin, eyes or clothing.
Causes moderate eye irritation.
Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.
Remove and wash contaminated clothing before re-use.

**CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

**SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

**SARA 302 Extremely Hazardous Substances Threshold Planning Quantity**

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Reproductive toxicity
Specific target organ toxicity (single or repeated exposure)

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

| | | |
|---|---|---|
| N-methyl-2-pyrrolidone | 872-50-4 | >= 5 - < 10 % |


**California Prop. 65**

WARNING: This product can expose you to chemicals including N-methyl-2-pyrrolidone, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.


## SECTION 16. OTHER INFORMATION

### Further information

**NFPA 704:**




**HMIS® IV:**




HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

### Full text of other abbreviations

| | | |
|---|---|---|
| ACGIH BEI | : | ACGIH - Biological Exposure Indices (BEI) |
| Syngenta | : | Syngenta Occupational Exposure Limits |
| US WEEL | : | USA. Workplace Environmental Exposure Levels (WEEL) |
| Syngenta / TWA | : | Time weighted average |
| US WEEL / TWA | : | 8-hr TWA |
| US WEEL / STEL | : | Short-Term TWA |

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New

Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 06/15/2026

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN