

APRON XL

Version Revision Date: SDS Number: This version replaces all previous versions. 0.0 07/18/2023 S00050937770

SECTION 1. IDENTIFICATION

Product name : APRON XL Design code : A9382D

Product Registration number : 100-799

Manufacturer or supplier's details

Company name of supplier : Syngenta Crop Protection, LLC

Address : Post Office Box 18300 Greensboro NC 27419

United States of America (USA)

Telephone : 1 800 334 9481 Telefax : 1 336 632 2192

E-mail address : sds.requests@syngenta.com

Emergency telephone : 1 800 888 8372

Recommended use of the chemical and restrictions on use

Recommended use : Seed treatment

Restrictions on use : General Use Pesticide

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity (Oral) : Category 4

Eye irritation : Category 2A

GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H302 Harmful if swallowed.

H319 Causes serious eye irritation.

Precautionary Statements : Prevention:

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear eye protection/ face protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON



APRON XL

Version Revision Date: 0.0 07/18/2023

SDS Number: S00050937770

This version replaces all previous versions.

CENTER/ doctor if you feel unwell. Rinse mouth.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/ atten-

tion.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

| Chemical name | CAS-No. | Concentration (% w/w) |
|------------------|------------|-----------------------|
| metalaxyl-M | 70630-17-0 | 33.3016 |
| propane-1,2-diol | 57-55-6 | >= 20 - < 30 |

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : Have the product container, label or Safety Data Sheet with

you when calling the emergency number, a poison control

center or physician, or going for treatment.

If inhaled : Take the victim into fresh air.

If breathing is irregular or stopped, administer artificial

respiration.

Keep patient warm and at rest.

Call a physician or poison control center immediately.

In case of skin contact : Take off all contaminated clothing immediately.

Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes. Remove contact lenses.

Immediate medical attention is required.

If swallowed : If swallowed, seek medical advice immediately and show this

container or label.

Do NOT induce vomiting.

Most important symptoms and effects, both acute and

nd.

Nonspecific
No symptoms known or expected.

delayed

Notes to physician : There is no specific antidote available.

Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES



APRON XL

Version Revision Date: SDS Number: This version replaces all previous versions. 0.0 07/18/2023 S00050937770

Suitable extinguishing media Extinguishing media - small fires Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Extinguishing media - large fires

Alcohol-resistant foam

or

Water spray

Unsuitable extinguishing

media

Do not use a solid water stream as it may scatter and spread

Specific hazards during fire

fighting

As the product contains combustible organic ingredients, fire

will produce dense black smoke containing hazardous

products of combustion (see section 10).

Exposure to decomposition products may be a hazard to

health.

Further information Do not allow run-off from fire fighting to enter drains or water

courses.

Cool closed containers exposed to fire with water spray.

Special protective equipment:

for fire-fighters

Wear full protective clothing and self-contained breathing

apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

tive equipment and emer-

gency procedures

Personal precautions, protec: Refer to protective measures listed in sections 7 and 8.

Environmental precautions Prevent further leakage or spillage if safe to do so.

> Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for

containment and cleaning up

Contain spillage, and then collect with non-combustible

absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to

local / national regulations (see section 13). Clean contaminated surface thoroughly. Clean with detergents. Avoid solvents.

Retain and dispose of contaminated wash water.

SECTION 7. HANDLING AND STORAGE

No special protective measures against fire required. Advice on safe handling

> Avoid contact with skin and eyes. When using do not eat, drink or smoke. For personal protection see section 8.

No special storage conditions required. Conditions for safe storage

Keep containers tightly closed in a dry, cool and well-

ventilated place.

Keep out of the reach of children.

Keep away from food, drink and animal feedingstuffs.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters



APRON XL

Version Revision Date: SDS Number: This version replaces all previous versions. 0.0 07/18/2023 S00050937770

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|------------------|------------|-------------------------------------|--|----------|
| metalaxyl-M | 70630-17-0 | TWA | 5 mg/m3 | Syngenta |
| propane-1,2-diol | 57-55-6 | TWA | 10 mg/m3 | US WEEL |

Engineering measures : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE

CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS

CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical

protection measure if exposure cannot be eliminated. The extent of these protection measures depends on the

actual risks in use.

Maintain air concentrations below occupational exposure

standards.

Where necessary, seek additional occupational hygiene

advice.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally

required.

When workers are facing concentrations above the exposure

limit they must use appropriate certified respirators.

Hand protection

Remarks : No special protective equipment required.

Eye protection : Tightly fitting safety goggles

Always wear eye protection when the potential for inadvertent

eye contact with the product cannot be excluded.

Skin and body protection : No special protective equipment required.

Select skin and body protection based on the physical job

requirements.

Protective measures : The use of technical measures should always have priority

over the use of personal protective equipment.

When selecting personal protective equipment, seek

appropriate professional advice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : amber

Odor : aromatic, weak

Odor Threshold : No data available

pH : 4.7 (77 °F / 25 °C)

Concentration: 1 %w/v

Melting point/range : No data available



APRON XL

Version Revision Date: SDS Number: This version replaces all previous versions. 0.0 07/18/2023 S00050937770

Boiling point/boiling range : No data available

Flash point : Method: Seta closed cup

does not flash

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Density : 1.073 g/cm3 (68 °F / 20 °C)

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Autoignition temperature : 806 °F / 430 °C

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : 32 mPa.s (68 °F / 20 °C)

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : None reasonably foreseeable.
Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

No dangerous reaction known under conditions of normal use.

Conditions to avoid : No decomposition if used as directed.

Incompatible materials : None known.

Hazardous decomposition

products

No hazardous decomposition products are known.



APRON XL

Version Revision Date: 0.0 07/18/2023

SDS Number: S00050937770

This version replaces all previous versions.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Ingestion Inhalation Skin contact Eye contact

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat, female): estimated 1,154 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 2.53 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhalation toxicity, The substance/mixture is not toxic on inhalation

as defined by dangerous goods regulations.

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Components:

metalaxyl-M:

Acute oral toxicity : LD50 (Rat, female): 375 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 2.29 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: Highest attainable concentration

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Product:

Species : Rabbit

Result : No skin irritation

Components:

metalaxyl-M:

Species : Rabbit

Result : No skin irritation



APRON XL

Version Revision Date: SDS Number: This version replaces all previous versions.

0.0 07/18/2023 S00050937770

Serious eye damage/eye irritation

Product:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Components:

metalaxyl-M:

Species : Rabbit

Result : Risk of serious damage to eyes.

Respiratory or skin sensitization

Product:

Test Type : Buehler Test Species : Guinea pig

Result : Did not cause sensitization on laboratory animals.

Components:

metalaxyl-M:

Species : Guinea pig

Result : Did not cause sensitization on laboratory animals.

Germ cell mutagenicity

Components:

metalaxyl-M:

Germ cell mutagenicity -

Assessment

Animal testing did not show any mutagenic effects.

Carcinogenicity

Components:

metalaxyl-M:

Carcinogenicity - Assess-

ment

: No evidence of carcinogenicity in animal studies.

Reproductive toxicity

Components:

metalaxyl-M:

Reproductive toxicity - As-

No toxicity to reproduction

sessment

STOT-repeated exposure

Components:

metalaxyl-M:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.



APRON XL

Version 0.0 Revision Date: 07/18/2023

SDS Number: S00050937770

This version replaces all previous versions.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

metalaxyl-M:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

LC50 (Cyprinus carpio (Carp)): > 100 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)):

271 mg/l

Exposure time: 96 h

NOEC (Raphidocelis subcapitata (freshwater green alga)):

19.7 mg/l

End point: Growth rate Exposure time: 96 h

Toxicity to fish (Chronic tox-

icity)

NOEC (Oncorhynchus mykiss (rainbow trout)): 50 mg/l

Exposure time: 28 d

Toxicity to daphnia and other : aquatic invertebrates (Chron-

aquatic invertebrates (

ic toxicity)

NOEC (Daphnia magna (Water flea)): 25 mg/l

Exposure time: 21 d

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l

Exposure time: 3 h

Persistence and degradability

Components:

metalaxyl-M:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 22.4 - 47.5 d

Remarks: Product is not persistent.

Bioaccumulative potential

Components:

metalaxyl-M:

Bioaccumulation : Remarks: Low bioaccumulation potential.

Partition coefficient: n-

octanol/water

: log Pow: 1.71 (77 °F / 25 °C)



APRON XL

Version **Revision Date:** 0.0 07/18/2023

SDS Number: S00050937770 This version replaces all previous versions.

Mobility in soil

Components:

metalaxyl-M:

Distribution among environmental compartments

Remarks: Metalaxyl has a range from low to very high mobility

in soil depending on soil type.

Stability in soil Dissipation time: < 50 d

> Percentage dissipation: 50 % (DT50) Remarks: Product is not persistent.

Other adverse effects

Components:

metalaxyl-M:

Results of PBT and vPvB

assessment

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulating (vPvB).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues Do not contaminate ponds, waterways or ditches with

chemical or used container.

Do not dispose of waste into sewer.

Where possible recycling is preferred to disposal or

incineration.

If recycling is not practicable, dispose of in compliance with

local regulations.

Contaminated packaging Empty remaining contents.

Triple rinse containers.

Empty containers should be taken to an approved waste

handling site for recycling or disposal. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR



APRON XL

Version Revision Date: SDS Number: This version replaces all previous versions. 0.0 07/18/2023 S00050937770

Not regulated as a dangerous good

Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regu-

lations.

SECTION 15. REGULATORY INFORMATION

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: Warning

Causes substantial but temporary eye injury.

Harmful if swallowed.

Harmful if absorbed through skin.

Do not get in eyes or on clothing.

Avoid contact with skin.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Remove and wash contaminated clothing before re-use.

CERCLA Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Acute toxicity (any route of exposure)

Serious eye damage or eye irritation

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SECTION 16. OTHER INFORMATION

Further information



APRON XL


Version 0.0

Revision Date: 07/18/2023

SDS Number: S00050937770

This version replaces all previous versions.

NFPA 704:



Special hazard

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

Syngenta : Syngenta Occupational Exposure Limits

US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)

Syngenta / TWA : Time weighted average

US WEEL / TWA : 8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance: ELx - Loading rate associated with x% response: EmS - Emergency Schedule: ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC -International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance



APRON XL

Version Revision Date: SDS Number: This version replaces all previous versions. 0.0 07/18/2023 S00050937770

Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 07/18/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8