

APROVIA® TOP FUNGICIDE

Date: 3/24/2017
Replaces: 10/7/2016

1. PRODUCT IDENTIFICATION

Product identifier on label: **APROVIA® TOP FUNGICIDE**

Product No.: A19334D

Use: Fungicide

Manufacturer: Syngenta Crop Protection, LLC
Post Office Box 18300
Greensboro NC 27419

Manufacturer Phone: 1-800-334-9481

Emergency Phone: 1-800-888-8372

2. HAZARDS IDENTIFICATION

Classifications: Oral: Category 4
Inhalation: Category 4
Skin Sensitizer: Category 1B
Eye Damage/Irritation: Category 2A
Flammable Liquid: Category 4

Signal Word (OSHA): Warning

Hazard Statements: Combustible liquid
Harmful if swallowed
May cause an allergic skin reaction
Causes serious eye irritation
Harmful if inhaled

Hazard Symbols:



Precautionary Statements: Keep away from heat, sparks, open flames, hot surfaces. No smoking.
Avoid breathing mist, vapors, spray.
Wash hands and face thoroughly after handling.
Do not eat, drink or smoke when using this product.
Use only outdoors or in a well-ventilated area.
Contaminated work clothing must not be allowed out of the workplace.
Wear protective gloves, protective clothing, eye protection.
If swallowed: Call a poison center, doctor or Syngenta if you feel unwell. Rinse mouth.
If on skin: Wash with plenty of soap and water.
If skin irritation or rash occurs: Get medical advice.

APROVIA® TOP FUNGICIDE

Date: 3/24/2017
Replaces: 10/7/2016

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

Call a poison center, doctor or Syngenta if you feel unwell.

See Section 4 First Aid Measures.

Wash contaminated clothing before reuse.

In case of fire: Use dry chemical, foam or CO2 for extinction.

Store in a well-ventilated place. Keep cool.

Dispose of contents and container in accordance with local regulations.

Other Hazard Statements: Combustible liquid. Can release vapors that form explosive mixtures at temperatures at or above the flash point. Heavy vapors can flow along surfaces to distant ignition sources and flash back. During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Common Name	CAS Number	Concentration
1,2-Propanediol	Propylene Glycol	57-55-6	<5.0%
Other ingredients	Other ingredients	Trade Secret	>76.75%
1H-1,2,4-Triazole, 1-[[2-[2-chloro-4-(4-chlorophenoxy)phenyl]-4-methyl-1,3-dioxolan-2-yl]methyl]-	Difenoconazole	119446-68-3	10.95%
N-[9-(dichloromethylene)-1,2,3,4-tetrahydro-1,4-methanonaphthalen-5-yl]-3-(difluoromethyl)-1-methyl-1H-pyrazole-4-carboxamide	Benzovindiflupyr	1072957-71-1	7.30%

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

4. FIRST AID MEASURES

Have the product container, label or Safety Data Sheet with you when calling Syngenta (800-888-8372), a poison control center or doctor, or going for treatment.

Ingestion: If swallowed: Call Syngenta (800-888-8372), a poison control center or doctor immediately for treatment advice. Do not give any liquid to the person. Do not induce vomiting unless told to do so after calling 800-888-8372 or by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Eye Contact: If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.

Skin Contact: If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.

Inhalation: If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call Syngenta (800-888-8372), a poison control center or doctor for further treatment advice.

Most important symptoms/effects:

APROVIA® TOP FUNGICIDE

Date: 3/24/2017

Replaces: 10/7/2016

Eye irritation

Allergic skin reaction

Indication of immediate medical attention and special treatment needed:

There is no specific antidote if this product is ingested.

Treat symptomatically.

5. FIRE FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media:

Use dry chemical, foam or CO2 extinguishing media. If water is used to fight fire, dike and collect runoff.

Specific Hazards:

None known.

Special protective equipment and precautions for firefighters:

Wear full protective clothing and self-contained breathing apparatus. Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures:

Follow exposure controls/personal protection outlined in Section 8.

Methods and materials for containment and cleaning up:

Control the spill at its source. Contain the spill to prevent from spreading or contaminating soil or from entering sewage and drainage systems or any body of water. Clean up spills immediately, observing precautions outlined in Section 8. Cover entire spill with absorbing material and place into compatible disposal container. Scrub area with hard water detergent (e.g. commercial products such as Tide, Joy, Spic and Span). Pick up wash liquid with additional absorbent and place into compatible disposal container. Once all material is cleaned up and placed in a disposal container, seal container and arrange for disposition.

7. HANDLING AND STORAGE

Precautions for safe handling:

Store the material in a well-ventilated, secure area out of reach of children and domestic animals. Do not store food, beverages or tobacco products in the storage area. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

Conditions for safe storage, including any incompatibilities:

Not Applicable

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THIS PRODUCT.

FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Occupational Exposure Limits:

Chemical Name	OSHA PEL	ACGIH TLV	Other	Source
Propylene Glycol	Not Established	Not Established	10 mg/m ³ TWA	AIHA

APROVIA® TOP FUNGICIDE

Date: 3/24/2017
Replaces: 10/7/2016

Other ingredients	Not Established	Not Established	Not Established	Not Applicable
Difenoconazole	Not Established	Not Established	5 mg/m ³ TWA	Manufacturer
Benzovindiflupyr	Not Established	Not Established	1 mg/m ³ TWA	Syngenta

Appropriate engineering controls:

Use effective engineering controls to comply with occupational exposure limits (if applicable).

Individual protection measures:

Ingestion:

Prevent eating, drinking, tobacco usage and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

Eye Contact:

Where eye contact is likely, use splash-proof chemical goggles. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

Skin Contact:

Where contact is likely, wear chemical-resistant (such as nitrile or butyl) gloves, coveralls, socks and chemical-resistant footwear.

Inhalation:

A combination particulate/organic vapor respirator should be used until effective engineering controls are installed to comply with occupational exposure limits, or until exposure limits are established. Use a NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any R, P or HE filter.

Use a self-contained breathing apparatus in cases of emergency spills, when exposure levels are unknown, or under any circumstances where air-purifying respirators may not provide adequate protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Amber liquid

Odor: Aromatic

Odor Threshold: Not Applicable

pH: 5.5

Melting point/freezing point: Not Available

Initial boiling point and boiling range: Not Applicable

Flash Point (Test Method): 93°C

Flammable Limits (% in Air): Not Available

Flammability: Not Available

Vapor Pressure: Benzovindiflupyr Not Available
Difenoconazole 2.5 x 10⁻¹⁰ mmHg @ 77°F (25°C)

Vapor Density: Not Available

Relative Density: 1.066 g/cm³ @ 68°F (20°C)

Solubility (ies): Benzovindiflupyr Not Available
Difenoconazole 15 mg/l @ 77°F (25°C)

Partition coefficient: n-octanol/water: Not Available

Autoignition Temperature: Not Available

APROVIA® TOP FUNGICIDE

Date: 3/24/2017
Replaces: 10/7/2016

Decomposition Temperature: Not Available

Viscosity: 121mPa @ 68°F (20°C)

Other: None

10. STABILITY AND REACTIVITY

Reactivity: Not reactive.

Chemical stability: Stable under normal use and storage conditions.

Possibility of hazardous reactions: Will not occur.

Conditions to Avoid: None known.

Incompatible materials: None known.

Hazardous Decomposition Products: None known.

11. TOXICOLOGICAL INFORMATION

Health effects information

Likely routes of exposure: Dermal, Inhalation

Symptoms of exposure: Eye irritation, Rash, redness or itching

Delayed, immediate and chronic effects of exposure: Eye irritation, Allergic skin reaction

Numerical measures of toxicity (acute toxicity/irritation studies (finished product))

Ingestion:	Oral (LD50 Rat) :	550 mg/kg body weight
Dermal:	Dermal (LD50 Rat) :	> 5,000 mg/kg body weight
Inhalation:	Inhalation (LC50 Rat) :	> 2.44 mg/l - 4 hours (an aerosol with respiratory particles was tested)
Eye Contact:	Moderate Irritant	
Skin Contact:	Non-Irritating	
Skin Sensitization:	A skin sensitizer in animal tests (Mouse) Local Lymph Node Assay	

Reproductive/Developmental Effects

Benzovindiflupyr: Did not show reproductive toxicity effects in animal experiments.

Difenoconazole: None observed.

Chronic/Subchronic Toxicity Studies

Benzovindiflupyr: The substance or mixture is not classified as specific target organ toxicant, single exposure.

Difenoconazole: Kidney and liver effects at high doses (>5000 ppm; rats); Eye effects in dogs at high dose levels.

Carcinogenicity

Benzovindiflupyr: Animal testing did not show any mutagenic effects.

Studies in rodents have shown no treatment-related tumor findings of relevance to human health.

Difenoconazole: Did not show carcinogenic effects in animal experiments.

APROVIA® TOP FUNGICIDE

Date: 3/24/2017
Replaces: 10/7/2016

Chemical Name	NTP/IARC/OSHA Carcinogen
1,2-Propanediol	No
Other ingredients	No
1H-1,2,4-Triazole, 1-[[2-[2-chloro-4-(4-chlorophenoxy)phenyl]-4-methyl-1,3-dioxolan-2-yl]methyl]-	No
N-[9-(dichloromethylene)-1,2,3,4-tetrahydro-1,4-methanonaphthalen-5-yl]-3-(difluoromethyl)-1-methyl-1H-pyrazole-4-carboxamide	No

Other Toxicity Information

Not Available

Toxicity of Other Components

Other ingredients

Not Established

Propylene Glycol

Reported to cause central nervous system depression (anesthesia, dizziness, confusion), headache and nausea. Also, eye irritation may occur with lacrimation but no residual discomfort or injury. Prolonged contact to skin may cause mild to moderate irritation and possible allergic reactions. Chronic dietary exposure caused kidney and liver injury in experimental animals.

Target OrgansActive Ingredients

Benzovindiflupyr: Not Applicable

Difenoconazole: Brain, liver, kidney, gastrointestinal tract

Inert Ingredients

Other ingredients: Not Established

Propylene Glycol: CNS, kidney, liver

12. ECOLOGICAL INFORMATION

Eco-Acute Toxicity

Difenoconazole:

Fish (Rainbow Trout) 96-hour LC50 1.1 mg/l

Invertebrate (Water Flea) Daphnia Magna 48-hour EC50 0.77 mg/l

Green Algae 72-hour EbC50 0.032 mg/

Benzovindiflupyr:

Invertebrate (Water Flea) Daphnia Magna 48-hour EC50 0.085 mg/l

Fish (Carp) 96-hour LC50 0.0035 mg/l

Environmental Fate

Benzovindiflupyr:

The following information is for the active ingredient, benzovindiflupyr.

Biodegradability: Not biodegradable.

Does not bioaccumulate.

Slightly mobile in soils.

APROVIA® TOP FUNGICIDE

Date: 3/24/2017

Replaces: 10/7/2016

Results of PBT and vPvB assessment: This substance is not considered to be persistent, bioaccumulating nor toxic (PBT). This substance is not considered to be very persistent nor very bioaccumulating (vPvB).

Difenoconazole:

The information presented here is for the active ingredient, difenoconazole.

Stable in soil and water. Low to moderate mobility in soil. Sinks in water (after 24 h).

13. DISPOSAL CONSIDERATIONS

Disposal:

Do not reuse product containers. Dispose of product containers, waste containers, and residues according to local, state, and federal health and environmental regulations.

Characteristic Waste: Not Applicable

Listed Waste: Not Applicable

14. TRANSPORT INFORMATION

DOT Classification

Ground Transport - NAFTA

Not regulated

Comments

Water Transport - International

Proper Shipping Name: Environmentally Hazardous Substance, Liquid, N.O.S. (Difenoconazole, Benzovindiflupyr), Marine Pollutant

Hazard Class: Class 9

Identification Number: UN 3082

Packing Group: PG III

Air Transport

Proper Shipping Name: Environmentally Hazardous Substance, Liquid, N.O.S. (Difenoconazole, Benzovindiflupyr)

Hazard Class: Class 9

Identification Number: UN 3082

Packing Group: PG III

15. REGULATORY INFORMATION

Pesticide Registration:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Warning: Causes substantial but temporary eye injury. Harmful if swallowed. Do not get in eyes or on clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

EPA Registration Number(s):

100-1476

EPCRA SARA Title III Classification:

Section 311/312 Hazard Classes: Acute Health Hazard

Section 313 Toxic Chemicals: None

APROVIA® TOP FUNGICIDE

Date: 3/24/2017
Replaces: 10/7/2016

CERCLA/SARA 304 Reportable Quantity (RQ):

Not Applicable

RCRA Hazardous Waste Classification (40 CFR 261):

Not Applicable

TSCA Status:

TSCA R & D Exempt

16. OTHER INFORMATION

NFPA Hazard Ratings

Health: 2
Flammability: 1
Instability: 0

HMIS Hazard Ratings

Health: 2
Flammability: 1
Physical Hazard: 0

0	Minimal
1	Slight
2	Moderate
3	Serious
4	Extreme
*	Chronic

Syngenta Hazard Category: C,S

For non-emergency questions about this product call:

1-800-334-9481

Original Issued Date: 10/7/2016

Revision Date: 3/24/2017

Replaces: 10/7/2016

Section(s) Revised: 3,15,16

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein.