AXIAL XL HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 06/22/2015
1.2	09/15/2026	S00006673752	Date of first issue: 06/22/2015

SECTION 1. IDENTIFICATION

Product name : AXIAL XL HERBICIDE
Design code : A13617V

Product Registration number : 100-1256

Manufacturer or supplier's details

Company name of supplier : Syngenta Crop Protection, LLC
Address : Post Office Box 18300
Greensboro NC 27419
United States of America (USA)

Telephone : 1 800 334 9481
Telefax : 1 336 632 2192

E-mail address : sds.requests@syngenta.com
Emergency telephone : 1 800 888 8372

Recommended use of the chemical and restrictions on use

Recommended use : Herbicide

Restrictions on use : General Use Pesticide

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Hazards for the product as supplied

Flammable liquids : Category 4

Skin irritation : Category 2

Carcinogenicity : Category 2

Reproductive toxicity : Category 1B

Specific target organ toxicity - repeated exposure : Category 2 (Urinary system, Liver)

Aspiration hazard : Category 1

Other hazards

None known.

GHS label elements

Hazard pictograms :

Signal Word : Danger

Hazard Statements :

H227 Combustible liquid.
H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H351 Suspected of causing cancer.
H360FD May damage fertility. May damage the unborn child.
H373 May cause damage to organs (Urinary system, Liver) through prolonged or repeated exposure.

Precautionary Statements :

Prevention:

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P260 Do not breathe mist or vapors.
P264 Wash skin thoroughly after handling.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P302 + P352 IF ON SKIN: Wash with plenty of water.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P331 Do NOT induce vomiting.
P332 + P313 If skin irritation occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

P403 Store in a well-ventilated place.
P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified	64742-94-5*	>= 15 - <= 40	TSC
tetrahydro-2-furyl-methanol	97-99-4*	>= 10 - <= 30	TSC
pinoxaden (ISO)	243973-20-8*	5.0505	-
benzenesulfonic acid, C10-13-alkyl derivs., calcium salts	1335202-81-7*	>= 1 - <= 5	TSC
cloquintocet-mexyl	99607-70-2*	>= 0.5 - <= 1.5	TSC
2-methylpropan-1-ol	78-83-1*	>= 0.5 - <= 1.5	TSC
naphthalene	91-20-3*	>= 0.1 - <= 1	TSC

* Indicates that the identifier is a CAS No.
TSC- the actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice	:	Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.
If inhaled	:	Take the victim into fresh air. If breathing is irregular or stopped, administer artificial respiration. Keep patient warm and at rest. Call a physician or poison control center immediately.
In case of skin contact	:	Take off all contaminated clothing immediately. Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.
In case of eye contact	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. Immediate medical attention is required.
If swallowed	:	If swallowed, seek medical advice immediately and show this container or label. Do not induce vomiting: contains petroleum distillates and/or aromatic solvents.
Most important symptoms and effects, both acute and delayed	:	Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways. Causes skin irritation. Suspected of causing cancer. May damage fertility. May damage the unborn child. May cause damage to organs through prolonged or repeated exposure.

Notes to physician	:	There is no specific antidote available. Treat symptomatically. Do not induce vomiting: contains petroleum distillates and/or aromatic solvents.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Extinguishing media - small fires Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Extinguishing media - large fires Alcohol-resistant foam
Unsuitable extinguishing media	:	Do not use a solid water stream as it may scatter and spread fire.
Specific hazards during fire fighting	:	As the product contains combustible organic ingredients, fire will produce dense black smoke containing hazardous products of combustion (see section 10). Exposure to decomposition products may be a hazard to health. Flash back possible over considerable distance.
Hazardous combustion products	:	Carbon oxides Nitrogen oxides (NOx) Oxides of phosphorus Sulfur oxides Chlorine compounds
Further information	:	Do not allow run-off from fire fighting to enter drains or water courses. Cool closed containers exposed to fire with water spray.
Special protective equipment for fire-fighters	:	Wear full protective clothing and self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Refer to protective measures listed in sections 7 and 8. Keep people away from and upwind of spill/leak. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. Remove all sources of ignition. Pay attention to flashback.
Environmental precautions	:	Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local

/ national regulations (see section 13).
Clean contaminated surface thoroughly.
Clean with detergents. Avoid solvents.
Retain and dispose of contaminated wash water.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Avoid contact with skin and eyes.
When using do not eat, drink or smoke.
Use only in an area containing flame proof equipment.
Take precautionary measures against static discharges.
For personal protection see section 8.

Conditions for safe storage : Keep containers tightly closed in a dry, cool and well-ventilated place.
Keep out of the reach of children.
Keep away from combustible material.
Keep in an area equipped with sprinklers.
Keep away from food, drink and animal feedingstuffs.
No smoking.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified	64742-94-5	TWA	8 ppm 50 mg/m3	Supplier
		TWA	200 mg/m3 (total hydrocarbon vapor)	ACGIH
tetrahydro-2-furyl-methanol	97-99-4	TWA	0.5 ppm	US WEEL
pinoxaden (ISO)	243973-20-8	TLV-C	0.1 mg/m3	Syngenta
cloquintocet-mexyl	99607-70-2	TWA	1 mg/m3	Syngenta
2-methylpropan-1-ol	78-83-1	TWA	50 ppm	ACGIH
		TWA	50 ppm 150 mg/m3	NIOSH REL
		TWA	100 ppm 300 mg/m3	OSHA Z-1
		TWA	50 ppm 150 mg/m3	OSHA P0
naphthalene	91-20-3	TWA	10 ppm	ACGIH
		TWA	10 ppm 50 mg/m3	NIOSH REL
		ST	15 ppm 75 mg/m3	NIOSH REL
		TWA	10 ppm 50 mg/m3	OSHA Z-1
		TWA	10 ppm 50 mg/m3	OSHA P0

		STEL	15 ppm 75 mg/m3	OSHA P0

Engineering measures : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.
Where necessary, seek additional occupational hygiene advice.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.
When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hand protection

Remarks : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things from the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : No special protective equipment required.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Remove and wash contaminated clothing before re-use.
Wear as appropriate:
Impervious clothing

Protective measures : The use of technical measures should always have priority over the use of personal protective equipment.
When selecting personal protective equipment, seek appropriate professional advice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Color	:	yellow amber
Odor	:	No data available
Odor Threshold	:	No data available
pH	:	4.5 Concentration: 1 %w/v
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	183 °F / 84 °C Method: Pensky-Martens closed cup
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Density	:	0.99 g/cm3
Solubility(ies)		
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	572 °F / 300 °C
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive

Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Particle characteristics		
Particle size	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	None reasonably foreseeable.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	No decomposition if used as directed.
Incompatible materials	:	None known.
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Ingestion
Inhalation
Skin contact
Eye contact

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity	:	LD50 (Rat, female): > 5,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat, male and female): > 2.53 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	:	LD50 (Rat, male and female): > 5,000 mg/kg

Components:

tetrahydro-2-furyl-methanol:

Acute oral toxicity	:	LD50 (Rat): 1,600 mg/kg

pinoxaden (ISO):

Acute oral toxicity	:	LD50 (Rat, male and female): > 5,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat, male): 4.63 mg/l Exposure time: 4 h Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:

Acute oral toxicity : LD50 (Rat): 4,445 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

cloquintocet-mexyl:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 0.935 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The component/mixture is moderately toxic after short term inhalation.
Remarks: Highest attainable concentration

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

2-methylpropan-1-ol:

Acute oral toxicity : LD50 (Rat): 2,830 - 3,350 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 24.6 mg/l
Exposure time: 4 h
Test atmosphere: vapor
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): 2,460 mg/kg

naphthalene:

Acute oral toxicity : Assessment: The component/mixture is moderately toxic after single ingestion.

Skin corrosion/irritation

Causes skin irritation.

Product:

Species : Rabbit
Result : Irritating to skin.

Components:

tetrahydro-2-furyl-methanol:

Result : No skin irritation

pinoxaden (ISO):

Method : Based on Human Evidence
Result : Irritating to skin.

benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:

Species : Rabbit
Result : Irritating to skin.

cloquintocet-mexyl:

Species : Rabbit
Result : No skin irritation

2-methylpropan-1-ol:

Result : Irritating to skin.

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Result : No eye irritation

Components:

tetrahydro-2-furyl-methanol:

Result : Eye irritation

pinoxaden (ISO):

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days

benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:

Species : Rabbit
Result : Risk of serious damage to eyes.

cloquintocet-mexyl:

Species : Rabbit
Result : No eye irritation

2-methylpropan-1-ol:

Result : Risk of serious damage to eyes.

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

No applicable information is available

Product:

Test Type	:	Buehler Test
Species	:	Guinea pig
Result	:	Does not cause skin sensitization.

Components:

pinoxaden (ISO):

Test Type	:	Local lymph node assay (LLNA)
Species	:	Mouse
Result	:	The product is a skin sensitizer, sub-category 1A.

Test Type	:	Respiratory sensitization
Result	:	Does not cause respiratory sensitization.
Remarks	:	Experience with human exposure

cloquintocet-mexyl:

Species	:	Guinea pig
Result	:	May cause sensitization by skin contact.

2-methylpropan-1-ol:

Species	:	Guinea pig
Result	:	Does not cause skin sensitization.
Remarks	:	Information given is based on data obtained from similar substances.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

pinoxaden (ISO):

Germ cell mutagenicity - Assessment	:	Animal testing did not show any mutagenic effects.

cloquintocet-mexyl:

Germ cell mutagenicity - Assessment	:	Animal testing did not show any mutagenic effects.

Carcinogenicity

Suspected of causing cancer.

Components:

pinoxaden (ISO):

Carcinogenicity - Assess-	:	No evidence of carcinogenicity in animal studies.

ment

cloquintocet-mexyl:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

naphthalene:

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

IARC **Group 2B: Possibly carcinogenic to humans**
naphthalene 91-20-3

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP **Reasonably anticipated to be a human carcinogen**
naphthalene 91-20-3

Reproductive toxicity

May damage fertility. May damage the unborn child.

Components:

tetrahydro-2-furyl-methanol:

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments., Clear evidence of adverse effects on sexual function and fertility, based on animal experiments.

pinoxaden (ISO):

Reproductive toxicity - Assessment : No toxicity to reproduction

cloquintocet-mexyl:

Reproductive toxicity - Assessment : No toxicity to reproduction

STOT-single exposure

No applicable information is available

Components:

pinoxaden (ISO):

Assessment : Based on Human Evidence, The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

Remarks : Breathing difficulties
Cough
Acute irritation of the respiratory system leading to tightness of the chest and an asthmatic condition.

cloquintocet-mexyl:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

2-methylpropan-1-ol:

Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation., The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

STOT-repeated exposure

May cause damage to organs (Urinary system, Liver) through prolonged or repeated exposure.

Components:

pinoxaden (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

cloquintocet-mexyl:

Target Organs : Urinary system, Liver
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

Aspiration toxicity

May be fatal if swallowed and enters airways.

Components:

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

May be fatal if swallowed and enters airways.

2-methylpropan-1-ol:

May be harmful if swallowed and enters airways.

Endocrine disrupting properties

Components:

cloquintocet-mexyl:

Assessment : Does not have endocrine disrupting properties.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Ecotoxicology Assessment

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

pinoxaden (ISO):

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 10.3 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 52 mg/l Exposure time: 48 h LC50 (Americamysis): 4.7 mg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	:	ErC50 (Raphidocelis subcapitata (freshwater green alga)): 2.39 mg/l Exposure time: 72 h EC10 (Raphidocelis subcapitata (freshwater green alga)): 0.601 mg/l End point: Growth rate Exposure time: 72 h ErC50 (Glyceria maxima (reed sweet grass)): 0.498 mg/l Exposure time: 14 d EC10 (Glyceria maxima (reed sweet grass)): 0.0239 mg/l End point: Growth rate Exposure time: 14 d
Toxicity to fish (Chronic toxicity)	:	NOEC (Oncorhynchus mykiss (rainbow trout)): 6.6 mg/l Exposure time: 28 d

benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:

Toxicity to fish	:	LC50 (Fish): > 1 - < 10 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 2.9 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	ErC50 (Raphidocelis subcapitata (freshwater green alga)): 29 mg/l Exposure time: 96 h Remarks: Based on data from similar materials NOEC (Raphidocelis subcapitata (freshwater green alga)): 0.5 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to fish (Chronic toxicity)	:	NOEC (Oncorhynchus mykiss (rainbow trout)): 0.23 mg/l Exposure time: 72 d Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 1.18 mg/l Exposure time: 21 d Remarks: Based on data from similar materials

cloquintocet-mexyl:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.97 mg/l Exposure time: 96 h LC50 (Gobiocypris rarus (rare gudgeon)): 0.102 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 0.82 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Desmodesmus subspicatus (green algae)): > 2.2 mg/l Exposure time: 72 h NOEC (Desmodesmus subspicatus (green algae)): 0.12 mg/l End point: Growth rate Exposure time: 72 h
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia): > 0.437 mg/l Exposure time: 21 d
Toxicity to microorganisms	:	EC50 (activated sludge): > 1,000 mg/l Exposure time: 3 h

2-methylpropan-1-ol:

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 1,430 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia pulex (Water flea)): 1,100 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Raphidocelis subcapitata (freshwater green alga)): 1,799 mg/l Exposure time: 72 h
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 20 mg/l Exposure time: 21 d

naphthalene:

Ecotoxicology Assessment

Acute aquatic toxicity	:	Very toxic to aquatic life.
Chronic aquatic toxicity	:	Very toxic to aquatic life with long lasting effects.

Persistence and degradability

Components:

pinoxaden (ISO):

Biodegradability	:	Result: Not readily biodegradable.

Stability in water : Degradation half life: 0.1 d
Remarks: Product is not persistent.

benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:

Biodegradability : Result: Readily biodegradable.

cloquintocet-mexyl:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 0.4 d
Remarks: Product is not persistent.

2-methylpropan-1-ol:

Biodegradability : Result: Readily biodegradable.

Bioaccumulative potential

Components:

pinoxaden (ISO):

Bioaccumulation : Bioconcentration factor (BCF): 1.17
Remarks: Low bioaccumulation potential.

Partition coefficient: n-octanol/water : log Pow: 3.2 (77 °F / 25 °C)

cloquintocet-mexyl:

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 5.24 (77 °F / 25 °C)

Mobility in soil

Components:

pinoxaden (ISO):

Distribution among environmental compartments : Remarks: Moderately mobile in soils

Stability in soil : Dissipation time: 0.4 d
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.

cloquintocet-mexyl:

Distribution among environmental compartments : Remarks: immobile

Stability in soil : Dissipation time: 2.4 d
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.

Other adverse effects

Components:

pinoxaden (ISO):

Results of PBT and vPvB assessment : Not persistent, bioaccumulative, and toxic (PBT).

cloquintocet-mexyl:

Results of PBT and vPvB assessment : Not persistent, bioaccumulative, and toxic (PBT).

2-methylpropan-1-ol:

Results of PBT and vPvB assessment : Not persistent, bioaccumulative, and toxic (PBT).

naphthalene:

Results of PBT and vPvB assessment : Not persistent, bioaccumulative, and toxic (PBT).

Endocrine disrupting properties

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not contaminate ponds, waterways or ditches with chemical or used container.
Do not dispose of waste into sewer.
Where possible recycling is preferred to disposal or incineration.
If recycling is not practicable, dispose of in compliance with local regulations.
This product will not be classified as a RCRA characteristic hazardous waste when discarded.

Contaminated packaging : Empty remaining contents.
Triple rinse containers.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PINOXADEN, SOLVENT NAPHTHA)
Class	:	9
Packing group	:	III
Labels	:	9
Environmentally hazardous	:	yes
Remarks	:	This product can be subject to exemptions when packaged in

		single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

IATA-DGR

UN/ID No.	:	UN 3082
Proper shipping name	:	Environmentally hazardous substance, liquid, n.o.s. (PINOXADEN, SOLVENT NAPHTHA)
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	964
Packing instruction (passenger aircraft)	:	964
Environmentally hazardous	:	yes
Remarks	:	This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

IMDG-Code

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PINOXADEN, SOLVENT NAPHTHA)
Class	:	9
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes
Remarks	:	This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Domestic regulation

49 CFR

UN/ID/NA number	:	NA 1993
Proper shipping name	:	Compounds, weed killing, liquid (ISOBUTANOL, SOLVENT NAPHTHA)
Class	:	3
Packing group	:	III
Labels	:	FLAMMABLE LIQUID
ERG Code	:	128
Marine pollutant	:	no
Remarks	:	Above applies only to containers over 119 gallons or 450 liters. Not regulated if shipped in packages less than or equal to 119 gallons (450 liters).

Special precautions for user

Remarks	:	49CFR: no dangerous good in non-bulk packaging

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:
Warning
Causes skin irritation.
Do not get on skin or clothing.
Causes moderate eye irritation.
Avoid contact with eyes or clothing.
Harmful if swallowed.
Harmful if inhaled.
Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.
Remove and wash contaminated clothing before re-use.

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
naphthalene	91-20-3	100	32669

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Flammable (gases, aerosols, liquids, or solids)
Carcinogenicity
Reproductive toxicity
Specific target organ toxicity (single or repeated exposure)
Aspiration hazard
Skin corrosion or irritation

SARA 313 : The following components are subject to reporting levels established by SARA Title III, Section 313:

naphthalene 91-20-3 >= 0.1 - < 1 %

California Prop. 65

WARNING: This product can expose you to chemicals including naphthalene, which is/are known to the State of California to cause cancer, and N-methyl-2-pyrrolidone, toluene, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



HMIS® IV / CED:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA P0	:	USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
Syngenta	:	Syngenta Occupational Exposure Limits
US WEEL	:	USA. Workplace Environmental Exposure Levels (WEEL)
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OSHA P0 / TWA	:	8-hour time weighted average
OSHA P0 / STEL	:	Short-term exposure limit
OSHA Z-1 / TWA	:	8-hour time weighted average
Syngenta / TLV-C	:	Ceiling Limit Value
Syngenta / TWA	:	Time weighted average
US WEEL / TWA	:	8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - In-

ternational Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 09/15/2026

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN