CALIBRA

Version	Revision Date:	SDS Number:	Date of last issue: 05/15/2023
2.0	09/22/2026	S00049153225	Date of first issue: 10/29/2021

SECTION 1. IDENTIFICATION

Product name : CALIBRA
Design code : A23039B

Product Registration number : 100-1673

Manufacturer or supplier's details

Company name of supplier : Syngenta Crop Protection, LLC
Address : Post Office Box 18300
Greensboro NC 27419
United States of America (USA)

Telephone : 1 800 334 9481
Telefax : 1 336 632 2192

E-mail address : sds.requests@syngenta.com
Emergency telephone : 1 800 888 8372

Recommended use of the chemical and restrictions on use

Recommended use : Herbicide

Restrictions on use : General Use Pesticide

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Hazards for the product as supplied

Skin sensitization : Category 1

Other hazards

None known.

GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H317 May cause an allergic skin reaction.

Precautionary Statements :

Prevention:

P261 Avoid breathing mist or vapors.
P272 Contaminated work clothing must not be allowed out of the workplace.

P280 Wear protective gloves.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
S-metolachlor (ISO)	87392-12-9*	30.698	-
propane-1,2-diol	57-55-6*	>= 3 - <= 7	TSC
mesotrione (ISO)	104206-82-8*	3.0787	-
nitric acid ammonium salt (1:1)	6484-52-2*	>= 1 - <= 5	TSC
benoxacor	98730-04-2*	>= 1 - <= 5	TSC
amines, coco alkyl, ethoxylated	61791-14-8*	>= 0.5 - <= 1.5	TSC
copper dihydroxide	20427-59-2*	>= 0.1 - <= 1	TSC
quartz (SiO2)	14808-60-7*	>= 0.1 - <= 1	TSC
dioxosilane	14808-60-7*	>= 0.1 - <= 1	TSC
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9*	<= 0.1	TSC

* Indicates that the identifier is a CAS No.
TSC- the actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.

If inhaled	:	Take the victim into fresh air. If breathing is irregular or stopped, administer artificial respiration. Keep patient warm and at rest. Call a physician or poison control center immediately.
In case of skin contact	:	Take off all contaminated clothing immediately. Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.
In case of eye contact	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. Immediate medical attention is required.
If swallowed	:	If swallowed, seek medical advice immediately and show this container or label. Do NOT induce vomiting.
Most important symptoms and effects, both acute and delayed	:	Nonspecific No symptoms known or expected. May cause an allergic skin reaction.
Notes to physician	:	There is no specific antidote available. Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Extinguishing media - small fires Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Extinguishing media - large fires Alcohol-resistant foam or Water spray
Unsuitable extinguishing media	:	Do not use a solid water stream as it may scatter and spread fire.
Specific hazards during fire fighting	:	As the product contains combustible organic ingredients, fire will produce dense black smoke containing hazardous products of combustion (see section 10). Exposure to decomposition products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Nitrogen oxides (NOx) Sulfur oxides Chlorine compounds
Further information	:	Do not allow run-off from fire fighting to enter drains or water courses. Cool closed containers exposed to fire with water spray.
Special protective equipment for fire-fighters	:	Wear full protective clothing and self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Refer to protective measures listed in sections 7 and 8.
Environmental precautions	:	Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Clean contaminated surface thoroughly. Clean with detergents. Avoid solvents. Retain and dispose of contaminated wash water.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	:	No special protective measures against fire required. Avoid contact with skin and eyes. When using do not eat, drink or smoke. For personal protection see section 8.
Conditions for safe storage	:	No special storage conditions required. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
S-metolachlor (ISO)	87392-12-9	TWA	5 mg/m3	Syngenta
propane-1,2-diol	57-55-6	TWA	10 mg/m3	US WEEL
mesotrione (ISO)	104206-82-8	TWA	5 mg/m3	Syngenta
benoxacor	98730-04-2	TWA	1 mg/m3	Syngenta
copper dihydroxide	20427-59-2	TWA	1 mg/m3 (Copper)	NIOSH REL
quartz (SiO2)	14808-60-7	TWA (Respirable dust)	0.05 mg/m3	OSHA Z-1
		TWA (respirable)	10 mg/m3 / %SiO2+2	OSHA Z-3
		TWA (respirable)	250 mppcf / %SiO2+5	OSHA Z-3
		TWA (respirable dust fraction)	0.1 mg/m3	OSHA P0

		TWA (Respirable particulate matter)	0.025 mg/m3 (Silica)	ACGIH
		PEL (respirable)	0.05 mg/m3	OSHA CARC
		TWA (Respirable dust)	0.05 mg/m3 (Silica)	NIOSH REL
dioxosilane	14808-60-7	TWA (respirable)	10 mg/m3 / %SiO2+2	OSHA Z-3
		TWA (respirable)	250 mppcf / %SiO2+5	OSHA Z-3
		TWA (respirable dust fraction)	0.1 mg/m3	OSHA P0
		TWA (Respirable particulate matter)	0.025 mg/m3 (Silica)	ACGIH
		TWA (Respirable dust)	0.05 mg/m3 (Silica)	NIOSH REL
		TWA (Respirable dust)	0.05 mg/m3	OSHA Z-1

Engineering measures : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.
Where necessary, seek additional occupational hygiene advice.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.
When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hand protection

Remarks : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and

breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things from the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : No special protective equipment required.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Remove and wash contaminated clothing before re-use.
Wear as appropriate:
Impervious clothing

Protective measures : The use of technical measures should always have priority over the use of personal protective equipment.
When selecting personal protective equipment, seek appropriate professional advice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Color	:	brown green
Odor	:	No data available
Odor Threshold	:	No data available
pH	:	3 - 7 Concentration: 1 %w/v
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Method: method not specified does not flash
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available

Relative vapor density	:	No data available
Density	:	1.08 - 1.12 g/cm3 (77 °F / 25 °C)
Solubility(ies)		
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Particle characteristics		
Particle size	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	None reasonably foreseeable.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	No decomposition if used as directed.
Incompatible materials	:	None known.
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Ingestion
Inhalation
Skin contact
Eye contact

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity	:	LD50 (Rat, female): > 5,000 mg/kg Remarks: Based on data from similar materials
Acute inhalation toxicity	:	LC50 (Rat, male and female): > 2.61 mg/l

Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Based on data from similar materials

Components:

S-metolachlor (ISO):

Acute oral toxicity : LD50 (Rat, male and female): 2,672 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 2.91 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

LC50 (Rat, male and female): > 4.33 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity
The value is given in analogy to the following substances: metolachlor

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

propane-1,2-diol:

Acute oral toxicity : LD50 (Rat): > 20,000 mg/kg

Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rabbit): 317,042 mg/l
Exposure time: 2 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

mesotrione (ISO):

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 4.75 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

nitric acid ammonium salt (1:1):

Acute oral toxicity : LD50 (Rat): 2,462 mg/kg

benoxacor:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,010 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

amines, coco alkyl, ethoxylated:

Acute oral toxicity : Assessment: The component/mixture is moderately toxic after single ingestion.

copper dihydroxide:

Acute oral toxicity : LD50 (Rat): 489 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.47 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

quartz (SiO2):

Acute oral toxicity : Remarks: No data available

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Acute oral toxicity : LD50 (Rat): 64 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): 0.171 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Assessment: Corrosive to the respiratory tract.

Acute dermal toxicity : LD50 (Rabbit): 92.4 mg/kg

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species	:	Rabbit
Result	:	No skin irritation
Remarks	:	Based on data from similar materials

Components:

S-metolachlor (ISO):

Species	:	Rabbit
Result	:	No skin irritation

propane-1,2-diol:

Result	:	No skin irritation

mesotrione (ISO):

Species	:	Rabbit
Result	:	No skin irritation

benoxacor:

Species	:	Rabbit
Result	:	No skin irritation

amines, coco alkyl, ethoxylated:

Result	:	Corrosive after 3 minutes to 1 hour of exposure

copper dihydroxide:

Species	:	Rabbit
Result	:	No skin irritation

quartz (SiO2):

Remarks	:	No data available

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Species	:	Rabbit
Result	:	Corrosive after 1 to 4 hours of exposure

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species	:	Rabbit
Result	:	No eye irritation
Remarks	:	Based on data from similar materials

Components:

S-metolachlor (ISO):

Species : Rabbit
Result : No eye irritation

propane-1,2-diol:

Result : No eye irritation

mesotrione (ISO):

Species : Rabbit
Result : No eye irritation

nitric acid ammonium salt (1:1):

Result : Eye irritation

benoxacor:

Species : Rabbit
Result : No eye irritation

amines, coco alkyl, ethoxylated:

Result : Irreversible effects on the eye

copper dihydroxide:

Species : Rabbit
Result : Irreversible effects on the eye

quartz (SiO2):

Remarks : No data available

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Species : Rabbit
Result : Risk of serious damage to eyes.

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

No applicable information is available

Product:

Test Type : Local lymph node assay (LLNA)
Species : Mouse
Result : May cause sensitization by skin contact.

Remarks : Based on data from similar materials

Components:

S-metolachlor (ISO):

Species : Guinea pig
Result : May cause sensitization by skin contact.

propane-1,2-diol:

Result : Does not cause skin sensitization.

mesotrione (ISO):

Species : Guinea pig
Result : Does not cause skin sensitization.

benoxacor:

Species : Guinea pig
Result : May cause sensitization by skin contact.

copper dihydroxide:

Species : Guinea pig
Result : Does not cause skin sensitization.

quartz (SiO2):

Remarks : No data available

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Species : Guinea pig
Result : The product is a skin sensitizer, sub-category 1A.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

S-metolachlor (ISO):

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

propane-1,2-diol:

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

mesotrione (ISO):

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

benoxacor:

Germ cell mutagenicity - : Animal testing did not show any mutagenic effects.

Assessment

copper dihydroxide:

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects., Information given is based on data obtained from similar substances.

quartz (SiO2):

Germ cell mutagenicity - Assessment : No data available

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:

S-metolachlor (ISO):

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

propane-1,2-diol:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

mesotrione (ISO):

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

benoxacor:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

copper dihydroxide:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies., Information given is based on data obtained from similar substances.

quartz (SiO2):

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

IARC has concluded that there is sufficient evidence in humans for the carcinogenicity of inhaled crystalline silica in the form of quartz or cristobalite from occupational sources and in experimental animals from quartz and cristobalite (Group 1). It was noted however, that carcinogenicity was not detected in all industrial circumstances and may be dependent on inherent characteristics of the crystalline silica or external factors affecting its biological activity.

dioxosilane:

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

IARC has concluded that there is sufficient evidence in humans for the carcinogenicity of inhaled crystalline silica in the form of quartz or cristobalite from occupational sources and in experimental animals from quartz and cristobalite (Group 1). It was noted however, that carcinogenicity was not detected in all industrial circumstances and may be dependent on inherent characteristics of the crystalline silica or external factors affecting its biological activity.

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

IARC	**Group 1: Carcinogenic to humans**	
	quartz (SiO2) (Silica dust, crystalline)	14808-60-7
	dioxosilane (Silica dust, crystalline)	14808-60-7
	Group 2A: Probably carcinogenic to humans	
	nitric acid ammonium salt (1:1) (nitrate (ingested) under conditions that result in endogenous nitrosation)	6484-52-2
OSHA	**OSHA specifically regulated carcinogen**	
	quartz (SiO2) (crystalline silica)	14808-60-7
NTP	**Known to be human carcinogen**	
	quartz (SiO2) (Silica, Crystalline (Respirable Size))	14808-60-7
	dioxosilane (Silica, Crystalline (Respirable Size))	14808-60-7

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:

S-metolachlor (ISO):

Reproductive toxicity - Assessment : No toxicity to reproduction

No effects on or via lactation

propane-1,2-diol:

Reproductive toxicity - Assessment : No toxicity to reproduction, No effects on or via lactation

mesotrione (ISO):

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

benoxacor:

Reproductive toxicity - Assessment : No toxicity to reproduction

copper dihydroxide:

Reproductive toxicity - Assessment : No toxicity to reproduction, Information given is based on data obtained from similar substances.

quartz (SiO2):

Reproductive toxicity - Assessment : No data available

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity, No effects on or via lactation

STOT-single exposure

Based on available data, the classification criteria are not met.

Components:

propane-1,2-diol:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

quartz (SiO2):

Remarks : No data available

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Components:

S-metolachlor (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

propane-1,2-diol:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

mesotrione (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

benoxacor:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

copper dihydroxide:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

quartz (SiO2):

Routes of exposure : Inhalation
Target Organs : Lungs
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1.

dioxosilane:

Routes of exposure : Inhalation
Target Organs : Lungs
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1.

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration toxicity

No applicable information is available

Components:

propane-1,2-diol:

No aspiration toxicity classification

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

No aspiration toxicity classification

Endocrine disrupting properties

Components:

S-metolachlor (ISO):

Assessment : Does not have endocrine disrupting properties.

mesotrione (ISO):

Assessment	:	Does not have endocrine disrupting properties.
Remarks	:	Weight of evidence

benoxacor:

Assessment	:	Does not have endocrine disrupting properties.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

S-metolachlor (ISO):

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 12 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Americamysis): 1.4 mg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	:	ErC50 (Raphidocelis subcapitata (freshwater green alga)): 0.056 mg/l Exposure time: 72 h EC10 (Raphidocelis subcapitata (freshwater green alga)): 0.014 mg/l End point: Growth rate Exposure time: 72 h ErC50 (Elodea canadensis (Canadian waterweed)): 0.062 mg/l Exposure time: 7 d NOEC (Lemna gibba (gibbous duckweed)): 0.00384 mg/l Exposure time: 7 d
Toxicity to fish (Chronic toxicity)	:	EC10 (Pimephales promelas (fathead minnow)): 0.22 mg/l Exposure time: 35 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Americamysis): 0.13 mg/l Exposure time: 28 d

propane-1,2-diol:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l Exposure time: 96 h Test Type: static test
Toxicity to daphnia and other aquatic invertebrates	:	(Ceriodaphnia dubia (water flea)): 18,340 mg/l Exposure time: 48 h Test Type: static test
Toxicity to algae/aquatic	:	ErC50 (Raphidocelis subcapitata (freshwater green alga)):

plants		19,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Ceriodaphnia dubia (Water flea)): 13,020 mg/l Exposure time: 7 d Test Type: semi-static test

mesotrione (ISO):

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 120 mg/l Exposure time: 96 h LC50 (Cyprinus carpio (Carp)): > 97.1 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 900 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Raphidocelis subcapitata (freshwater green alga)): 12 mg/l Exposure time: 96 h NOEC (Raphidocelis subcapitata (freshwater green alga)): 0.75 mg/l End point: Growth rate Exposure time: 96 h ErC50 (Lemna gibba (gibbous duckweed)): 0.0301 mg/l Exposure time: 7 d EC10 (Lemna gibba (gibbous duckweed)): 0.00187 mg/l End point: Growth rate Exposure time: 7 d
Toxicity to fish (Chronic toxicity)	:	NOEC (Pimephales promelas (fathead minnow)): 12.5 mg/l Exposure time: 36 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 180 mg/l Exposure time: 21 d

benoxacor:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 2.9 mg/l Exposure time: 96 h LC50 (Ictalurus punctatus (channel catfish)): 1.4 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 17 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Desmodesmus subspicatus (green algae)): 13.5 mg/l Exposure time: 72 h
		NOEC (Desmodesmus subspicatus (green algae)): 2.8 mg/l

		End point: Growth rate Exposure time: 72 h EC10 (Lemna gibba (gibbous duckweed)): 5.99 mg/l End point: Frond growth Exposure time: 7 d
Toxicity to fish (Chronic toxicity)	:	NOEC (Pimephales promelas (fathead minnow)): 0.31 mg/l Exposure time: 32 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.354 mg/l Exposure time: 21 d

amines, coco alkyl, ethoxylated:

Ecotoxicology Assessment

Acute aquatic toxicity	:	Very toxic to aquatic life.
Chronic aquatic toxicity	:	Very toxic to aquatic life with long lasting effects.

copper dihydroxide:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 0.012 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.041 mg/l
Toxicity to algae/aquatic plants	:	ErC50 (Raphidocelis subcapitata (freshwater green alga)): 0.034 mg/l Exposure time: 72 h
M-Factor (Acute aquatic toxicity)	:	10
Toxicity to fish (Chronic toxicity)	:	NOEC (Oncorhynchus mykiss (rainbow trout)): 0.023 mg/l Exposure time: 92 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.046 mg/l Exposure time: 21 d
M-Factor (Chronic aquatic toxicity)	:	10

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 0.22 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia): 0.1 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Raphidocelis subcapitata (freshwater green alga)): 0.048 mg/l Exposure time: 72 h NOEC (Raphidocelis subcapitata (freshwater green alga)):

0.0012 mg/l
End point: Growth rate
Exposure time: 72 h

ErC50 (Skeletonema costatum (marine diatom)): 0.0052 mg/l
Exposure time: 48 h

NOEC (Skeletonema costatum (marine diatom)): 0.00064 mg/l
End point: Growth rate
Exposure time: 48 h

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.098 mg/l
Exposure time: 28 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia): 0.004 mg/l
Exposure time: 21 d

Persistence and degradability

Components:

S-metolachlor (ISO):

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 53 - 147 d
Remarks: Product is not persistent.

propane-1,2-diol:

Biodegradability : Result: Readily biodegradable.

mesotrione (ISO):

Stability in water : Degradation half life: > 30 d (25 °C)
Remarks: Persistent in water.

benoxacor:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Remarks: Product is not persistent.

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Biodegradability : Result: Readily biodegradable.

Bioaccumulative potential

Components:

S-metolachlor (ISO):

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n- : log Pow: 3.05 (77 °F / 25 °C)

octanol/water

mesotrione (ISO):

Bioaccumulation : Remarks: Low bioaccumulation potential.

benoxacor:

Bioaccumulation : Bioconcentration factor (BCF): 94
Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 2.6 (77 °F / 25 °C)

Mobility in soil

Components:

S-metolachlor (ISO):

Distribution among environmental compartments : Remarks: Moderately mobile in soils

Stability in soil : Dissipation time: 12 - 46 d
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.

mesotrione (ISO):

Distribution among environmental compartments : Remarks: Highly mobile in soils

Stability in soil : Dissipation time: 6 - 105 d
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.

benoxacor:

Distribution among environmental compartments : Koc: 218.2
Remarks: Moderately mobile in soils

Stability in soil : Dissipation time: 0.5 - 5.3 d
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.

Other adverse effects

Components:

S-metolachlor (ISO):

Results of PBT and vPvB assessment : Not persistent, bioaccumulative, and toxic (PBT).

mesotrione (ISO):

Results of PBT and vPvB assessment : Not persistent, bioaccumulative, and toxic (PBT).
Remarks: Weight of evidence

benoxacor:

Results of PBT and vPvB assessment : Not persistent, bioaccumulative, and toxic (PBT).

Endocrine disrupting properties

Components:

S-metolachlor (ISO):

Assessment : Does not have endocrine disrupting properties.

mesotrione (ISO):

Assessment : Does not have endocrine disrupting properties.
Remarks : Weight of evidence

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not contaminate ponds, waterways or ditches with chemical or used container.
Do not dispose of waste into sewer.
Where possible recycling is preferred to disposal or incineration.
If recycling is not practicable, dispose of in compliance with local regulations.
This product will not be classified as a RCRA characteristic hazardous waste when discarded.

Contaminated packaging : Empty remaining contents.
Triple rinse containers.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(S-METOLACHLOR, MESOTRIONE)
Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(S-METOLACHLOR, MESOTRIONE)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo : 964

aircraft)
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

IMDG-Code
UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(S-METOLACHLOR, MESOTRIONE)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Domestic regulation

49 CFR
Not regulated as a dangerous good
Remarks : Shipment by ground under DOT is non-regulated for non-bulk packaging; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:
Caution
Causes moderate eye irritation.
Avoid contact with eyes or clothing.
Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.
Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Respiratory or skin sensitization

SARA 313 : The following components are subject to reporting levels established by SARA Title III, Section 313:

nitric acid ammonium salt (1:1)	6484-52-2	>= 1 - < 5 %
nitric acid sodium salt	7631-99-4	< 0.1 %

California Prop. 65


WARNING: This product can expose you to chemicals including quartz (SiO2), dioxosilane, naphthalene, which is/are known to the State of California to cause cancer, and toluene, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov. **California Regulated Carcinogens**

quartz (SiO2)	14808-60-7
dioxosilane	14808-60-7


SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



HMIS® IV / CED:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA CARC	:	OSHA Specifically Regulated Chemicals/Carcinogens
OSHA P0	:	USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)

OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
OSHA Z-3	:	USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts
Syngenta	:	Syngenta Occupational Exposure Limits
US WEEL	:	USA. Workplace Environmental Exposure Levels (WEEL)
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA CARC / PEL	:	Permissible exposure limit (PEL)
OSHA P0 / TWA	:	8-hour time weighted average
OSHA Z-1 / TWA	:	8-hour time weighted average
OSHA Z-3 / TWA	:	8-hour time weighted average
Syngenta / TWA	:	Time weighted average
US WEEL / TWA	:	8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 09/22/2026

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN