according to the OSHA Hazard Communication Standard



CRUISERMAXX POTATO

Version Revision Date: SDS Number: Date of last issue: -

0.0 03/13/2024 S00000000413 Date of first issue: 06/26/2015

SECTION 1. IDENTIFICATION

Product name : CRUISERMAXX POTATO

Design code : A14382A

Manufacturer or supplier's details

Company name of supplier : Syngenta Crop Protection, LLC

Address : Post Office Box 18300 Greensboro NC 27419

Greensboro NC 27419

United States of America (USA)

Telephone : 1 800 334 9481 Telefax : 1 336 632 2192

E-mail address : sds.requests@syngenta.com

Recommended use of the chemical and restrictions on use

Recommended use : Fungicide

Insecticide

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin sensitization : Category 1

GHS label elements

Hazard pictograms



Signal Word : Warning

Hazard Statements : H317 May cause an allergic skin reaction.

Precautionary Statements : Prevention:

P261 Avoid breathing mist or vapors.

P272 Contaminated work clothing must not be allowed out of

the workplace.

P280 Wear protective gloves.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P333 + P313 If skin irritation or rash occurs: Get medical advice/

attention.

P363 Wash contaminated clothing before reuse.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

according to the OSHA Hazard Communication Standard



CRUISERMAXX POTATO

Version Revision Date: SDS Number: Date of last issue: -

0.0 03/13/2024 S00000000413 Date of first issue: 06/26/2015

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
thiamethoxam	153719-23-4	27.9767
propane-1,2-diol	57-55-6	>= 10 - < 20
fludioxonil	131341-86-1	6.9942
propane-1,2,3-triol	56-81-5	>= 1 - < 5
Residues (petroleum), catalytic re- former fractionator, sulfonated, poly- mers with formaldehyde, sodium salts	68425-94-5	>= 1 - < 5
1,2-benzisothiazol-3(2H)-one	2634-33-5	>= 0.05 - < 0.1
ethanamine, N,N-diethyl-	121-44-8	0 - < 0.1

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : Have the product container, label or Safety Data Sheet with

you when calling the emergency number, a poison control

center or physician, or going for treatment.

If inhaled : Take the victim into fresh air.

If breathing is irregular or stopped, administer artificial

respiration.

Keep patient warm and at rest.

Call a physician or poison control center immediately.

In case of skin contact : Take off all contaminated clothing immediately.

Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes. Remove contact lenses.

Immediate medical attention is required.

If swallowed : If swallowed, seek medical advice immediately and show this

container or label.

Do NOT induce vomiting.

Most important symptoms

ite and

and effects, both acute and delayed

No symptoms known or expected.

May cause an allergic skin reaction.

Notes to physician : There is no specific antidote available.

Nonspecific

Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Extinguishing media - small fires

Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Extinguishing media - large fires

Alcohol-resistant foam

according to the OSHA Hazard Communication Standard



CRUISERMAXX POTATO

Version Revision Date: SDS Number: Date of last issue: -

0.0 03/13/2024 S0000000413 Date of first issue: 06/26/2015

or

Water spray
Unsuitable extinguishing : Do not use a solid water stream as it may scatter and spread

media

Specific hazards during fire

fighting

fire.
As the product contains combustible organic ingredients, fire

will produce dense black smoke containing hazardous

products of combustion (see section 10).

Exposure to decomposition products may be a hazard to

health.

Further information : Do not allow run-off from fire fighting to enter drains or water

courses.

Cool closed containers exposed to fire with water spray.

Special protective equipment :

for fire-fighters

Wear full protective clothing and self-contained breathing

apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions : Prevent further leakage or spillage if safe to do so.

Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible

absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to

local / national regulations (see section 13). Clean contaminated surface thoroughly. Clean with detergents. Avoid solvents.

Retain and dispose of contaminated wash water.

6.4 Reference to other sections

For disposal considerations see section 13., Refer to protective measures listed in sections 7 and 8.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : No special protective measures against fire required.

Avoid contact with skin and eyes.
When using do not eat, drink or smoke.
For personal protection see section 8.
No special storage conditions required.

Conditions for safe storage : No special storage conditions required.

Keep containers tightly closed in a dry, cool and well-

ventilated place.

Keep out of the reach of children.

Keep away from food, drink and animal feedingstuffs.

according to the OSHA Hazard Communication Standard



CRUISERMAXX POTATO

Version Revision Date: SDS Number: Date of last issue: -

0.0 03/13/2024 S0000000413 Date of first issue: 06/26/2015

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
thiamethoxam	153719-23-4	TWA	5 mg/m3	Syngenta
propane-1,2-diol	57-55-6	TWA	10 mg/m3	US WEEL
fludioxonil	131341-86-1	TWA	5 mg/m3	Syngenta
		TWA (Inhal- able particu- late matter)	1 mg/m3	ACGIH
propane-1,2,3-triol	56-81-5	TWA (mist, respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (mist, total dust)	15 mg/m3	OSHA Z-1
		TWA (Mist - total dust)	10 mg/m3	OSHA P0
		TWA (Mist - respirable fraction)	5 mg/m3	OSHA P0
ethanamine, N,N-diethyl-	121-44-8	TWA	0.5 ppm	ACGIH
		STEL	1 ppm	ACGIH
		TWA	25 ppm 100 mg/m3	OSHA Z-1
		STEL	15 ppm 60 mg/m3	OSHA P0
		TWA	10 ppm 40 mg/m3	OSHA P0

Engineering measures

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated. The extent of these protection measures depends on the

Maintain air concentrations below occupational exposure

standards.

Where necessary, seek additional occupational hygiene

advice.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally

actual risks in use.

required.

When workers are facing concentrations above the exposure

limit they must use appropriate certified respirators.

Hand protection

according to the OSHA Hazard Communication Standard



CRUISERMAXX POTATO

Version Revision Date: SDS Number: Date of last issue: -

0.0 03/13/2024 S0000000413 Date of first issue: 06/26/2015

Remarks : Wear protective gloves. The choice of an appropriate glove

does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things from the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of

discarded and replaced if there is any indication degradation or chemical breakthrough.

Eye protection : No special protective equipment required.

Skin and body protection : Choose body protection in relation to its type, to the

concentration and amount of dangerous substances, and to

the specific work-place.

Remove and wash contaminated clothing before re-use.

Wear as appropriate: Impervious clothing

Protective measures : The use of technical measures should always have priority

over the use of personal protective equipment.

When selecting personal protective equipment, seek

appropriate professional advice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : beige to light brown

Odor : like clay, weak

aromatic, weak

Odor Threshold : No data available

pH : 6.0 (68 - 77 °F / 20 - 25 °C)

Concentration: 100 %w/v

6.45 (77 °F / 25 °C) Concentration: 1 %w/v

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : Method: Pensky-Martens closed cup

does not flash

Evaporation rate : No data available

Flammability (solid, gas) : No data available

according to the OSHA Hazard Communication Standard



CRUISERMAXX POTATO

Version Revision Date: SDS Number: Date of last issue: -

0.0 03/13/2024 S00000000413 Date of first issue: 06/26/2015

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Density : 1.201 g/cm3 (68 °F / 20 °C)

Solubility(ies)

Solubility in other solvents : No data available

Partition coefficient: n-

artition coefficient. II-

: No data available

octanol/water

Autoignition temperature : 815 °F / 435 °C

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : 453 mPa.s (68 °F / 20 °C)

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle characteristics

Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : None reasonably foreseeable. Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

No dangerous reaction known under conditions of normal use.

Conditions to avoid : No decomposition if used as directed.

Incompatible materials : None known.

Hazardous decomposition : No hazardous decomposition products are known.

products

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Ingestion Inhalation Skin contact Eye contact

according to the OSHA Hazard Communication Standard



CRUISERMAXX POTATO

Version Revision Date: SDS Number: Date of last issue: -

0.0 03/13/2024 S00000000413 Date of first issue: 06/26/2015

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity : LD50 (Rat, female): 3,129 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 2.7 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 5,050 mg/kg

Components:

thiamethoxam:

Acute oral toxicity : LD50 (Rat, male and female): 1,563 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 3.72 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

propane-1,2-diol:

Acute oral toxicity : LD50 (Rat): > 20,000 mg/kg

Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : LC50 (Rabbit): 317,042 mg/l

Exposure time: 2 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

fludioxonil:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 2.6 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

according to the OSHA Hazard Communication Standard



CRUISERMAXX POTATO

Version Revision Date: SDS Number: Date of last issue: -

0.0 03/13/2024 S00000000413 Date of first issue: 06/26/2015

Assessment: The substance or mixture has no acute dermal

toxicity

propane-1,2,3-triol:

Acute oral toxicity : LD50 (Rat, female): > 4,000 mg/kg

Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : LC50 (Rat, male): > 2.75 mg/l

Exposure time: 4 h
Test atmosphere: vapor

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rat, female): > 5,000 mg/kg

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formalde-

hyde, sodium salts:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity : LD50 (Rat, male): 670 mg/kg

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

ethanamine, N,N-diethyl-:

Acute oral toxicity : LD50 (Rat): 730 mg/kg

Acute inhalation toxicity : LC50 (Rat): 7.22 mg/l

Exposure time: 4 h
Test atmosphere: vapor

Acute dermal toxicity : LD50 (Rat): 580 mg/kg

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit

Result : No skin irritation

Components:

thiamethoxam:

Species : Rabbit

Result : No skin irritation

propane-1,2-diol:

according to the OSHA Hazard Communication Standard



CRUISERMAXX POTATO

Version Revision Date: SDS Number: Date of last issue: -

0.0 03/13/2024 S00000000413 Date of first issue: 06/26/2015

Result : No skin irritation

fludioxonil:

Species : Rabbit

Result : No skin irritation

propane-1,2,3-triol:

Species : Rabbit

Result : No skin irritation

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formalde-

hyde, sodium salts:

Species : reconstructed human epidermis (RhE)

Result : No skin irritation

1,2-benzisothiazol-3(2H)-one:

Species : Rabbit

Result : Mild skin irritation

ethanamine, N,N-diethyl-:

Species : Rabbit

Result : Corrosive after 3 minutes or less of exposure

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit

Result : No eye irritation

Components:

thiamethoxam:

Species : Rabbit

Result : No eye irritation

propane-1,2-diol:

Result : No eye irritation

fludioxonil:

Species : Rabbit

Result : No eye irritation

propane-1,2,3-triol:

Species : Rabbit

Result : No eye irritation

according to the OSHA Hazard Communication Standard



CRUISERMAXX POTATO

Version Revision Date: SDS Number: Date of last issue: -

0.0 03/13/2024 S00000000413 Date of first issue: 06/26/2015

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formalde-

hyde, sodium salts:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

1,2-benzisothiazol-3(2H)-one:

Species : Rabbit

Result : Risk of serious damage to eyes.

ethanamine, N,N-diethyl-:

Result : Risk of serious damage to eyes.

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified due to lack of data.

Product:

Species : Guinea pig

Result : Does not cause skin sensitization.

Species : Humans

Result : Probability or evidence of skin sensitization in humans

Components:

thiamethoxam:

Species : Guinea pig

Result : Does not cause skin sensitization.

propane-1,2-diol:

Result : Does not cause skin sensitization.

fludioxonil:

Species : Guinea pig

Result : Does not cause skin sensitization.

propane-1,2,3-triol:

Species : Guinea pig

Result : Not a skin sensitizer.

1,2-benzisothiazol-3(2H)-one:

Result : Probability or evidence of skin sensitization in humans

Germ cell mutagenicity

Not classified due to lack of data.

according to the OSHA Hazard Communication Standard



CRUISERMAXX POTATO

Revision Date: SDS Number: Version Date of last issue: -

S00000000413 Date of first issue: 06/26/2015 0.0 03/13/2024

Components:

thiamethoxam:

Germ cell mutagenicity -

Assessment

Animal testing did not show any mutagenic effects.

propane-1,2-diol:

Germ cell mutagenicity -

Assessment

Animal testing did not show any mutagenic effects.

fludioxonil:

Germ cell mutagenicity -

Assessment

Animal testing did not show any mutagenic effects.

propane-1,2,3-triol:

Germ cell mutagenicity -

Assessment

In vitro tests did not show mutagenic effects

1,2-benzisothiazol-3(2H)-one:

Germ cell mutagenicity -

Weight of evidence does not support classification as a germ cell mutagen.

Assessment

ethanamine, N,N-diethyl-:

Germ cell mutagenicity -

In vitro tests did not show mutagenic effects

Assessment

Carcinogenicity

Not classified due to lack of data.

Components:

thiamethoxam:

Carcinogenicity - Assess-

Weight of evidence does not support classification as a carcinogen

ment

propane-1,2-diol:

Carcinogenicity - Assess-

ment

No evidence of carcinogenicity in animal studies.

fludioxonil:

Carcinogenicity - Assess-

No evidence of carcinogenicity in animal studies.

ment

propane-1,2,3-triol:

Carcinogenicity - Assess-

ment

No evidence of carcinogenicity in animal studies.

Reproductive toxicity

Not classified due to lack of data.

Components:

thiamethoxam:

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for

reproductive toxicity

according to the OSHA Hazard Communication Standard



CRUISERMAXX POTATO

Version Revision Date: SDS Number: Date of last issue: -

0.0 03/13/2024 S00000000413 Date of first issue: 06/26/2015

propane-1,2-diol:

Reproductive toxicity - As-

sessment

No toxicity to reproduction, No effects on or via lactation

Animal testing did not show any effects on fetal development.

fludioxonil:

Reproductive toxicity - As-

sessment

No toxicity to reproduction

propane-1,2,3-triol:

Reproductive toxicity - As-

sessment

No toxicity to reproduction, No effects on or via lactation

ethanamine, N,N-diethyl-:

Reproductive toxicity - As-

sessment

No toxicity to reproduction

STOT-single exposure

Not classified due to lack of data.

Components:

thiamethoxam:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

propane-1,2-diol:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

ethanamine, N,N-diethyl-:

Assessment : The substance or mixture is classified as specific target organ

toxicant, single exposure, category 3 with respiratory tract

irritation.

STOT-repeated exposure

Not classified due to lack of data.

Components:

thiamethoxam:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

propane-1,2-diol:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

fludioxonil:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

according to the OSHA Hazard Communication Standard



CRUISERMAXX POTATO

Version Revision Date: SDS Number: Date of last issue: -

0.0 03/13/2024 S00000000413 Date of first issue: 06/26/2015

propane-1,2,3-triol:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Aspiration toxicity

Not classified due to lack of data.

Components:

propane-1,2-diol:

No aspiration toxicity classification

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

thiamethoxam:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

EC50 (Cloeon sp.): 0.014 mg/l

Exposure time: 48 h

EC50 (Chironomus riparius (harlequin fly)): 0.035 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)): >

81.8 mg/l

Exposure time: 72 h

NOEC (Raphidocelis subcapitata (freshwater green alga)):

81.8 mg/l

End point: Growth rate Exposure time: 72 h

Toxicity to fish (Chronic tox-

icity)

NOEC (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 28 d

Test Type: flow-through test

NOEC (Oncorhynchus mykiss (rainbow trout)): > 20 mg/l

Exposure time: 88 d Test Type: Early-life Stage

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 100 mg/l

Exposure time: 21 d

NOEC (Chironomus riparius (Midge larvae)): 0.01 mg/l

Exposure time: 30 d

according to the OSHA Hazard Communication Standard



CRUISERMAXX POTATO

Version Revision Date: SDS Number: Date of last issue: -

0.0 03/13/2024 S0000000413 Date of first issue: 06/26/2015

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l

Exposure time: 3 h

propane-1,2-diol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

(Ceriodaphnia dubia (water flea)): 18,340 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)):

19,000 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Ceriodaphnia dubia (Water flea)): 13,020 mg/l

Exposure time: 7 d

Test Type: semi-static test

fludioxonil:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.23 mg/l

Exposure time: 96 h

LC50 (Pimephales promelas (fathead minnow)): 0.7 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.4 mg/l

Exposure time: 48 h

EC50 (Americamysis): 0.27 mg/l

Exposure time: 96 h

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)):

0.259 mg/l

Exposure time: 96 h

EC10 (Raphidocelis subcapitata (freshwater green alga)):

0.077 mg/l

End point: Growth rate Exposure time: 96 h

ErC50 (Skeletonema costatum (marine diatom)): 0.43 mg/l

Exposure time: 96 h

NOEC (Skeletonema costatum (marine diatom)): 0.14 mg/l

End point: Growth rate Exposure time: 96 h

Toxicity to fish (Chronic tox- : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.04 mg/l

according to the OSHA Hazard Communication Standard



CRUISERMAXX POTATO

Version Revision Date: SDS Number: Date of last issue: -

03/13/2024 S00000000413 Date of first issue: 06/26/2015 0.0

icity) Exposure time: 28 d

EC10 (Pimephales promelas (fathead minnow)): 0.018 mg/l

Exposure time: 116 d

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.035 mg/l

Exposure time: 21 d

NOEC (Americamysis): 0.018 mg/l

Exposure time: 28 d

Toxicity to microorganisms EC50 (activated sludge): > 1,000 mg/l

Exposure time: 3 h

1,2-benzisothiazol-3(2H)-one:

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): 2.18 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 2.94 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)):

0.15 mg/l

Exposure time: 72 h

EC10 (Raphidocelis subcapitata (freshwater green alga)):

0.04 mg/l

End point: Growth rate Exposure time: 72 h

Toxicity to fish (Chronic tox-

icity)

NOEC (Oncorhynchus mykiss (rainbow trout)): 0.3 mg/l

Exposure time: 28 d

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia): 1.7 mg/l

Exposure time: 21 d

ethanamine, N,N-diethyl-:

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): 36 mg/l

Exposure time: 96 h

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)): 9.8

Exposure time: 72 h

Persistence and degradability

Components:

thiamethoxam:

Result: Not readily biodegradable. Biodegradability

Stability in water Degradation half life: 11 d

Remarks: Product is not persistent.

according to the OSHA Hazard Communication Standard



CRUISERMAXX POTATO

Version Revision Date: SDS Number: Date of last issue: -

S00000000413 Date of first issue: 06/26/2015 0.0 03/13/2024

propane-1,2-diol:

Biodegradability Result: Readily biodegradable.

> Biodegradation: 81 % Exposure time: 28 d

Method: OECD Test Guideline 301F

fludioxonil:

Biodegradability Result: Not readily biodegradable.

Degradation half life: 450 - 700 d Stability in water

Remarks: Persistent in water.

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formalde-

hyde, sodium salts:

Biodegradability Result: Not readily biodegradable.

1,2-benzisothiazol-3(2H)-one:

Biodegradability Result: rapidly degradable

ethanamine, N,N-diethyl-:

Biodegradability Result: Readily biodegradable.

Bioaccumulative potential

Components:

thiamethoxam:

Bioaccumulation Remarks: Low bioaccumulation potential.

Partition coefficient: n-

log Pow: -0.13 (77 °F / 25 °C)

octanol/water fludioxonil:

Bioaccumulation Remarks: Does not bioaccumulate.

Partition coefficient: n-

octanol/water

log Pow: 4.12 (77 °F / 25 °C)

1,2-benzisothiazol-3(2H)-one:

Bioaccumulation Remarks: Bioaccumulation is unlikely.

Mobility in soil

Components:

thiamethoxam:

Distribution among environ-

mental compartments

Remarks: Moderately mobile in soils

Stability in soil Dissipation time: 51 d

Percentage dissipation: 50 % (DT50)

according to the OSHA Hazard Communication Standard



CRUISERMAXX POTATO

Version Revision Date: SDS Number: Date of last issue: -

0.0 03/13/2024 S00000000413 Date of first issue: 06/26/2015

Remarks: Product is not persistent.

fludioxonil:

Distribution among environ-

mental compartments

: Remarks: immobile

Stability in soil : Dissipation time: 14 d

Percentage dissipation: 50 % (DT50) Remarks: Product is not persistent.

Other adverse effects

Components:

thiamethoxam:

Results of PBT and vPvB

assessment

Substance is not persistent, bioaccumulative, and toxic (PBT).

Substance is not very persistent and very bioaccumulative

(vPvB).

fludioxonil:

Results of PBT and vPvB

assessment

Substance is not persistent, bioaccumulative, and toxic (PBT).

Substance is not very persistent and very bioaccumulative

(vPvB).

1,2-benzisothiazol-3(2H)-one:

Results of PBT and vPvB

assessment

Substance is not persistent, bioaccumulative, and toxic (PBT).

Substance is not very persistent and very bioaccumulative

(vPvB).

ethanamine, N,N-diethyl-:

Results of PBT and vPvB

assessment

Substance is not persistent, bioaccumulative, and toxic (PBT).

Substance is not very persistent and very bioaccumulative

(vPvB).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not contaminate ponds, waterways or ditches with

chemical or used container.

Do not dispose of waste into sewer.

Where possible recycling is preferred to disposal or

incineration.

If recycling is not practicable, dispose of in compliance with

local regulations.

This product will not be classified as a RCRA characteristic

hazardous waste when discarded.

Contaminated packaging : Empty remaining contents.

Triple rinse containers.

Empty containers should be taken to an approved waste

handling site for recycling or disposal.

Do not re-use empty containers.

according to the OSHA Hazard Communication Standard



CRUISERMAXX POTATO

Version Revision Date: SDS Number: Date of last issue: -

S00000000413 Date of first issue: 06/26/2015 0.0 03/13/2024

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number UN 3082

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(THIAMETHOXAM, FLUDIOXONIL)

Class 9 Ш Packing group Labels 9 Environmentally hazardous yes

This product can be subject to exemptions when packaged in Remarks

> single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

IATA-DGR

UN 3082 UN/ID No.

Proper shipping name Environmentally hazardous substance, liquid, n.o.s.

(THIAMETHOXAM, FLUDIOXONIL)

Class Packing group Ш

Miscellaneous Labels

Packing instruction (cargo 964

aircraft)

Packing instruction (passen-

ger aircraft)

964

Environmentally hazardous

yes Remarks

This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

IMDG-Code

UN number UN 3082

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(THIAMETHOXAM, FLUDIOXONIL)

Class 9 Ш Packing group Labels 9 EmS Code F-A. S-F yes Marine pollutant

Remarks This product can be subject to exemptions when packaged in

single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

according to the OSHA Hazard Communication Standard



CRUISERMAXX POTATO

Version Revision Date: SDS Number: Date of last issue: -

0.0 03/13/2024 S00000000413 Date of first issue: 06/26/2015

Not regulated as a dangerous good

Remarks : Shipment by ground under DOT is non-regulated; however it

may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Respiratory or skin sensitization


SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



Special hazard

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

OSHA PO : USA. Table Z-1-A Limits for Air Contaminants (1989 vacated

according to the OSHA Hazard Communication Standard



CRUISERMAXX POTATO

Version Revision Date: SDS Number: Date of last issue: -

0.0 03/13/2024 S00000000413 Date of first issue: 06/26/2015

values)

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-

its for Air Contaminants

Syngenta : Syngenta Occupational Exposure Limits

US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)

ACGIH / TWA : 8-hour, time-weighted average ACGIH / STEL : Short-term exposure limit : 8-hour time weighted average OSHA P0 / STEL : Short-term exposure limit : Short-term exposure limit : 8-hour time weighted average : Syngenta / TWA : Time weighted average

US WEEL / TWA : 8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance: ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC -International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 03/13/2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific

according to the OSHA Hazard Communication Standard



CRUISERMAXX POTATO

Version Revision Date: SDS Number: Date of last issue: -

0.0 03/13/2024 S00000000413 Date of first issue: 06/26/2015

material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8