

DURIVO

Version Revision Date: SDS Number: This version replaces all previous versions. 2.1 05/25/2023 S00000106394

SECTION 1. IDENTIFICATION

Product name : DURIVO Design code. : A15452C

Product Registration number : 100-1318

Manufacturer or supplier's details

Company name of supplier : Syngenta Crop Protection, LLC

Address : Post Office Box 18300 Greensboro NC 27419

United States of America (USA)

Telephone : 1 800 334 9481 Telefax : 1 336 632 2192

E-mail address : sds.requests@syngenta.com

Emergency telephone : 1 800 888 8372

Recommended use of the chemical and restrictions on use

Recommended use : Insecticide

Restrictions on use : General Use Pesticide

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)	
thiamethoxam	153719-23-4	17.5439	
chlorantraniliprole	500008-45-7	8.7719	
propane-1,2-diol	57-55-6	>= 5 - < 10	
poly(oxy-1,2-ethanediyl), alpha- phosphono-omega-[2,4,6-tris(1- phenylethyl)phenoxy]-	114535-82-9	>= 1 - < 5	

Actual concentration is withheld as a trade secret



DURIVO

Version **Revision Date:** SDS Number: This version replaces all previous versions. 2.1 05/25/2023 S00000106394

SECTION 4. FIRST AID MEASURES

General advice Have the product container, label or Safety Data Sheet with

you when calling the emergency number, a poison control

center or physician, or going for treatment.

Take the victim into fresh air. If inhaled

If breathing is irregular or stopped, administer artificial

respiration.

Keep patient warm and at rest.

Call a physician or poison control center immediately.

In case of skin contact Take off all contaminated clothing immediately.

> Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.

In case of eye contact Rinse immediately with plenty of water, also under the eyelids,

> for at least 15 minutes. Remove contact lenses.

Immediate medical attention is required.

If swallowed If swallowed, seek medical advice immediately and show this

container or label.

Do NOT induce vomiting. Nonspecific

Most important symptoms

and effects, both acute and

Notes to physician

delayed

No symptoms known or expected.

There is no specific antidote available.

Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Extinguishing media - small fires

Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Extinguishing media - large fires

Alcohol-resistant foam

or

Water spray

Unsuitable extinguishing

media

Do not use a solid water stream as it may scatter and spread

Specific hazards during fire

fighting

As the product contains combustible organic ingredients, fire

will produce dense black smoke containing hazardous

products of combustion (see section 10).

Exposure to decomposition products may be a hazard to

health.

Further information Do not allow run-off from fire fighting to enter drains or water

courses.

Cool closed containers exposed to fire with water spray.

Special protective equipment :

for fire-fighters

Wear full protective clothing and self-contained breathing

apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

tive equipment and emer-

gency procedures

Personal precautions, protec: Refer to protective measures listed in sections 7 and 8.



DURIVO

Version Revision Date: SDS Number: This version replaces all previous versions. 2.1 05/25/2023 S00000106394

Environmental precautions : Prevent further leakage or spillage if safe to do so.

Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to

local / national regulations (see section 13). Clean contaminated surface thoroughly. Clean with detergents. Avoid solvents.

Retain and dispose of contaminated wash water.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : No special protective measures against fire required.

Avoid contact with skin and eyes. When using do not eat, drink or smoke. For personal protection see section 8.

Conditions for safe storage : No speci

No special storage conditions required. Keep containers tightly closed in a dry, cool and well-

ventilated place.

Keep out of the reach of children.

Keep away from food, drink and animal feedingstuffs.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
thiamethoxam	153719-23-4	TWA	5 mg/m3	Syngenta
chlorantraniliprole	500008-45-7	TWA	5 mg/m3	Syngenta
		TWA	10 mg/m3 (Total dust)	Supplier
		TWA	5 mg/m3 (Respirable dust)	Supplier
propane-1,2-diol	57-55-6	TWA	10 mg/m3	US WEEL

Engineering measures

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated. The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure

standards.

Where necessary, seek additional occupational hygiene



DURIVO

Version Revision Date: 2.1 05/25/2023

SDS Number: S00000106394

This version replaces all previous versions.

advice.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally

required.

When workers are facing concentrations above the exposure

limit they must use appropriate certified respirators.

Hand protection

Remarks : Wear protective gloves. The choice of an appropriate glove

does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things from the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Eye protection : No special protective equipment required.

Skin and body protection : Choose body protection in relation to its type, to the

concentration and amount of dangerous substances, and to

the specific work-place.

Remove and wash contaminated clothing before re-use.

Wear as appropriate: Impervious clothing

Protective measures : The use of technical measures should always have priority

over the use of personal protective equipment. When selecting personal protective equipment, seek

appropriate professional advice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : beige

Odor : No data available

Odor Threshold : No data available

pH : 5.0

Concentration: 1 %w/v

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : Method: Pensky-Martens closed cup

does not flash



DURIVO

Version **Revision Date:** SDS Number: This version replaces all previous versions. S00000106394 2.1 05/25/2023

Evaporation rate No data available

Flammability (solid, gas) No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure No data available

Solubility(ies)

Water solubility No data available

Solubility in other solvents No data available

Partition coefficient: n-

octanol/water

No data available

1148 °F / 620 °C Autoignition temperature

Decomposition temperature No data available

Viscosity

600 mPa.s (68 °F / 20 °C) Viscosity, dynamic

No data available Viscosity, kinematic

Explosive properties Not explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

Particle size No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity None reasonably foreseeable. Chemical stability Stable under normal conditions.

Possibility of hazardous reac-

tions

No dangerous reaction known under conditions of normal use.

No decomposition if used as directed. Conditions to avoid None known.

Incompatible materials

Hazardous decomposition

No hazardous decomposition products are known.

products

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Ingestion Inhalation Skin contact Eye contact



DURIVO

Version Revision Date: SDS Number: This version replaces all previous versions. 2.1 05/25/2023 S00000106394

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg

Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.62 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Remarks: Based on data from similar materials

Components:

thiamethoxam:

Acute oral toxicity : LD50 (Rat, male and female): 1,563 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 3.72 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

chlorantraniliprole:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.1 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Skin corrosion/irritation

Product:

Species : Rabbit

Result : No skin irritation

Remarks : Based on data from similar materials

Components:

thiamethoxam:

Species : Rabbit



DURIVO

Version Revision Date: SDS Number: This version replaces all previous versions. 2.1 05/25/2023 S00000106394

Result : No skin irritation

chlorantraniliprole:

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Product:

Species : Rabbit

Result : No eye irritation

Remarks : Based on data from similar materials

Components:

thiamethoxam:

Species : Rabbit

Result : No eye irritation

chlorantraniliprole:

Species : Rabbit

Result : No eye irritation

poly(oxy-1,2-ethanediyl), alpha-phosphono-omega-[2,4,6-tris(1-phenylethyl)phenoxy]-:

Result : Eye irritation

Respiratory or skin sensitization

Product:

Species : Guinea pig

Result : Did not cause sensitization on laboratory animals.

Remarks : Based on data from similar materials

Components:

thiamethoxam:

Species : Guinea pig

Result : Did not cause sensitization on laboratory animals.

chlorantraniliprole:

Species : Guinea pig

Result : Did not cause sensitization on laboratory animals.

Germ cell mutagenicity

Components:

thiamethoxam:

Germ cell mutagenicity - : Animal testing did not show any mutagenic effects.

Assessment



DURIVO

Version Revision Date: SDS Number: This version replaces all previous versions. 2.1 05/25/2023 S00000106394

chlorantraniliprole:

Germ cell mutagenicity -

Assessment

Animal testing did not show any mutagenic effects.

Carcinogenicity

Components:

thiamethoxam:

Carcinogenicity - Assess-

ment

Weight of evidence does not support classification as a car-

cinogen

chlorantraniliprole:

Carcinogenicity - Assess-

ment IARC

No evidence of carcinogenicity in animal studies.

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHANo component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Components:

thiamethoxam:

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for

reproductive toxicity

chlorantraniliprole:

Reproductive toxicity - As-

sessment

No toxicity to reproduction

STOT-single exposure

Components:

thiamethoxam:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

chlorantraniliprole:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

STOT-repeated exposure

Components:

thiamethoxam:

Assessment : The substance or mixture is not classified as specific target



DURIVO

Version Revision Date: 05/25/2023

SDS Number: S00000106394

This version replaces all previous versions.

organ toxicant, repeated exposure.

chlorantraniliprole:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Aspiration toxicity

Components:

chlorantraniliprole:

No aspiration toxicity classification

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.0012 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)):

100 mg/l

Exposure time: 72 h

Remarks: Based on data from similar materials

EC10 (Raphidocelis subcapitata (freshwater green alga)): 45

mg/l

End point: Growth rate Exposure time: 72 h

Remarks: Based on data from similar materials

NOEC (Raphidocelis subcapitata (freshwater green alga)): 3.2

mg/l

End point: Growth rate Exposure time: 72 h

Remarks: Based on data from similar materials

Components:

thiamethoxam:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

EC50 (Cloeon sp.): 0.014 mg/l



DURIVO

Version Revision Date: SDS Number: 2.1 05/25/2023 S00000106394

This version replaces all previous versions.

Exposure time: 48 h

EC50 (Chironomus riparius (harlequin fly)): 0.035 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)): >

81.8 mg/l

Exposure time: 72 h

NOEC (Raphidocelis subcapitata (freshwater green alga)):

81.8 mg/l

End point: Growth rate Exposure time: 72 h

Toxicity to fish (Chronic tox-

icity)

NOEC (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 28 d

Test Type: flow-through test

NOEC (Oncorhynchus mykiss (rainbow trout)): > 20 mg/l

Exposure time: 88 d Test Type: Early-life Stage

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 100 mg/l

Exposure time: 21 d

NOEC (Chironomus riparius (Midge larvae)): 0.01 mg/l

Exposure time: 30 d

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l

Exposure time: 3 h

chlorantraniliprole:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 13.8 mg/l

Exposure time: 96 h

LC50 (Lepomis macrochirus (Bluegill sunfish)): > 15.1 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.0116 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 2

mg/l

Exposure time: 96 h

Toxicity to fish (Chronic tox-

icity)

NOEC (Oncorhynchus mykiss (rainbow trout)): 0.11 mg/l

Exposure time: 90 d

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.00447 mg/l

Exposure time: 21 d

NOEC (Chironomus riparius (harlequin fly)): 0.0025 mg/l

Exposure time: 28 d



DURIVO

Version **Revision Date:** SDS Number: This version replaces all previous versions. S00000106394 2.1 05/25/2023

Persistence and degradability

Components:

thiamethoxam:

Biodegradability Result: Not readily biodegradable.

Stability in water Degradation half life: 11 d

Remarks: Product is not persistent.

chlorantraniliprole:

Biodegradability Result: Not readily biodegradable.

Bioaccumulative potential

Components:

thiamethoxam:

Bioaccumulation Remarks: Low bioaccumulation potential.

Partition coefficient: n-

octanol/water

log Pow: -0.13 (77 °F / 25 °C)

chlorantraniliprole:

Bioaccumulation Remarks: Does not bioaccumulate.

Partition coefficient: n-

octanol/water

log Pow: 2.76 (68 °F / 20 °C)

Mobility in soil

Components:

thiamethoxam:

Distribution among environmental compartments

Remarks: Moderately mobile in soils

Stability in soil Dissipation time: 51 d

> Percentage dissipation: 50 % (DT50) Remarks: Product is not persistent.

chlorantraniliprole:

Distribution among environ-

mental compartments

Remarks: immobile

Stability in soil Dissipation time: 530 d

Percentage dissipation: 50 (DT50)

Remarks: Persistent in soil.

Other adverse effects

Components:

thiamethoxam:

Results of PBT and vPvB

assessment

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulating (vPvB).



DURIVO

Version Revision Date: SDS Number: This version replaces all previous versions. 2.1 05/25/2023 S00000106394

chlorantraniliprole:

Results of PBT and vPvB

assessment

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulating (vPvB).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not contaminate ponds, waterways or ditches with

chemical or used container.

Do not dispose of waste into sewer.

Where possible recycling is preferred to disposal or

incineration.

If recycling is not practicable, dispose of in compliance with

local regulations.

Contaminated packaging : Empty remaining contents.

Triple rinse containers.

Empty containers should be taken to an approved waste

handling site for recycling or disposal.

Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(THIAMETHOXAM, CHLORANTRANILIPROLE)

Class : 9
Packing group : III
Labels : 9

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(THIAMETHOXAM, CHLORANTRANILIPROLE)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo

aircraft)

Packing instruction (passen:

ger aircraft)

: 964

964

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(THIAMETHOXAM, CHLORANTRANILIPROLE)

Class : 9
Packing group : III
Labels : 9



DURIVO

Version Revision Date: SDS Number: This version replaces all previous versions. S00000106394

EmS Code : F-A, S-F Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

Remarks : Shipment by ground under DOT is non-regulated; however it

may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: Caution

Keep away from children, domestic animals and pets.

CERCLA Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 304 Extremely Hazardous Substances Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop. 65

WARNING: This product can expose you to chemicals including sulfuric acid, dioxosilane, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

SECTION 16. OTHER INFORMATION

Further information




DURIVO

Version Revision Date: 2.1 05/25/2023

SDS Number: S00000106394

This version replaces all previous versions.

NFPA 704:



Special hazard

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)

Syngenta / TWA : Time weighted average

US WEEL / TWA : 8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance: ELx - Loading rate associated with x% response: EmS - Emergency Schedule: ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC -International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance



DURIVO

Version Revision Date: SDS Number: This version replaces all previous versions. 2.1 05/25/2023 S00000106394

Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 05/25/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8