

# MAXIM® PSP

Date: 8/3/2015 Replaces: 4/14/2015

## 1. PRODUCT IDENTIFICATION

Product identifier on label: MAXIM® PSP

Product No.: A9687E Use: Fungicide

Manufacturer: Syngenta Crop Protection, LLC

Post Office Box 18300 Greensboro NC 27419

Manufacturer Phone: 1-800-334-9481

Emergency Phone: 1-800-888-8372

### 2. HAZARDS IDENTIFICATION

Classifications: Specific Target Organ Toxicity: Respiratory Irritation Category 3

Signal Word (OSHA): Warning

Hazard Statements: May cause respiratory irritation

Hazard Symbols:



Precautionary Statements: Avoid breathing dust.

Use only outdoors or in a well-ventilated area.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

Call a poison center, doctor or Syngenta if you feel unwell.

Store locked up.

Dispose of contents and container in accordance with local regulations.

Other Hazard Statements: May form combustible dust concentrations in air.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Common Name	CAS Number	Concentration
Talc	Talc	14807-96-6	Trade Secret
Hardwood Bark (Alder)	Hardwood Bark (Alder)	Not Applicable	Trade Secret
Tremolite (non-asbestiform)	Tremolite (non-asbestiform)	14567-73-8	Trade Secret
Other ingredients	Other ingredients	Trade Secret	<99.5%



# MAXIM® PSP

Date: 8/3/2015 Replaces: 4/14/2015

4-(2,2-difluoro-1,3-benzodioxol-4-yl)-1H-

Fludioxonil

131341-86-1

0.5%

pyrrole-3-carbonitrile

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

#### 4. FIRST AID MEASURES

Have the product container, label or Safety Data Sheet with you when calling Syngenta (800-888-8372), a poison contol center or doctor, or going for treatment.

Ingestion: If swallowed: Call Syngenta (800-888-8372), a poison control center or doctor immediately for treatment

advice. Do not give any liquid to the person. Do not induce vomiting unless told to do so after calling 800-888-8372 or by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Eye Contact: If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if

present, after 5 minutes, then continue rinsing eye. Call Syngenta (800-888-8372), a poison control center or

doctor for treatment advice.

Skin Contact: If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20

minutes. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.

Inhalation: If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial

respiration, preferably mouth-to-mouth if possible. Call Syngenta (800-888-8372), a poison control center or

doctor for further treatment advice.

Most important symptoms/effects:

Respiratory irritation

Indication of immediate medical attention and special treatment needed:

There is no specific antidote if this product is ingested.

Treat symptomatically.

### 5. FIRE FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media:

Use dry chemical, foam or CO2 extinguishing media. If water is used to fight fire, dike and collect runoff.

Specific Hazards:

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

Special protective equipment and precautions for firefighters:

Wear full protective clothing and self-contained breathing apparatus. Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion.

## **6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment, and emergency procedures:

Follow exposure controls/personal protection outlined in Section 8.

Methods and materials for containment and cleaning up:

Control the spill at its source. Contain the spill to prevent from spreading or contaminating soil or from entering sewage and drainage systems or any body of water. Clean up spills immediately, observing precautions outlined in Section 8. Sweep up material and place in a compatible disposal container. Scrub area with hard water detergent (e.g. commercial products such as Tide, Joy, Spic and Span). Pick up wash liquid with additional absorbent and place into compatible disposal container. Once all material is cleaned up and placed in a disposal container, seal container and arrange for disposition.



## MAXIM® PSP

Date: 8/3/2015 Replaces: 4/14/2015

#### 7. HANDLING AND STORAGE

Precautions for safe handling:

Store the material in a well-ventilated, secure area out of reach of children and domestic animals. Do not store food, beverages or tobacco products in the storage area. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

Conditions for safe storage, including any incompatibilities:

Store locked up.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THIS PRODUCT.

### FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

### Occupational Exposure Limits:

Chemical Name	OSHA PEL	ACGIH TLV	Other	Source
Talc	20 mppcf (containing <1% quartz) TWA	2 mg/m³ (respirable; <1% crystalline silica) TWA	2 mg/m³ (respirable; <1% quartz) TWA	NIOSH
Hardwood Bark (Alder)	15 mg/m³ TWA	1 mg/m³ TWA	Not Established	Not Applicable
Tremolite (non-asbestiform)	Not Established	2 mg/m³ TWA	Not Established	Manufacturer
Other ingredients	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Fludioxonil	Not Established	Not Established	5 mg/m³ TWA	Syngenta

### Appropriate engineering controls:

Use effective engineering controls to comply with occupational exposure limits (if applicable).

### Individual protection measures:

## Ingestion:

Prevent eating, drinking, tobacco usage and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

#### **Eve Contact**

Where eye contact is likely, use dust-proof chemical goggles.

## Skin Contact:

Where contact is likely, wear chemical-resistant gloves (such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, natural rubber, polyethylene, polyvinyl chloride [PVC] or Viton), coveralls, socks and chemical-resistant footwear.

### Inhalation:

A particulate filter respirator may be necessary until effective engineering controls are installed to comply with occupational exposure limits. Use NIOSH certified respirator with any N, R, P or HE filter. Use a self-contained breathing apparatus in cases of emergency spills, when exposure levels are unknown, or under any circumstances where air-purifying respirators may not provide adequate protection.



# MAXIM® PSP

Date: 8/3/2015 Replaces: 4/14/2015

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Off-white powder

Odor: Wood-like

Odor Threshold: Not Available pH: 5 - 7 (1% solution in H2O)

Melting point/freezing point: Not Available

Initial boiling point and boiling range: Not Applicable
Flash Point (Test Method): Not Applicable
Flammable Limits (% in Air): Not Available
Flammability: Not Applicable

Vapor Pressure: Fludioxonil 2.9 x 10(-9) mmHg @ 77°F (25°C)

Vapor Density: Not Available

Relative Density: 0.44 g/cm³ (typical)

Solubility (ies): Fludioxonil 1.8 mg/l @ 77°F (25°C)

Partition coefficient: n-octanol/water: Not Available

Autoignition Temperature: Not Available

Decomposition Temperature: Not Available

Viscosity: Not Available

Other: None

## 10. STABILITY AND REACTIVITY

Reactivity: Not reactive.

Chemical stability: Stable under normal use and storage conditions.

Possibility of hazardous reactions: Will not occur.

Conditions to Avoid: None known.

Incompatible materials: None known.

Hazardous Decomposition Products: None known.

## 11. TOXICOLOGICAL INFORMATION

Health effects information

Likely routes of exposure: Dermal, Inhalation

Symptoms of exposure: Respiratory irritation

Delayed, immediate and chronic effects of exposure: Respiratory irritation

Numerical measures of toxicity (acute toxicity/irritation studies (finished product))

Ingestion: Oral (LD50 Rabbit): > 5050 mg/kg body weight



# MAXIM® PSP

Date: 8/3/2015 Replaces: 4/14/2015

Dermal: Dermal (LD50 Rat) : > 2020 mg/kg body weight

Inhalation: | Inhalation (LC50 Rat) : > 5.67 mg/l air - 4 hours

Eye Contact: Minimally Irritating (Rabbit)

Skin Contact: Non-Irritating (Rabbit)

Skin Sensitization: Not a Sensitizer (Guinea Pig)

## Reproductive/Developmental Effects

Fludioxonil: Delayed development at doses causing maternal toxicity.

## Chronic/Subchronic Toxicity Studies

Fludioxonil: Liver and kidney toxicity at high dose levels.

## Carcinogenicity

Fludioxonil: Marginal increase (7%) of liver tumors (female, rats: 3,000 ppm); Within historical control range (1 to 10%).

Chemical Name	NTP/IARC/OSHA Carcinogen	
Talc	IARC Group 3	
Hardwood Bark (Alder)	No	
Tremolite (non-asbestiform)	No	
Other ingredients	No	
4-(2,2-difluoro-1,3-benzodioxol-4-yl)-1H-pyrrole-3-carbonitrile	No	

### Other Toxicity Information

None

## **Toxicity of Other Components**

Hardwood Bark (Alder)

Exposure can result in irritation to eyes, skin and respiratory tract. Prolonged exposure to certain hardwoods has been associated with nasal cancer; however, this species is not listed as a carcinogen.

## Other ingredients

Not Applicable

Talc

Limited potential for respiratory disease.

Tremolite (non-asbestiform)

Limited potential for respiratory disease.

## **Target Organs**

**Active Ingredients** 

Fludioxonil: Liver, kidney

**Inert Ingredients** 

Hardwood Bark (Alder): Eye, skin, respiratory tract

Other ingredients: Not Applicable
Talc: Respiratory tract
Tremolite (non-asbestiform): Respiratory tract



## MAXIM® PSP

Date: 8/3/2015 Replaces: 4/14/2015

### 12. ECOLOGICAL INFORMATION

**Eco-Acute Toxicity** 

Fludioxonil:

Fish (Rainbow Trout) 96-hour LC50 0.47 ppm

Green Algae 5-day EC50 0.087 ppm

Invertebrate (Water Flea) Daphnia Magna 48-hour EC50 0.9 ppm

Bird (Bobwhite Quail) 14-day LD50 > 2000 mg/kg

**Environmental Fate** 

Fludioxonil:

The information presented here is for the active ingredient, fludioxonil.

Does not bioaccumulate. Persistent in soil. Stable in water. Low mobility in soil. Sinks in water (after 24 h).

## 13. DISPOSAL CONSIDERATIONS

Disposal:

Do not reuse product containers. Dispose of product containers, waste containers, and residues according to local, state, and federal health and environmental regulations.

Characteristic Waste: Not Applicable Listed Waste: Not Applicable

## 14. TRANSPORT INFORMATION

**DOT Classification** 

Ground Transport - NAFTA

Not regulated

Comments

Water Transport - International

Proper Shipping Name: Environmentally Hazardous Substance, Solid, N.O.S. (Fludioxonil), Marine Pollutant

Hazard Class: Class 9

Identification Number: UN 3077

Packing Group: PG III

Air Transport

Proper Shipping Name: Environmentally Hazardous Substance, Solid, N.O.S. (Fludioxonil)

Hazard Class: Class 9

Identification Number: UN 3077

Packing Group: PG III

### 15. REGULATORY INFORMATION

Pesticide Registration:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:



Chronic

# MAXIM® PSP

Date: 8/3/2015 Replaces: 4/14/2015

Caution: Causes moderate eye irritation. Harmful if absorbed through skin. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling.

EPA Registration Number(s):

100-821

EPCRA SARA Title III Classification:

Section 311/312 Hazard Classes: Acute Health Hazard

Section 313 Toxic Chemicals: None

CERCLA/SARA 304 Reportable Quantity (RQ):

None

RCRA Hazardous Waste Classification (40 CFR 261):

Not Applicable

TSCA Status:

Exempt from TSCA, subject to FIFRA

## **16. OTHER INFORMATION**

**HMIS Hazard Ratings NFPA Hazard Ratings** Minimal Health: Health: Slight 1 Flammability: Moderate Flammability: 1 3 Serious 0 Reactivity: 0 Instability: Extreme

Syngenta Hazard Category: C

For non-emergency questions about this product call:

1-800-334-9481

Original Issued Date: 11/5/2007

Revision Date: 8/3/2015 Replaces: 4/14/2015

Section(s) Revised: 1-16

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein.