

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



OPELLO

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/24/2025	S00078898742	Date of first issue: 11/24/2025

SECTION 1. IDENTIFICATION

Product name : OPELLO
Design code : A22466G

Product Registration number : 100-1710

Manufacturer or supplier's details

Company name of supplier : Syngenta Crop Protection, LLC
Address : Post Office Box 18300
Greensboro NC 27419
United States of America (USA)

Telephone : 1 800 334 9481
Telefax : 1 336 632 2192

E-mail address : sds.requests@syngenta.com
Emergency telephone : 1 800 888 8372

Recommended use of the chemical and restrictions on use

Recommended use : Insecticide

Restrictions on use : General Use Pesticide

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eye damage : Category 1

Skin sensitization : Sub-category 1B

Reproductive toxicity : Category 2

Other hazards

None known.

GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H361f Suspected of damaging fertility.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



OPELLO

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/24/2025	S00078898742	Date of first issue: 11/24/2025

Supplemental Hazard Statements : Corrosive to the respiratory tract.

Precautionary Statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P261 Avoid breathing mist or vapors.
P272 Contaminated work clothing must not be allowed out of the workplace.
P280 Wear protective gloves, protective clothing, eye protection and face protection.

Response:
P302 + P352 IF ON SKIN: Wash with plenty of water.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage:
P405 Store locked up.

Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
isocycloseram	2061933-85-3*	25.8621	-
propane-1,2-diol	57-55-6*	>= 10 - <= 30	TSC
poly(oxy-1,2-ethanediyl), α -hydro- ω -hydroxy-, mono(C10-rich C9-11-isoalkyl) ethers, phosphates	154518-39-5*	>= 5 - <= 10	TSC
Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts	68425-94-5*	>= 1 - <= 5	TSC
isocycloseram	2061933-85-3*	>= 10 - <= 30	TSC

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



OPELLO

Version 1.0	Revision Date: 11/24/2025	SDS Number: S00078898742	Date of last issue: - Date of first issue: 11/24/2025
----------------	------------------------------	-----------------------------	--

propane-1,2-diol	57-55-6*	$\geq 10 - \leq 30$	TSC
poly(oxy-1,2-ethanediyl), α -hydro- ω -hydroxy-, mono(C10-rich C9-11-isoalkyl) ethers, phosphates	154518-39-5*	$\geq 5 - \leq 10$	TSC
Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts	68425-94-5*	$\geq 1 - \leq 5$	TSC

* Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

- | | |
|---|---|
| General advice | : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment. |
| If inhaled | : Take the victim into fresh air.
If breathing is irregular or stopped, administer artificial respiration.
Keep patient warm and at rest.
Call a physician or poison control center immediately. |
| In case of skin contact | : Take off all contaminated clothing immediately.
Wash off immediately with plenty of water.
If skin irritation persists, call a physician.
Wash contaminated clothing before re-use. |
| In case of eye contact | : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Remove contact lenses.
Immediate medical attention is required. |
| If swallowed | : If swallowed, seek medical advice immediately and show this container or label.
Do NOT induce vomiting. |
| Most important symptoms and effects, both acute and delayed | : Nonspecific
No symptoms known or expected.
May cause an allergic skin reaction.
Causes serious eye damage.
Suspected of damaging fertility.
Corrosive to the respiratory tract. |
| Notes to physician | : There is no specific antidote available.
Treat symptomatically. |

SECTION 5. FIRE-FIGHTING MEASURES

- | | |
|------------------------------|---|
| Suitable extinguishing media | : Extinguishing media - small fires
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Extinguishing media - large fires
Alcohol-resistant foam
or
Water spray |
| Unsuitable extinguishing | : Do not use a solid water stream as it may scatter and spread |

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



OPELLO

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/24/2025	S00078898742	Date of first issue: 11/24/2025

media

fire.

Specific hazards during fire fighting : As the product contains combustible organic ingredients, fire will produce dense black smoke containing hazardous products of combustion (see section 10). Exposure to decomposition products may be a hazard to health.

Hazardous combustion products : Carbon oxides
Nitrogen oxides (NO_x)
Chlorine compounds
Fluorine compounds
Oxides of phosphorus
Sulfur oxides

Carbon oxides
Nitrogen oxides (NO_x)
Chlorine compounds
Fluorine compounds
Oxides of phosphorus
Sulfur oxides

Further information : Do not allow run-off from fire fighting to enter drains or water courses.
Cool closed containers exposed to fire with water spray.

Special protective equipment for fire-fighters : Wear full protective clothing and self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Prevent further leakage or spillage if safe to do so.
Do not flush into surface water or sanitary sewer system.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Clean contaminated surface thoroughly.
Clean with detergents. Avoid solvents.
Retain and dispose of contaminated wash water.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : No special protective measures against fire required.
Avoid contact with skin and eyes.
When using do not eat, drink or smoke.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



OPELLO

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/24/2025	S00078898742	Date of first issue: 11/24/2025

Conditions for safe storage : For personal protection see section 8.
No special storage conditions required.
Keep containers tightly closed in a dry, cool and well-ventilated place.
Keep out of the reach of children.
Keep away from food, drink and animal feedingstuffs.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
isocycloseram	2061933-85-3	TWA	0.4 mg/m ³	Syngenta
propane-1,2-diol	57-55-6	TWA	10 mg/m ³	US WEEL

Engineering measures : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.
Where necessary, seek additional occupational hygiene advice.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.
When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hand protection

Remarks : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things from the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical break-

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



OPELLO

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/24/2025	S00078898742	Date of first issue: 11/24/2025

Eye protection	: through. Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded. Tightly fitting safety goggles Face-shield
Skin and body protection	: Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Remove and wash contaminated clothing before re-use. Wear as appropriate: Impervious clothing
Protective measures	: The use of technical measures should always have priority over the use of personal protective equipment. When selecting personal protective equipment, seek appropriate professional advice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: suspension
Color	: white
Odor	: No data available
Odor Threshold	: No data available
pH	: 6.1 Concentration: 100 %w/v
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: Method: Seta closed cup does not flash
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Density	: 1.14 - 1.18 g/cm ³ (68 °F / 20 °C)
Solubility(ies) Water solubility	: No data available

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



OPELLO

Version 1.0	Revision Date: 11/24/2025	SDS Number: S00078898742	Date of last issue: - Date of first issue: 11/24/2025
----------------	------------------------------	-----------------------------	--

Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Autoignition temperature	: 759 °F / 404 °C
Decomposition temperature	: No data available
Viscosity	
Viscosity, kinematic	: No data available
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Particle characteristics	
Particle size	: No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: None reasonably foreseeable.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: No decomposition if used as directed.
Incompatible materials	: None known.
Hazardous decomposition products	: No hazardous decomposition products are known.

No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Ingestion
Inhalation
Skin contact
Eye contact

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity	: LD50 (Rat, female): > 5,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat, male and female): > 5.2 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



OPELLO

Version 1.0	Revision Date: 11/24/2025	SDS Number: S00078898742	Date of last issue: - Date of first issue: 11/24/2025
----------------	------------------------------	-----------------------------	--

Components:

isocycloseram:

Acute oral toxicity	: LD50 (Rat, female): 4,569 mg/kg
Acute inhalation toxicity	: LC50 (Rat, male and female): > 4.62 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity Remarks: Highest attainable concentration
Acute dermal toxicity	: LD50 (Rat, male and female): > 5,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

propane-1,2-diol:

Acute oral toxicity	: LD50 (Rat): > 20,000 mg/kg Assessment: The substance or mixture has no acute oral toxicity
Acute inhalation toxicity	: LC50 (Rabbit): 317,042 mg/l Exposure time: 2 h Test atmosphere: dust/mist
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
---------------------	-----------------------------

isocycloseram:

Acute oral toxicity	: LD50 (Rat, female): 4,569 mg/kg
Acute inhalation toxicity	: LC50 (Rat, male and female): > 4.62 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity Remarks: Highest attainable concentration
Acute dermal toxicity	: LD50 (Rat, male and female): > 5,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

propane-1,2-diol:

Acute oral toxicity	: LD50 (Rat): > 20,000 mg/kg Assessment: The substance or mixture has no acute oral toxicity
---------------------	---

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



OPELLO

Version 1.0	Revision Date: 11/24/2025	SDS Number: S00078898742	Date of last issue: - Date of first issue: 11/24/2025
----------------	------------------------------	-----------------------------	--

icity

Acute inhalation toxicity : LC50 (Rabbit): 317,042 mg/l
Exposure time: 2 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Result : No skin irritation

Components:

isocycloseram:

Species : Rabbit
Result : No skin irritation

propane-1,2-diol:

Result : No skin irritation

poly(oxy-1,2-ethanediyl), α -hydro- ω -hydroxy-, mono(C10-rich C9-11-isoalkyl) ethers, phosphates:

Result : Irritating to skin.

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Species : reconstructed human epidermis (RhE)
Result : No skin irritation

isocycloseram:

Species : Rabbit
Result : No skin irritation

propane-1,2-diol:

Result : No skin irritation

poly(oxy-1,2-ethanediyl), α -hydro- ω -hydroxy-, mono(C10-rich C9-11-isoalkyl) ethers, phosphates:

Result : Irritating to skin.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



OPELLO

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/24/2025	S00078898742	Date of first issue: 11/24/2025

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Species	:	reconstructed human epidermis (RhE)
Result	:	No skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Species	:	Chicken eye
Result	:	Irreversible effects on the eye

Components:

isocycloseram:

Species	:	Rabbit
Result	:	No eye irritation

propane-1,2-diol:

Result	:	No eye irritation
--------	---	-------------------

poly(oxy-1,2-ethanediyl), α -hydro- ω -hydroxy-, mono(C10-rich C9-11-isoalkyl) ethers, phosphates:

Result	:	Risk of serious damage to eyes.
--------	---	---------------------------------

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days

isocycloseram:

Species	:	Rabbit
Result	:	No eye irritation

propane-1,2-diol:

Result	:	No eye irritation
--------	---	-------------------

poly(oxy-1,2-ethanediyl), α -hydro- ω -hydroxy-, mono(C10-rich C9-11-isoalkyl) ethers, phosphates:

Result	:	Risk of serious damage to eyes.
--------	---	---------------------------------

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



OPELLO

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/24/2025	S00078898742	Date of first issue: 11/24/2025

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Test Type	: Local lymph node assay (LLNA)
Species	: Mouse
Result	: The product is a skin sensitizer, sub-category 1B.

Components:

isocycloseram:

Test Type	: mouse lymphoma cells
Species	: Mouse
Result	: The product is a skin sensitizer, sub-category 1B.

propane-1,2-diol:

Result	: Does not cause skin sensitization.
--------	--------------------------------------

isocycloseram:

Test Type	: mouse lymphoma cells
Species	: Mouse
Result	: The product is a skin sensitizer, sub-category 1B.

propane-1,2-diol:

Result	: Does not cause skin sensitization.
--------	--------------------------------------

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

isocycloseram:

Germ cell mutagenicity - Assessment	: Animal testing did not show any mutagenic effects.
-------------------------------------	--

propane-1,2-diol:

Germ cell mutagenicity - Assessment	: Animal testing did not show any mutagenic effects.
-------------------------------------	--

isocycloseram:

Germ cell mutagenicity - Assessment	: Animal testing did not show any mutagenic effects.
-------------------------------------	--

propane-1,2-diol:

Germ cell mutagenicity - Assessment	: Animal testing did not show any mutagenic effects.
-------------------------------------	--

Carcinogenicity

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



OPELLO

Version 1.0	Revision Date: 11/24/2025	SDS Number: S00078898742	Date of last issue: - Date of first issue: 11/24/2025
----------------	------------------------------	-----------------------------	--

Components:

isocycloseram:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

propane-1,2-diol:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

isocycloseram:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

propane-1,2-diol:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Suspected of damaging fertility.

Components:

isocycloseram:

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments.

Adverse effects seen in rat studies were not observed in any other species tested. No functional effects on reproduction and no delays in sexual maturation and development were observed in a multi-generation study.

propane-1,2-diol:

Reproductive toxicity - Assessment : No toxicity to reproduction, No effects on or via lactation

isocycloseram:

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments.

Adverse effects seen in rat studies were not observed in any other species tested. No functional effects on reproduction and no delays in sexual maturation and development were observed in a multi-generation study.

propane-1,2-diol:

Reproductive toxicity - Assessment : No toxicity to reproduction, No effects on or via lactation

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



OPELLO

Version 1.0	Revision Date: 11/24/2025	SDS Number: S00078898742	Date of last issue: - Date of first issue: 11/24/2025
----------------	------------------------------	-----------------------------	--

essment

STOT-single exposure

Corrosive to the respiratory tract.

Components:

propane-1,2-diol:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

propane-1,2-diol:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Components:

isocycloseram:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

propane-1,2-diol:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

isocycloseram:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

propane-1,2-diol:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration toxicity

Based on available data, the classification criteria are not met.

Components:

propane-1,2-diol:

No aspiration toxicity classification

propane-1,2-diol:

No aspiration toxicity classification

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



OPELLO

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/24/2025	S00078898742	Date of first issue: 11/24/2025

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

isocycloseram:

- | | | |
|--|---|---|
| Toxicity to fish | : | LC50 (Oncorhynchus mykiss (rainbow trout)): 0.13 mg/l
Exposure time: 96 h |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 0.52 mg/l
Exposure time: 48 h

EC50 (Americamysis): 0.000031 mg/l
Exposure time: 48 h

EC50 (Chironomus riparius (Midge larvae)): 0.000015 mg/l
Exposure time: 48 h |
| Toxicity to algae/aquatic plants | : | ErC50 (Skeletonema costatum (marine diatom)): 0.27 mg/l
Exposure time: 72 h

EC10 (Skeletonema costatum (marine diatom)): 0.14 mg/l
End point: Growth rate
Exposure time: 72 h

NOEC (Skeletonema costatum (marine diatom)): 0.044 mg/l
End point: Growth rate
Exposure time: 72 h |
| Toxicity to fish (Chronic toxicity) | : | NOEC (Cyprinodon variegatus (sheepshead minnow)): 0.0081 mg/l
Exposure time: 32 d
Test Type: Early-life Stage |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC (Americamysis): 0.000001 mg/l
Exposure time: 28 d |
| Toxicity to microorganisms | : | EC50 (activated sludge): > 1,000 mg/l
Exposure time: 3 h |

propane-1,2-diol:

- | | | |
|---|---|--|
| Toxicity to fish | : | LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l
Exposure time: 96 h
Test Type: static test |
| Toxicity to daphnia and other aquatic invertebrates | : | (Ceriodaphnia dubia (water flea)): 18,340 mg/l
Exposure time: 48 h
Test Type: static test |
| Toxicity to algae/aquatic plants | : | ErC50 (Raphidocelis subcapitata (freshwater green alga)): 19,000 mg/l
Exposure time: 96 h |

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



OPELLO

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/24/2025	S00078898742	Date of first issue: 11/24/2025

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Ceriodaphnia dubia (Water flea)): 13,020 mg/l
Exposure time: 7 d
Test Type: semi-static test

isocycloseram:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.13 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.52 mg/l
Exposure time: 48 h

EC50 (Americamysis): 0.000031 mg/l
Exposure time: 48 h

EC50 (Chironomus riparius (Midge larvae)): 0.000015 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Skeletonema costatum (marine diatom)): 0.27 mg/l
Exposure time: 72 h

EC10 (Skeletonema costatum (marine diatom)): 0.14 mg/l
End point: Growth rate
Exposure time: 72 h

NOEC (Skeletonema costatum (marine diatom)): 0.044 mg/l
End point: Growth rate
Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : NOEC (Cyprinodon variegatus (sheepshead minnow)): 0.0081 mg/l
Exposure time: 32 d
Test Type: Early-life Stage

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Americamysis): 0.000001 mg/l
Exposure time: 28 d

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l
Exposure time: 3 h

propane-1,2-diol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l
Exposure time: 96 h
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : (Ceriodaphnia dubia (water flea)): 18,340 mg/l
Exposure time: 48 h
Test Type: static test

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 19,000 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Ceriodaphnia dubia (Water flea)): 13,020 mg/l
Exposure time: 7 d

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



OPELLO

Version 1.0	Revision Date: 11/24/2025	SDS Number: S00078898742	Date of last issue: - Date of first issue: 11/24/2025
----------------	------------------------------	-----------------------------	--

ic toxicity)

Test Type: semi-static test

Persistence and degradability

Components:

isocycloseram:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Remarks: Product is not persistent.

propane-1,2-diol:

Biodegradability : Result: Readily biodegradable.

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Biodegradability : Result: Not readily biodegradable.

isocycloseram:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Remarks: Product is not persistent.

propane-1,2-diol:

Biodegradability : Result: Readily biodegradable.

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Biodegradability : Result: Not readily biodegradable.

Bioaccumulative potential

Components:

isocycloseram:

Bioaccumulation : Remarks: bioaccumulative

Partition coefficient: n-octanol/water : log Pow: 4.9 (68 °F / 20 °C)

isocycloseram:

Bioaccumulation : Remarks: bioaccumulative

Partition coefficient: n-octanol/water : log Pow: 4.9 (68 °F / 20 °C)

Mobility in soil

Components:

isocycloseram:

Distribution among environ- : Remarks: immobile

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



OPELLO

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/24/2025	S00078898742	Date of first issue: 11/24/2025

mental compartments

Stability in soil : Dissipation time: 112.94 d
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.

isocycloseram:

Distribution among environ- : Remarks: immobile

mental compartments

Stability in soil : Dissipation time: 112.94 d
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.

Other adverse effects

Components:

isocycloseram:

Results of PBT and vPvB : Substance is not persistent, bioaccumulative, and toxic (PBT).
assessment

isocycloseram:

Results of PBT and vPvB : Substance is not persistent, bioaccumulative, and toxic (PBT).
assessment

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not contaminate ponds, waterways or ditches with chemical or used container.
Do not dispose of waste into sewer.
Where possible recycling is preferred to disposal or incineration.
If recycling is not practicable, dispose of in compliance with local regulations.
This product will not be classified as a RCRA characteristic hazardous waste when discarded.

Contaminated packaging : Empty remaining contents.
Triple rinse containers.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISOCYCLOSERAM)
Class	: 9
Packing group	: III
Labels	: 9
Environmentally hazardous	: yes

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



OPELLO

Version 1.0	Revision Date: 11/24/2025	SDS Number: S00078898742	Date of last issue: - Date of first issue: 11/24/2025
----------------	------------------------------	-----------------------------	--

Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s. (ISOCYCLOSERAM)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISOCYCLOSERAM)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

Remarks : Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classi-

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



OPELLO

Version 1.0	Revision Date: 11/24/2025	SDS Number: S00078898742	Date of last issue: - Date of first issue: 11/24/2025
----------------	------------------------------	-----------------------------	--

fication criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Danger

Corrosive

Causes irreversible eye damage.

Do not get in eyes or on clothing.

Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Remove and wash contaminated clothing before re-use.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Respiratory or skin sensitization
Reproductive toxicity
Serious eye damage or eye irritation

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop. 65

WARNING: This product can expose you to chemicals including N,N-dimethylformamide, quartz (SiO₂), which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

SECTION 16. OTHER INFORMATION

Further information

SAFETY DATA SHEET


according to the OSHA Hazard Communication Standard



OPELLO

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/24/2025	S00078898742	Date of first issue: 11/24/2025

NFPA 704:



HMIS® IV:

HEALTH	*	3
FLAMMABILITY		0
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

Syngenta	:	Syngenta Occupational Exposure Limits
US WEEL	:	USA. Workplace Environmental Exposure Levels (WEEL)
Syngenta / TWA	:	Time weighted average
US WEEL / TWA	:	8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Sub-

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



OPELLO

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/24/2025	S00078898742	Date of first issue: 11/24/2025

stance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 11/24/2025

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN