

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ORONDIS GOLD

Version	Revision Date:	SDS Number:	Date of last issue: 08/13/2019
3.1	09/09/2026	S00053056117	Date of first issue: 07/03/2018

SECTION 1. IDENTIFICATION

Product name : ORONDIS GOLD
Design code : A22556A

Product Registration number : 100-1614

Manufacturer or supplier's details

Company name of supplier : Syngenta Crop Protection, LLC
Address : Post Office Box 18300
Greensboro NC 27419
United States of America (USA)

Telephone : 1 800 334 9481
Telefax : 1 336 632 2192

E-mail address : sds.requests@syngenta.com
Emergency telephone : 1 800 888 8372

Recommended use of the chemical and restrictions on use

Recommended use : Fungicide

Restrictions on use : General Use Pesticide

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Hazards for the product as supplied

Serious eye damage : Category 1

Skin sensitization : Category 1

Other hazards

None known.

GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.

Supplemental Hazard State-ments : Corrosive to the respiratory tract.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ORONDIS GOLD

Version	Revision Date:	SDS Number:	Date of last issue: 08/13/2019
3.1	09/09/2026	S00053056117	Date of first issue: 07/03/2018

Precautionary Statements

Prevention:

P261 Avoid breathing mist or vapors.
P272 Contaminated work clothing must not be allowed out of the workplace.
P280 Wear protective gloves/ eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
methyl 5-(dimethylamino)-2-methyl-5-oxo-pentanoate	1174627-68-9*	>= 60 - <= 80	TSC
metalaxyl-M (ISO)	70630-17-0*	9.887	-
oxathiapiprolin (ISO)	1003318-67-9*	3.2957	-

* Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.

If inhaled : Take the victim into fresh air.
If breathing is irregular or stopped, administer artificial respiration.
Keep patient warm and at rest.
Call a physician or poison control center immediately.

In case of skin contact : Take off all contaminated clothing immediately.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ORONDIS GOLD

Version	Revision Date:	SDS Number:	Date of last issue: 08/13/2019
3.1	09/09/2026	S00053056117	Date of first issue: 07/03/2018

In case of eye contact	: Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses.
If swallowed	: Immediate medical attention is required. If swallowed, seek medical advice immediately and show this container or label. Do NOT induce vomiting.
Most important symptoms and effects, both acute and delayed	: Nonspecific No symptoms known or expected. May cause an allergic skin reaction. Causes serious eye damage. Corrosive to the respiratory tract.
Notes to physician	: There is no specific antidote available. Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Extinguishing media - small fires Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Extinguishing media - large fires Alcohol-resistant foam or Water spray
Unsuitable extinguishing media	: Do not use a solid water stream as it may scatter and spread fire.
Specific hazards during fire fighting	: As the product contains combustible organic ingredients, fire will produce dense black smoke containing hazardous products of combustion (see section 10). Exposure to decomposition products may be a hazard to health.
Hazardous combustion products	: Carbon oxides Nitrogen oxides (NOx) Fluorine compounds Sulfur oxides
Further information	: Do not allow run-off from fire fighting to enter drains or water courses. Cool closed containers exposed to fire with water spray.
Special protective equipment for fire-fighters	: Wear full protective clothing and self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Refer to protective measures listed in sections 7 and 8.
---	--

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ORONDIS GOLD

Version	Revision Date:	SDS Number:	Date of last issue: 08/13/2019
3.1	09/09/2026	S00053056117	Date of first issue: 07/03/2018

Environmental precautions : Prevent further leakage or spillage if safe to do so.
Do not flush into surface water or sanitary sewer system.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Clean contaminated surface thoroughly.
Clean with detergents. Avoid solvents.
Retain and dispose of contaminated wash water.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : No special protective measures against fire required.
Avoid contact with skin and eyes.
When using do not eat, drink or smoke.
For personal protection see section 8.

Conditions for safe storage : No special storage conditions required.
Keep containers tightly closed in a dry, cool and well-ventilated place.
Keep out of the reach of children.
Keep away from food, drink and animal feedingstuffs.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
metalaxyl-M (ISO)	70630-17-0	TWA	5 mg/m ³	Syngenta
oxathiapiprolin (ISO)	1003318-67-9	TWA	5 mg/m ³	Supplier

Engineering measures : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ORONDIS GOLD

Version	Revision Date:	SDS Number:	Date of last issue: 08/13/2019
3.1	09/09/2026	S00053056117	Date of first issue: 07/03/2018

Where necessary, seek additional occupational hygiene advice.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.
When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hand protection

Remarks : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other.
Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things from the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.
Tightly fitting safety goggles
Face-shield

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Remove and wash contaminated clothing before re-use.
Wear as appropriate:
Impervious clothing

Protective measures : The use of technical measures should always have priority over the use of personal protective equipment.
When selecting personal protective equipment, seek appropriate professional advice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: clear
Color	: amber
Odor	: pungent
Odor Threshold	: No data available
pH	: 2 - 6 Concentration: 1 %w/v
Melting point/freezing point	: No data available

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ORONDIS GOLD

Version	Revision Date:	SDS Number:	Date of last issue: 08/13/2019
3.1	09/09/2026	S00053056117	Date of first issue: 07/03/2018

Initial boiling point and boiling range	:	No data available
Flash point	:	Method: Pensky-Martens closed cup does not flash
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Density	:	1.04 - 1.08 g/cm ³ (68 °F / 20 °C)
Solubility(ies)		
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	788 °F / 420 °C
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Particle characteristics		
Particle size	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	None reasonably foreseeable.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	No decomposition if used as directed.
Incompatible materials	:	None known.
Hazardous decomposition	:	No hazardous decomposition products are known.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ORONDIS GOLD

Version	Revision Date:	SDS Number:	Date of last issue: 08/13/2019
3.1	09/09/2026	S00053056117	Date of first issue: 07/03/2018

products

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Ingestion
Inhalation
Skin contact
Eye contact

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg
Assessment: The component/mixture is minimally toxic after single ingestion.

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.03 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Components:

metalaxyl-M (ISO):

Acute oral toxicity : LD50 (Rat, female): 375 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 2.29 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Highest attainable concentration

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

oxathiapiprolin (ISO):

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.1 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ORONDIS GOLD

Version	Revision Date:	SDS Number:	Date of last issue: 08/13/2019
3.1	09/09/2026	S00053056117	Date of first issue: 07/03/2018

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species	: Rabbit
Result	: No skin irritation

Components:

metalaxyl-M (ISO):

Species	: Rabbit
Result	: No skin irritation

oxathiapiprolin (ISO):

Species	: Rabbit
Result	: No skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Species	: Rabbit
Result	: Risk of serious damage to eyes.

Components:

methyl 5-(dimethylamino)-2-methyl-5-oxo-pentanoate:

Species	: Rabbit
Result	: Eye irritation

metalaxyl-M (ISO):

Species	: Rabbit
Result	: Risk of serious damage to eyes.

oxathiapiprolin (ISO):

Species	: Rabbit
Result	: No eye irritation

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

No applicable information is available

Product:

Test Type	: Local lymph node assay (LLNA)
Species	: Mouse
Result	: May cause sensitization by skin contact.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ORONDIS GOLD

Version	Revision Date:	SDS Number:	Date of last issue: 08/13/2019
3.1	09/09/2026	S00053056117	Date of first issue: 07/03/2018

Components:

metalaxyl-M (ISO):

Species : Guinea pig
Result : Does not cause skin sensitization.

oxathiapiprolin (ISO):

Species : Guinea pig
Result : Does not cause skin sensitization.

Germ cell mutagenicity

No applicable information is available

Components:

methyl 5-(dimethylamino)-2-methyl-5-oxo-pentanoate:

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

metalaxyl-M (ISO):

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

oxathiapiprolin (ISO):

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

Carcinogenicity

No applicable information is available

Components:

metalaxyl-M (ISO):

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

oxathiapiprolin (ISO):

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

No applicable information is available

Components:

methyl 5-(dimethylamino)-2-methyl-5-oxo-pentanoate:

Reproductive toxicity - As- : No toxicity to reproduction

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ORONDIS GOLD

Version	Revision Date:	SDS Number:	Date of last issue: 08/13/2019
3.1	09/09/2026	S00053056117	Date of first issue: 07/03/2018

essment

metalaxyl-M (ISO):

Reproductive toxicity - Assessment : No toxicity to reproduction

oxathiapiprolin (ISO):

Reproductive toxicity - Assessment : No toxicity to reproduction

STOT-single exposure

Corrosive to the respiratory tract.

Components:

oxathiapiprolin (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

No applicable information is available

Components:

metalaxyl-M (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

oxathiapiprolin (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration toxicity

No applicable information is available

Endocrine disrupting properties

Components:

metalaxyl-M (ISO):

Assessment : Does not have endocrine disrupting properties.
Remarks : Weight of evidence

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 72 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 371.9 mg/l
Exposure time: 48 h

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ORONDIS GOLD

Version	Revision Date:	SDS Number:	Date of last issue: 08/13/2019
3.1	09/09/2026	S00053056117	Date of first issue: 07/03/2018

Toxicity to algae/aquatic plants : EC50 (Raphidocelis subcapitata (freshwater green alga)): 91.9 mg/l
End point: Growth rate
Exposure time: 96 h

EC10 (Raphidocelis subcapitata (freshwater green alga)): 54.3 mg/l
End point: Growth rate
Exposure time: 96 h

Components:

metalaxyl-M (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h

LC50 (Cyprinus carpio (Carp)): > 100 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 271 mg/l
Exposure time: 96 h

NOEC (Raphidocelis subcapitata (freshwater green alga)): 19.7 mg/l
End point: Growth rate
Exposure time: 96 h

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 50 mg/l
Exposure time: 28 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 25 mg/l
Exposure time: 21 d

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l
Exposure time: 3 h

oxathiapiprolin (ISO):

Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): > 0.65 mg/l
Exposure time: 96 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 0.142 mg/l
Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.46 mg/l
Exposure time: 88 d

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ORONDIS GOLD

Version	Revision Date:	SDS Number:	Date of last issue: 08/13/2019
3.1	09/09/2026	S00053056117	Date of first issue: 07/03/2018

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.75 mg/l
Exposure time: 21 d
NOEC (Americamysis): 0.058 mg/l
Exposure time: 32 d

Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Persistence and degradability

Components:

metalaxyl-M (ISO):

Biodegradability : Result: Not readily biodegradable.
Stability in water : Degradation half life: 22.4 - 47.5 d
Remarks: Product is not persistent.

oxathiapiprolin (ISO):

Biodegradability : Result: Not readily biodegradable.

Bioaccumulative potential

Components:

metalaxyl-M (ISO):

Bioaccumulation : Remarks: Low bioaccumulation potential.
Partition coefficient: n-octanol/water : log Pow: 1.71 (77 °F / 25 °C)

oxathiapiprolin (ISO):

Bioaccumulation : Remarks: Does not bioaccumulate.

Mobility in soil

Components:

metalaxyl-M (ISO):

Distribution among environmental compartments : Remarks: Highly mobile in soils
Stability in soil : Dissipation time: < 50 d
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.

oxathiapiprolin (ISO):

Distribution among environmental compartments : Remarks: immobile

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ORONDIS GOLD

Version	Revision Date:	SDS Number:	Date of last issue: 08/13/2019
3.1	09/09/2026	S00053056117	Date of first issue: 07/03/2018

Other adverse effects

Components:

methyl 5-(dimethylamino)-2-methyl-5-oxo-pentanoate:

Results of PBT and vPvB assessment : Not persistent, bioaccumulative, and toxic (PBT).

metalaxyl-M (ISO):

Results of PBT and vPvB assessment : Not persistent, bioaccumulative, and toxic (PBT).
Remarks: Weight of evidence

oxathiapiprolin (ISO):

Results of PBT and vPvB assessment : Not persistent, bioaccumulative, and toxic (PBT).

Endocrine disrupting properties

Components:

metalaxyl-M (ISO):

Assessment : Does not have endocrine disrupting properties.
Remarks : Weight of evidence

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	: Do not contaminate ponds, waterways or ditches with chemical or used container. Do not dispose of waste into sewer. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. This product will not be classified as a RCRA characteristic hazardous waste when discarded.
Contaminated packaging	: Empty remaining contents. Triple rinse containers. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (OXATHIPIPROLIN)
Class	: 9
Packing group	: III
Labels	: 9

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ORONDIS GOLD

Version	Revision Date:	SDS Number:	Date of last issue: 08/13/2019
3.1	09/09/2026	S00053056117	Date of first issue: 07/03/2018

Environmentally hazardous : yes
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s. (OXATHIAPIPROLIN)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (OXATHIAPIPROLIN)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

Remarks : Shipment by ground under DOT is non-regulated for non-bulk packaging; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ORONDIS GOLD

Version	Revision Date:	SDS Number:	Date of last issue: 08/13/2019
3.1	09/09/2026	S00053056117	Date of first issue: 07/03/2018

SECTION 15. REGULATORY INFORMATION

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Danger

Corrosive to eyes

Causes irreversible eye damage.

Do not get in eyes or on clothing.

Harmful if swallowed.

Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Respiratory or skin sensitization
Serious eye damage or eye irritation

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SECTION 16. OTHER INFORMATION

Further information

SAFETY DATA SHEET


according to the OSHA Hazard Communication Standard



ORONDIS GOLD

Version	Revision Date:	SDS Number:	Date of last issue: 08/13/2019
3.1	09/09/2026	S00053056117	Date of first issue: 07/03/2018

NFPA 704:



HMIS® IV / CED:

HEALTH	/	3
FLAMMABILITY		0
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "/" represents a chronic hazard, while the "0" represents the absence of a chronic hazard.

Full text of other abbreviations

Syngenta	:	Syngenta Occupational Exposure Limits
Syngenta / TWA	:	Time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Con-

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ORONDIS GOLD

Version	Revision Date:	SDS Number:	Date of last issue: 08/13/2019
3.1	09/09/2026	S00053056117	Date of first issue: 07/03/2018

trol Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 09/09/2026

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN