

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## QUADRIS OPTI

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	11/13/2024	S1132496964	Date of first issue: 06/22/2015

### SECTION 1. IDENTIFICATION

Product name : QUADRIS OPTI  
Design code : A13666B

Product Registration number : 100-1171

#### Manufacturer or supplier's details

Company name of supplier : Syngenta Crop Protection, LLC  
Address : Post Office Box 18300  
Greensboro NC 27419  
United States of America (USA)

Telephone : 1 800 334 9481  
Telefax : 1 336 632 2192

E-mail address : sds.requests@syngenta.com  
Emergency telephone : 1 800 888 8372

#### Recommended use of the chemical and restrictions on use

Recommended use : Fungicide

Restrictions on use : General Use Pesticide

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity (Inhalation) : Category 2  
Serious eye damage : Category 1  
Skin sensitization : Category 1  
Carcinogenicity : Category 2  
Specific target organ toxicity : Category 3 (Respiratory system)  
- single exposure  
Specific target organ toxicity : Category 2 (Bile duct)  
- repeated exposure

#### GHS label elements

Hazard pictograms : 

Signal Word : Danger

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## QUADRIS OPTI

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	11/13/2024	S1132496964	Date of first issue: 06/22/2015

Hazard Statements : H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H330 Fatal if inhaled.  
H335 May cause respiratory irritation.  
H351 Suspected of causing cancer.  
H373 May cause damage to organs (Bile duct) through prolonged or repeated exposure.

Precautionary Statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe mist or vapors.  
P271 Use only outdoors or in a well-ventilated area.  
P272 Contaminated work clothing must not be allowed out of the workplace.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
P284 Wear respiratory protection.

**Response:**  
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P363 Wash contaminated clothing before reuse.

**Storage:**  
P403 + P233 Store in a well-ventilated place. Keep container tightly closed.  
P405 Store locked up.

**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
chlorothalonil	1897-45-6	46.1538

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## QUADRIS OPTI

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	11/13/2024	S1132496964	Date of first issue: 06/22/2015

Azoxystrobin	131860-33-8	4.6154
propane-1,2-diol	57-55-6	>= 1 - < 5

Actual concentration is withheld as a trade secret

### SECTION 4. FIRST AID MEASURES

- General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.
- If inhaled : Take the victim into fresh air.  
If breathing is irregular or stopped, administer artificial respiration.  
Keep patient warm and at rest.  
Call a physician or poison control center immediately.
- In case of skin contact : Take off all contaminated clothing immediately.  
Wash off immediately with plenty of water.  
If skin irritation persists, call a physician.  
Wash contaminated clothing before re-use.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
Remove contact lenses.  
Immediate medical attention is required.
- If swallowed : If swallowed, seek medical advice immediately and show this container or label.  
Do NOT induce vomiting.
- Most important symptoms and effects, both acute and delayed : Nonspecific  
No symptoms known or expected.  
May cause an allergic skin reaction.  
Causes serious eye damage.  
Fatal if inhaled.  
May cause respiratory irritation.  
Suspected of causing cancer.  
May cause damage to organs through prolonged or repeated exposure.
- Notes to physician : There is no specific antidote available.  
Treat symptomatically.

### SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Extinguishing media - small fires  
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.  
Extinguishing media - large fires  
Alcohol-resistant foam  
or  
Water spray
- Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.
- Specific hazards during fire fighting : As the product contains combustible organic ingredients, fire will produce dense black smoke containing hazardous products of combustion (see section 10).  
Exposure to decomposition products may be a hazard to

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## QUADRIS OPTI

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	11/13/2024	S1132496964	Date of first issue: 06/22/2015

health.

Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NOx)  
Chlorine compounds

Further information : Do not allow run-off from fire fighting to enter drains or water courses.  
Cool closed containers exposed to fire with water spray.

Special protective equipment for fire-fighters : Wear full protective clothing and self-contained breathing apparatus.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Prevent further leakage or spillage if safe to do so.  
Do not flush into surface water or sanitary sewer system.  
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).  
Clean contaminated surface thoroughly.  
Clean with detergents. Avoid solvents.  
Retain and dispose of contaminated wash water.

## SECTION 7. HANDLING AND STORAGE

Advice on safe handling : No special protective measures against fire required.  
Avoid contact with skin and eyes.  
When using do not eat, drink or smoke.

Conditions for safe storage : For personal protection see section 8.  
No special storage conditions required.  
Keep containers tightly closed in a dry, cool and well-ventilated place.  
Keep out of the reach of children.  
Keep away from food, drink and animal feedingstuffs.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
chlorothalonil	1897-45-6	TWA	0.1 mg/m3	Syngenta

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## QUADRIS OPTI

Version 0.0      Revision Date: 11/13/2024      SDS Number: S1132496964      Date of last issue: -  
Date of first issue: 06/22/2015

Azoxystrobin	131860-33-8	TWA	0.7 mg/m <sup>3</sup>	Syngenta
propane-1,2-diol	57-55-6	TWA	10 mg/m <sup>3</sup>	US WEEL

**Engineering measures** : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.  
The extent of these protection measures depends on the actual risks in use.  
Maintain air concentrations below occupational exposure standards.  
Where necessary, seek additional occupational hygiene advice.

### Personal protective equipment

**Respiratory protection** : Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

**Hand protection**

**Remarks** : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The breakthrough time depends amongst other things from the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

**Eye protection** : Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.  
Tightly fitting safety goggles  
Face-shield

**Skin and body protection** : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.  
Remove and wash contaminated clothing before re-use.  
Wear as appropriate:  
Impervious clothing

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## QUADRIS OPTI

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	11/13/2024	S1132496964	Date of first issue: 06/22/2015

Protective measures : The use of technical measures should always have priority over the use of personal protective equipment. When selecting personal protective equipment, seek appropriate professional advice.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	suspension
Color	:	light yellow to greyish yellow
Odor	:	No data available
Odor Threshold	:	No data available
pH	:	6.7 (68 - 77 °F / 20 - 25 °C) Concentration: 100 %w/v
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Method: Seta closed cup does not flash
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Density	:	1.28 - 1.32 g/cm <sup>3</sup> (68 °F / 20 °C)
Solubility(ies)		
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	> 1202 °F / > 650 °C
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## QUADRIS OPTI

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	11/13/2024	S1132496964	Date of first issue: 06/22/2015

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle characteristics  
Particle size : No data available

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : None reasonably foreseeable.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.

Conditions to avoid : No decomposition if used as directed.

Incompatible materials : None known.

Hazardous decomposition products : No hazardous decomposition products are known.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Ingestion  
Inhalation  
Skin contact  
Eye contact

#### Acute toxicity

Fatal if inhaled.

#### Product:

Acute inhalation toxicity : Assessment: The substance/mixture is not toxic on inhalation as defined by dangerous goods regulations.

Acute toxicity estimate: 0.2136 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

#### Components:

##### chlorothalonil:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): 0.10 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

##### Azoxystrobin:

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## QUADRIS OPTI

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	11/13/2024	S1132496964	Date of first issue: 06/22/2015

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, female): 0.698 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

### propane-1,2-diol:

Acute oral toxicity : LD50 (Rat): > 20,000 mg/kg  
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rabbit): 317,042 mg/l  
Exposure time: 2 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

### Skin corrosion/irritation

Not classified due to lack of data.

### Components:

#### chlorothalonil:

Species : Rabbit  
Result : No skin irritation

#### Azoxystrobin:

Species : Rabbit  
Result : No skin irritation

### propane-1,2-diol:

Result : No skin irritation

### Serious eye damage/eye irritation

Causes serious eye damage.

### Components:

#### chlorothalonil:

Species : Rabbit  
Result : Risk of serious damage to eyes.

#### Azoxystrobin:

Species : Rabbit



# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## QUADRIS OPTI

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	11/13/2024	S1132496964	Date of first issue: 06/22/2015

Result : No eye irritation

### propane-1,2-diol:

Result : No eye irritation

### Respiratory or skin sensitization

#### Skin sensitization

May cause an allergic skin reaction.

#### Respiratory sensitization

Not classified due to lack of data.

#### Components:

##### chlorothalonil:

Species	:	Humans
Result	:	The product is a skin sensitizer, sub-category 1B.
Remarks	:	In very rare cases may cause an allergic response of the respiratory system.

##### Azoxystrobin:

Species	:	Guinea pig
Result	:	Does not cause skin sensitization.

### propane-1,2-diol:

Result : Does not cause skin sensitization.

### Germ cell mutagenicity

Not classified due to lack of data.

#### Components:

##### chlorothalonil:

Germ cell mutagenicity - Assessment	:	Animal testing did not show any mutagenic effects.
-------------------------------------	---	--

##### Azoxystrobin:

Germ cell mutagenicity - Assessment	:	Animal testing did not show any mutagenic effects.
-------------------------------------	---	--

### propane-1,2-diol:

Germ cell mutagenicity - Assessment	:	Animal testing did not show any mutagenic effects.
-------------------------------------	---	--

### Carcinogenicity

Suspected of causing cancer.

#### Components:

##### chlorothalonil:

Carcinogenicity - Assessment	:	Chlorothalonil causes kidney tumors in rats and mice via a non-gentoxic mode of action secondary to target organ toxicity.
------------------------------	---	--

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## QUADRIS OPTI

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	11/13/2024	S1132496964	Date of first issue: 06/22/2015

ty., Limited evidence of carcinogenicity in animal studies

### Azoxystrobin:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

### propane-1,2-diol:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

### IARC

Group 2B: Possibly carcinogenic to humans  
chlorothalonil

1897-45-6

### OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

### NTP

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### Reproductive toxicity

Not classified due to lack of data.

### Components:

#### chlorothalonil:

Reproductive toxicity - Assessment : No toxicity to reproduction

#### Azoxystrobin:

Reproductive toxicity - Assessment : No toxicity to reproduction, No effects on or via lactation

#### propane-1,2-diol:

Reproductive toxicity - Assessment : No toxicity to reproduction, No effects on or via lactation  
Animal testing did not show any effects on fetal development.

### STOT-single exposure

May cause respiratory irritation.

### Components:

#### chlorothalonil:

Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

#### propane-1,2-diol:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

### STOT-repeated exposure

May cause damage to organs (Bile duct) through prolonged or repeated exposure.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## QUADRIS OPTI

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	11/13/2024	S1132496964	Date of first issue: 06/22/2015

### Components:

#### **chlorothalonil:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### **Azoxystrobin:**

Target Organs : Bile duct  
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

#### **propane-1,2-diol:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### **Aspiration toxicity**

Not classified due to lack of data.

### Components:

#### **propane-1,2-diol:**

No aspiration toxicity classification

## SECTION 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

### Components:

#### **chlorothalonil:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.039 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.17 mg/l  
Exposure time: 48 h

EC50 (Invertebrates): 0.074 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Navicula pelliculosa (Freshwater diatom)): 0.013 mg/l  
Exposure time: 72 h

EC10 (Navicula pelliculosa (Freshwater diatom)): 0.006488 mg/l  
End point: Growth rate  
Exposure time: 72 h

ErC50 (Skeletonema costatum (marine diatom)): 0.015 mg/l  
Exposure time: 72 h

EC10 (Skeletonema costatum (marine diatom)): 0.011166 mg/l

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## QUADRIS OPTI

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	11/13/2024	S1132496964	Date of first issue: 06/22/2015

End point: Growth rate

Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.0014 mg/l  
Exposure time: 297 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10 (Daphnia magna (Water flea)): 0.035 mg/l  
Exposure time: 21 d

NOEC (Americamysis): 0.0004 mg/l

Exposure time: 28 d

### Azoxystrobin:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.47 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.28 mg/l  
Exposure time: 48 h

EC50 (Americamysis): 0.055 mg/l

Exposure time: 96 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 1.109 mg/l  
Exposure time: 72 h

EC10 (Raphidocelis subcapitata (freshwater green alga)): 0.0303 mg/l

End point: Growth rate

Exposure time: 72 h

ErC50 (Skeletonema costatum (marine diatom)): 0.250 mg/l  
Exposure time: 72 h

NOEC (Skeletonema costatum (marine diatom)): 0.010 mg/l

End point: Growth rate

Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.16 mg/l  
Exposure time: 28 d

EC10 (Pimephales promelas (fathead minnow)): 0.2197 mg/l  
Exposure time: 33 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.044 mg/l  
Exposure time: 21 d

NOEC (Americamysis): 0.00954 mg/l

Exposure time: 28 d

Toxicity to microorganisms : IC50 (Pseudomonas putida): > 3.2 mg/l  
Exposure time: 6 h

### propane-1,2-diol:

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## QUADRIS OPTI

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	11/13/2024	S1132496964	Date of first issue: 06/22/2015

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l Exposure time: 96 h Test Type: static test
Toxicity to daphnia and other aquatic invertebrates	:	(Ceriodaphnia dubia (water flea)): 18,340 mg/l Exposure time: 48 h Test Type: static test
Toxicity to algae/aquatic plants	:	ErC50 (Raphidocelis subcapitata (freshwater green alga)): 19,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Ceriodaphnia dubia (Water flea)): 13,020 mg/l Exposure time: 7 d Test Type: semi-static test

### Persistence and degradability

#### Components:

##### **chlorothalonil:**

Biodegradability	:	Result: Not readily biodegradable.
Stability in water	:	Degradation half life: 0.4 - 6 d (20 °C) Remarks: Product is not persistent.

##### **Azoxystrobin:**

Biodegradability	:	Result: Not readily biodegradable.
Stability in water	:	Degradation half life: 224 d Remarks: Persistent in water.

##### **propane-1,2-diol:**

Biodegradability	:	Result: Readily biodegradable.
------------------	---	--------------------------------

### Bioaccumulative potential

#### Components:

##### **chlorothalonil:**

Bioaccumulation	:	Bioconcentration factor (BCF): 340 Remarks: Does not bioaccumulate.
-----------------	---	--

##### **Azoxystrobin:**

Bioaccumulation	:	Remarks: Does not bioaccumulate.
-----------------	---	----------------------------------

### Mobility in soil

#### Components:

##### **chlorothalonil:**

Distribution among environ-	:	Remarks: Chlorothalonil has low to slight mobility in soil.
-----------------------------	---	---

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## QUADRIS OPTI

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	11/13/2024	S1132496964	Date of first issue: 06/22/2015

mental compartments

Stability in soil

: Dissipation time: 5 d  
Percentage dissipation: 50 % (DT50)  
Remarks: Product is not persistent.

### Azoxystrobin:

Distribution among environ-  
mental compartments

: Remarks: Low mobility in soil.

Stability in soil

: Dissipation time: 81.3 d  
Percentage dissipation: 50 % (DT50)  
Remarks: Product is not persistent.

### Other adverse effects

### Components:

#### chlorothalonil:

Results of PBT and vPvB  
assessment

: Substance is not very persistent and very bioaccumulative (vPvB). Substance is not persistent, bioaccumulative, and toxic (PBT).

#### Azoxystrobin:

Results of PBT and vPvB  
assessment

: Substance is not persistent, bioaccumulative, and toxic (PBT).  
Substance is not very persistent and very bioaccumulative (vPvB).

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues

: Do not contaminate ponds, waterways or ditches with chemical or used container.  
Do not dispose of waste into sewer.  
Where possible recycling is preferred to disposal or incineration.  
If recycling is not practicable, dispose of in compliance with local regulations.  
This product will not be classified as a RCRA characteristic hazardous waste when discarded.

Contaminated packaging

: Empty remaining contents.  
Triple rinse containers.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Do not re-use empty containers.

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number

: UN 3082

Proper shipping name

: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(AZOXYSTROBIN, CHLOROTHALONIL)

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## QUADRIS OPTI

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	11/13/2024	S1132496964	Date of first issue: 06/22/2015

Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes  
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

### IATA-DGR

UN/ID No. : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s. (AZOXYSTROBIN, CHLOROTHALONIL)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964  
Environmentally hazardous : yes  
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

### IMDG-Code

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (AZOXYSTROBIN, CHLOROTHALONIL)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes  
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### 49 CFR

Not regulated as a dangerous good

Remarks : Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## QUADRIS OPTI

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	11/13/2024	S1132496964	Date of first issue: 06/22/2015

### SECTION 15. REGULATORY INFORMATION

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

#### Warning

May be fatal if inhaled.

Harmful if swallowed.

Avoid contact with skin, eyes or clothing.

Causes moderate eye irritation.

Do not breathe mist.

Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

Remove and wash contaminated clothing before re-use.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Acute toxicity (any route of exposure)  
Respiratory or skin sensitization  
Carcinogenicity  
Specific target organ toxicity (single or repeated exposure)  
Serious eye damage or eye irritation

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

chlorothalonil	1897-45-6	>= 30 - < 50 %
----------------	-----------	----------------

#### California Prop. 65

WARNING: This product can expose you to chemicals including chlorothalonil, which is/are known to the State of California to cause cancer, and methanol, toluene, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

### SECTION 16. OTHER INFORMATION

#### Further information



# SAFETY DATA SHEET


according to the OSHA Hazard Communication Standard



## QUADRIS OPTI

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	11/13/2024	S1132496964	Date of first issue: 06/22/2015

### NFPA 704:



### HMIS® IV:

HEALTH	*	3
FLAMMABILITY		0
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

### Full text of other abbreviations

Syngenta	:	Syngenta Occupational Exposure Limits
US WEEL	:	USA. Workplace Environmental Exposure Levels (WEEL)
Syngenta / TWA	:	Time weighted average
US WEEL / TWA	:	8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amend-

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## QUADRIS OPTI

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	11/13/2024	S1132496964	Date of first issue: 06/22/2015

ments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 11/13/2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8