

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



REVUS

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.1 | 07/30/2025 | S1320122691 | Date of first issue: 09/11/2015 |

SECTION 1. IDENTIFICATION

Product name : REVUS
Design code : A12946B

Product Registration number : 100-1254

Manufacturer or supplier's details

Company name of supplier : Syngenta Crop Protection, LLC
Address : Post Office Box 18300
Greensboro NC 27419
United States of America (USA)

Telephone : 1 800 334 9481
Telefax : 1 336 632 2192

E-mail address : sds.requests@syngenta.com
Emergency telephone : 1 800 888 8372

Recommended use of the chemical and restrictions on use

Recommended use : Fungicide

Restrictions on use : General Use Pesticide

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

Other hazards

None known.

GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

| Chemical name | CAS No./Unique ID | Concentration (% w/w) | Trade secret |
|--|-------------------|-----------------------|--------------|
| mandipropamid (ISO) | 374726-62-2* | 23.3209 | - |
| propane-1,2-diol | 57-55-6* | >= 5 - <= 10 | TSC |
| Residues (petroleum), catalytic reformer fractionator, | 68425-94-5* | >= 1 - <= 5 | TSC |

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



REVUS

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.1 | 07/30/2025 | S1320122691 | Date of first issue: 09/11/2015 |

sulfonated, polymers with
formaldehyde, sodium salts

* Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

- | | | |
|---|---|---|
| General advice | : | Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment. |
| If inhaled | : | Take the victim into fresh air. If breathing is irregular or stopped, administer artificial respiration. Keep patient warm and at rest. Call a physician or poison control center immediately. |
| In case of skin contact | : | Take off all contaminated clothing immediately. Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use. |
| In case of eye contact | : | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. Immediate medical attention is required. |
| If swallowed | : | If swallowed, seek medical advice immediately and show this container or label. Do NOT induce vomiting. |
| Most important symptoms and effects, both acute and delayed | : | Nonspecific No symptoms known or expected. |
| Notes to physician | : | There is no specific antidote available. Treat symptomatically. |

SECTION 5. FIRE-FIGHTING MEASURES

- | | | |
|---------------------------------------|---|---|
| Suitable extinguishing media | : | Extinguishing media - small fires Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Extinguishing media - large fires Alcohol-resistant foam or Water spray |
| Unsuitable extinguishing media | : | Do not use a solid water stream as it may scatter and spread fire. |
| Specific hazards during fire fighting | : | As the product contains combustible organic ingredients, fire will produce dense black smoke containing hazardous products of combustion (see section 10). Exposure to decomposition products may be a hazard to health. |
| Hazardous combustion products | : | Carbon oxides Nitrogen oxides (NOx) Chlorine compounds Sulfur oxides |

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



REVUS

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.1 | 07/30/2025 | S1320122691 | Date of first issue: 09/11/2015 |

Further information : Do not allow run-off from fire fighting to enter drains or water courses.
Cool closed containers exposed to fire with water spray.

Special protective equipment for fire-fighters : Wear full protective clothing and self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Prevent further leakage or spillage if safe to do so.
Do not flush into surface water or sanitary sewer system.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Clean contaminated surface thoroughly.
Clean with detergents. Avoid solvents.
Retain and dispose of contaminated wash water.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : No special protective measures against fire required.
Avoid contact with skin and eyes.
When using do not eat, drink or smoke.
For personal protection see section 8.

Conditions for safe storage : No special storage conditions required.
Keep containers tightly closed in a dry, cool and well-ventilated place.
Keep out of the reach of children.
Keep away from food, drink and animal feedingstuffs.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|---------------------|-------------|----------------------------------|--|----------|
| mandipropamid (ISO) | 374726-62-2 | TWA | 5 mg/m ³ | Syngenta |
| propane-1,2-diol | 57-55-6 | TWA | 10 mg/m ³ | US WEEL |

Engineering measures : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



REVUS

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.1 | 07/30/2025 | S1320122691 | Date of first issue: 09/11/2015 |

APPLICATIONS AND/OR ON-FARM APPLICATIONS
CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.
Where necessary, seek additional occupational hygiene advice.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.
When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hand protection

Remarks : No special protective equipment required.
Eye protection : No special protective equipment required.
Skin and body protection : No special protective equipment required.
Select skin and body protection based on the physical job requirements.

Protective measures : The use of technical measures should always have priority over the use of personal protective equipment.
When selecting personal protective equipment, seek appropriate professional advice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : suspension

Color : off-white to brownish

Odor : characteristic

Odor Threshold : No data available

pH : 6.5
Concentration: 1 %w/v

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : Method: Seta closed cup, Equilibrium method
does not flash

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



REVUS

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.1 | 07/30/2025 | S1320122691 | Date of first issue: 09/11/2015 |

| | | |
|--|---|--|
| Evaporation rate | : | No data available |
| Flammability (solid, gas) | : | No data available |
| Upper explosion limit / Upper flammability limit | : | No data available |
| Lower explosion limit / Lower flammability limit | : | No data available |
| Vapor pressure | : | No data available |
| Relative vapor density | : | No data available |
| Density | : | 1.072 g/cm ³ |
| Solubility(ies) | | |
| Solubility in other solvents | : | No data available |
| Partition coefficient: n-octanol/water | : | No data available |
| Autoignition temperature | : | 849 °F / 454 °C |
| Decomposition temperature | : | No data available |
| Viscosity | | |
| Viscosity, dynamic | : | 45.0 - 338 mPa.s (104 °F / 40 °C) |
| | | 56.2 - 424 mPa.s (68 °F / 20 °C) |
| Viscosity, kinematic | : | No data available |
| Explosive properties | : | Not explosive |
| Oxidizing properties | : | The substance or mixture is not classified as oxidizing. |
| Surface tension | : | 36.4 mN/m, 68 °F / 20 °C |
| Particle characteristics | | |
| Particle size | : | No data available |

SECTION 10. STABILITY AND REACTIVITY

| | | |
|------------------------------------|---|---|
| Reactivity | : | None reasonably foreseeable. |
| Chemical stability | : | Stable under normal conditions. |
| Possibility of hazardous reactions | : | No dangerous reaction known under conditions of normal use. |
| Conditions to avoid | : | No decomposition if used as directed. |
| Incompatible materials | : | None known. |
| Hazardous decomposition products | : | No hazardous decomposition products are known. |

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



REVUS

| | | | |
|----------------|------------------------------|----------------------------|--|
| Version 1.1 | Revision Date: 07/30/2025 | SDS Number: S1320122691 | Date of last issue: - Date of first issue: 09/11/2015 |
|----------------|------------------------------|----------------------------|--|

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Ingestion
Inhalation
Skin contact
Eye contact

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

| | |
|---------------------------|---|
| Acute oral toxicity | : LD50 (Rat, female): > 5,000 mg/kg |
| Acute inhalation toxicity | : LC50 (Rat, male and female): > 4.89 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity |
| Acute dermal toxicity | : LD50 (Rat, male and female): > 5,000 mg/kg |

Components:

mandipropamid (ISO):

| | |
|---------------------------|---|
| Acute oral toxicity | : LD50 (Rat, female): > 5,000 mg/kg |
| Acute inhalation toxicity | : LC50 (Rat, male and female): > 5.19 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity |
| Acute dermal toxicity | : LD50 (Rat, male and female): > 5,050 mg/kg |

propane-1,2-diol:

| | |
|---------------------------|---|
| Acute oral toxicity | : LD50 (Rat): > 20,000 mg/kg Assessment: The substance or mixture has no acute oral toxicity |
| Acute inhalation toxicity | : LC50 (Rabbit): 317,042 mg/l Exposure time: 2 h Test atmosphere: dust/mist |
| Acute dermal toxicity | : LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity |

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

| | |
|---------------------|-----------------------------|
| Acute oral toxicity | : LD50 (Rat): > 5,000 mg/kg |
|---------------------|-----------------------------|

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



REVUS

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.1 | 07/30/2025 | S1320122691 | Date of first issue: 09/11/2015 |

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

| | | |
|---------|---|--------------------|
| Species | : | Rabbit |
| Result | : | No skin irritation |

Components:

mandipropamid (ISO):

| | | |
|---------|---|--------------------|
| Species | : | Rabbit |
| Result | : | No skin irritation |

propane-1,2-diol:

| | | |
|--------|---|--------------------|
| Result | : | No skin irritation |
|--------|---|--------------------|

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

| | | |
|---------|---|-------------------------------------|
| Species | : | reconstructed human epidermis (RhE) |
| Result | : | No skin irritation |

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

| | | |
|---------|---|-------------------|
| Species | : | Rabbit |
| Result | : | No eye irritation |

Components:

mandipropamid (ISO):

| | | |
|---------|---|-------------------|
| Species | : | Rabbit |
| Result | : | No eye irritation |

propane-1,2-diol:

| | | |
|--------|---|-------------------|
| Result | : | No eye irritation |
|--------|---|-------------------|

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

| | | |
|---------|---|--|
| Species | : | Rabbit |
| Result | : | Irritation to eyes, reversing within 21 days |

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Not classified due to lack of data.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



REVUS

| | | | |
|----------------|------------------------------|----------------------------|--|
| Version 1.1 | Revision Date: 07/30/2025 | SDS Number: S1320122691 | Date of last issue: - Date of first issue: 09/11/2015 |
|----------------|------------------------------|----------------------------|--|

Product:

| | |
|-----------|--------------------------------------|
| Test Type | : Buehler Test |
| Species | : Guinea pig |
| Result | : Does not cause skin sensitization. |

Components:

mandipropamid (ISO):

| | |
|---------|--------------------------------------|
| Species | : Guinea pig |
| Result | : Does not cause skin sensitization. |

propane-1,2-diol:

| | |
|--------|--------------------------------------|
| Result | : Does not cause skin sensitization. |
|--------|--------------------------------------|

Germ cell mutagenicity

Not classified due to lack of data.

Components:

mandipropamid (ISO):

| | |
|-------------------------------------|--|
| Germ cell mutagenicity - Assessment | : Animal testing did not show any mutagenic effects. |
|-------------------------------------|--|

propane-1,2-diol:

| | |
|-------------------------------------|--|
| Germ cell mutagenicity - Assessment | : Animal testing did not show any mutagenic effects. |
|-------------------------------------|--|

Carcinogenicity

Not classified due to lack of data.

Components:

mandipropamid (ISO):

| | |
|------------------------------|---|
| Carcinogenicity - Assessment | : No evidence of carcinogenicity in animal studies. |
|------------------------------|---|

propane-1,2-diol:

| | |
|------------------------------|---|
| Carcinogenicity - Assessment | : No evidence of carcinogenicity in animal studies. |
|------------------------------|---|

Reproductive toxicity

Not classified due to lack of data.

Components:

mandipropamid (ISO):

| | |
|------------------------------------|-------------------------------|
| Reproductive toxicity - Assessment | : No toxicity to reproduction |
|------------------------------------|-------------------------------|

propane-1,2-diol:

| | |
|------------------------------------|---|
| Reproductive toxicity - Assessment | : No toxicity to reproduction, No effects on or via lactation |
|------------------------------------|---|

STOT-single exposure

Not classified due to lack of data.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



REVUS

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.1 | 07/30/2025 | S1320122691 | Date of first issue: 09/11/2015 |

Components:

propane-1,2-diol:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

Not classified due to lack of data.

Components:

propane-1,2-diol:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration toxicity

Not classified due to lack of data.

Components:

propane-1,2-diol:

No aspiration toxicity classification

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 100 mg/l
Exposure time: 72 h

NOEC (Raphidocelis subcapitata (freshwater green alga)): 3.1 mg/l
End point: Growth rate
Exposure time: 72 h

Components:

mandipropamid (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 4.4 mg/l
Exposure time: 96 h

LC50 (Cyprinus carpio (Carp)): 8.63 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 7.1 mg/l

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



REVUS

| | | | |
|----------------|------------------------------|----------------------------|--|
| Version 1.1 | Revision Date: 07/30/2025 | SDS Number: S1320122691 | Date of last issue: - Date of first issue: 09/11/2015 |
|----------------|------------------------------|----------------------------|--|

| | |
|--|--|
| aquatic invertebrates | Exposure time: 48 h |
| | EC50 (<i>Crassostrea virginica</i> (eastern oyster)): 0.97 mg/l Exposure time: 96 h |
| Toxicity to algae/aquatic plants | : ErC50 (<i>Raphidocelis subcapitata</i> (freshwater green alga)): > 2.5 mg/l Exposure time: 72 h |
| | NOEC (<i>Raphidocelis subcapitata</i> (freshwater green alga)): 1.3 mg/l End point: Growth rate Exposure time: 72 h |
| Toxicity to fish (Chronic toxicity) | : NOEC (<i>Pimephales promelas</i> (fathead minnow)): 0.5 mg/l Exposure time: 32 d |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : NOEC (<i>Daphnia magna</i> (Water flea)): 0.076 mg/l Exposure time: 21 d |
| Toxicity to microorganisms | : EC50 (activated sludge): > 100 mg/l Exposure time: 3 h |

propane-1,2-diol:

| | |
|--|--|
| Toxicity to fish | : LC50 (<i>Oncorhynchus mykiss</i> (rainbow trout)): 40,613 mg/l Exposure time: 96 h Test Type: static test |
| Toxicity to daphnia and other aquatic invertebrates | : (Ceriodaphnia dubia (water flea)): 18,340 mg/l Exposure time: 48 h Test Type: static test |
| Toxicity to algae/aquatic plants | : ErC50 (<i>Raphidocelis subcapitata</i> (freshwater green alga)): 19,000 mg/l Exposure time: 96 h |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : NOEC (<i>Ceriodaphnia dubia</i> (Water flea)): 13,020 mg/l Exposure time: 7 d Test Type: semi-static test |

Persistence and degradability

Components:

mandipropamid (ISO):

| | |
|--------------------|--|
| Biodegradability | : Result: Not readily biodegradable. |
| Stability in water | : Degradation half life: 4.5 - 26 d Remarks: Product is not persistent. |

propane-1,2-diol:

| | |
|------------------|----------------------------------|
| Biodegradability | : Result: Readily biodegradable. |
|------------------|----------------------------------|

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



REVUS

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.1 | 07/30/2025 | S1320122691 | Date of first issue: 09/11/2015 |

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Biodegradability : Result: Not readily biodegradable.

Bioaccumulative potential

Components:

mandipropamid (ISO):

Bioaccumulation : Remarks: Low bioaccumulation potential.

Partition coefficient: n-octanol/water : log Pow: 3.2 (77 °F / 25 °C)

Mobility in soil

Components:

mandipropamid (ISO):

Distribution among environmental compartments : Remarks: Low mobility in soil.

Stability in soil : Dissipation time: 26 - 178 d
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.

Other adverse effects

Components:

mandipropamid (ISO):

Results of PBT and vPvB assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not contaminate ponds, waterways or ditches with chemical or used container.
Do not dispose of waste into sewer.
Where possible recycling is preferred to disposal or incineration.

If recycling is not practicable, dispose of in compliance with local regulations.
This product will not be classified as a RCRA characteristic hazardous waste when discarded.

Contaminated packaging : Empty remaining contents.
Triple rinse containers.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



REVUS

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.1 | 07/30/2025 | S1320122691 | Date of first issue: 09/11/2015 |

UNRTDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(MANDIPROPAMID)
Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(MANDIPROPAMID)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(MANDIPROPAMID)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

Remarks : Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



REVUS

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.1 | 07/30/2025 | S1320122691 | Date of first issue: 09/11/2015 |

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: Keep away from children, domestic animals and pets.

CERCLA Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SECTION 16. OTHER INFORMATION

Further information

SAFETY DATA SHEET


according to the OSHA Hazard Communication Standard



REVUS

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.1 | 07/30/2025 | S1320122691 | Date of first issue: 09/11/2015 |

NFPA 704:



HMIS® IV:

| | | |
|-----------------|---|---|
| HEALTH | / | 0 |
| FLAMMABILITY | | 0 |
| PHYSICAL HAZARD | | 0 |

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

| | | |
|----------------|---|---|
| Syngenta | : | Syngenta Occupational Exposure Limits |
| US WEEL | : | USA. Workplace Environmental Exposure Levels (WEEL) |
| Syngenta / TWA | : | Time weighted average |
| US WEEL / TWA | : | 8-hr TWA |

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Sub-

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



REVUS

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.1 | 07/30/2025 | S1320122691 | Date of first issue: 09/11/2015 |

stance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 07/30/2025

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN