

# TOP MP

Date: 3/31/2015 Replaces: 8/17/2011

## 1. PRODUCT IDENTIFICATION

Product identifier on label: **TOP MP**Product No.: A7402T
Use: Fungicide

Manufacturer: Syngenta Crop Protection, LLC

Post Office Box 18300 Greensboro NC 27419

Manufacturer Phone: 1-800-334-9481

Emergency Phone: 1-800-888-8372

#### 2. HAZARDS IDENTIFICATION

Classifications: Skin Corrosion/Irritation: Category 2

Skin Sensitizer: Category 1B

Specific Target Organ Toxicity: Repeated Category 2 Specific Target Organ Toxicity: Drowsiness Category 3

Eye Damage/Irritation: Category 2A

Specific Target Organ Toxicity: Respiratory Irritation Category 3

Aspiration Hazard: Category 1 Flammable Liquid: Category 4 Carcinogenicity: Category 1B

Signal Word (OSHA): Danger

Hazard Statements: Combustible liquid

May be fatal if swallowed and enters airways

Causes skin irritation

May cause an allergic skin reaction Causes serious eye irritation May cause respiratory irritation May cause drowsiness or dizziness

May cause cancer

May cause damage to organs through prolonged or repeated exposure

Hazard Symbols:







# TOP MP

Date: 3/31/2015 Replaces: 8/17/2011

Precautionary Statements: Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks, open flames, hot surfaces. No smoking.

Do not breathe mist, vapors, spray.

Wash hands and face thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves, protective clothing, eye protection.

If swallowed: Immediately call a poison center, doctor or Syngenta.

If on skin: Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice.

If exposed or concerned: Get medical advice/attention.

Call a poison center, doctor or Syngenta if you feel unwell.

Get medical advice if you feel unwell.

See Section 4 First Aid Measures.

Do NOT induce vomiting.

Take off contaminated clothing and wash it before reuse.

In case of fire: Use dry chemical, foam or CO2 for extinction.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents and container in accordance with local regulations.

Other Hazard Statements: None

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Common Name	CAS Number	Concentration
Naphthalene	Naphthalene	91-20-3	<1.0%
Petroleum Solvent	Petroleum Solvent	68477-31-6	Trade Secret
Other ingredients	Other ingredients	Trade Secret	<75.8%
1H-1,2,4-Triazole, 1-[[2-[2-chloro-4-(4-chlorophenoxy)phenyl]-4-methyl-1,3-dioxolan-2-yllmethyll-	Difenoconazole	119446-68-3	23.2%

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.



# TOP MP

Date: 3/31/2015 Replaces: 8/17/2011

#### 4. FIRST AID MEASURES

Have the product container, label or Safety Data Sheet with you when calling Syngenta (800-888-8372), a poison contol center or doctor, or going for treatment.

Ingestion: If swallowed: Call Syngenta (800-888-8372), a poison control center or doctor immediately for treatment

advice. Do not give any liquid to the person. Do not induce vomiting unless told to do so after calling 800-888-8372 or by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Eye Contact: If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if

present, after 5 minutes, then continue rinsing eye. Call Syngenta (800-888-8372), a poison control center or

doctor for treatment advice.

Skin Contact: If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20

minutes. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.

Inhalation: If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial

respiration, preferably mouth-to-mouth if possible. Call Syngenta (800-888-8372), a poison control center or

doctor for further treatment advice.

## Most important symptoms/effects:

Eye irritation

Skin irritation

Allergic skin reaction

Drowsiness or dizziness

Respiratory irritation

# Indication of immediate medical attention and special treatment needed:

There is no specific antidote if this product is ingested.

Treat symptomatically.

Persons suffering a temporary allergic reaction may respond to treatment with antihistamines or steroid creams and/or systemic steroids.

Contains petroleum distillate - vomiting may cause aspiration pneumonia.

### 5. FIRE FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media:

Use dry chemical, foam or CO2 extinguishing media. If water is used to fight fire, dike and collect runoff.

Specific Hazards:

Combustible liquid. Can release vapors that form explosive mixtures at temperatures at or above the flash point. Heavy vapors can flow along surfaces to distant ignition sources and flash back.

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

Special protective equipment and precautions for firefighters:

Wear full protective clothing and self-contained breathing apparatus. Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion.

## **6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment, and emergency procedures:

Follow exposure controls/personal protection outlined in Section 8.

Methods and materials for containment and cleaning up:

Control the spill at its source. Contain the spill to prevent from spreading or contaminating soil or from entering sewage and



# TOP MP

Date: 3/31/2015 Replaces: 8/17/2011

drainage systems or any body of water. Clean up spills immediately, observing precautions in Protective Equipment Section. Cover entire spill with absorbing material and place into compatible disposal container. Scrub area with hard water detergent (e.g. commercial products such as Tide, Joy, Spic and Span). Pick up wash liquid with additional absorbent and place into compatible disposal container. Once all material is cleaned up and placed in a disposal container, seal container and arrange for disposition.

## 7. HANDLING AND STORAGE

Precautions for safe handling:

Store the material in a well-ventilated, secure area out of reach of children and domestic animals. Do not store food, beverages or tobacco products in the storage area. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

Conditions for safe storage, including any incompatibilities:

Store locked up.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THIS PRODUCT.

FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

### Occupational Exposure Limits:

Chemical Name	OSHA PEL	ACGIH TLV	Other	Source
Naphthalene	10 ppm TWA	10 ppm TWA (skin)	10 ppm TWA	NIOSH
Petroleum Solvent	Not Established	Not Established	100 mg/m³ (17 ppm)	Manufacturer
Other ingredients	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Difenoconazole	Not Established	Not Established	5 mg/m³ TWA	Syngenta

#### Appropriate engineering controls:

Use effective engineering controls to comply with occupational exposure limits (if applicable).

# Individual protection measures:

# Ingestion:

Prevent eating, drinking, tobacco usage and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

### Eve Contact:

Where eye contact is likely, use chemical splash goggles. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

### Skin Contact:

Where contact is likely, wear chemical-resistant gloves (such as barrier laminate or Viton), coveralls, socks and chemical-resistant footwear.

#### Inhalation:

A combination particulate/organic vapor respirator should be used until effective engineering controls are installed to comply with occupational exposure limits, or until exposure limits are established. Use a NIOSH approved respirator with an organic vapor (OV) cartridge or canister with an HE prefilter.

Use a self-contained breathing apparatus in cases of emergency spills, when exposure levels are unknown, or under any circumstances where air-purifying respirators may not provide adequate protection.



# TOP MP

Date: 3/31/2015 Replaces: 8/17/2011

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Yellow to brown liquid

Odor: Not determined

Odor Threshold: Not Available pH: 6 - 9 (1% in deionized water)

Melting point/freezing point: Not Applicable

Initial boiling point and boiling range: Not Available

Flash Point (Test Method): 156°F (Pensky-Martens CC)

Flammable Limits (% in Air): Not Available
Flammability: Combustible liquid

Vapor Pressure: Difenoconazole 2.5 x 10(-10) mmHg @ 77°F (25°C)

Vapor Density: Not Available

Relative Density: 1.076 g/cm3 @ 68°F (20°C)

Solubility (ies): Difenoconazole 15 mg/l @ 77°F (25°C)

Partition coefficient: n-octanol/water: Not Available

Autoignition Temperature: Not Available

Decomposition Temperature: Not Available

Viscosity: Not Available

Other: None

## 10. STABILITY AND REACTIVITY

Reactivity: Not reactive.

Chemical stability: Stable under normal use and storage conditions.

Possibility of hazardous reactions: Will not occur.

Conditions to Avoid: None known.

Incompatible materials: None known.

Hazardous Decomposition Products: None known.

# 11. TOXICOLOGICAL INFORMATION

Health effects information

Likely routes of exposure: Dermal, Inhalation

Symptoms of exposure: Eye irritation, Drowsiness or dizziness, Skin irritation, Respiratory irritation

Delayed, immediate and chronic effects of exposure: Possible carcinogenicity, Eye irritation, Skin irritation, Allergic skin

reaction, Drowsiness or dizziness, Respiratory irritation

Numerical measures of toxicity (acute toxicity/irritation studies (finished product))



# TOP MP

Date: 3/31/2015 Replaces: 8/17/2011

Ingestion: Oral (LD50 Female Rat): 3129 mg/kg body weight

Dermal: Dermal (LD50 Rat): > 2000 mg/kg body weight (based on a

substantially similar formulation)

Inhalation: Inhalation (LC50 Rat) : > 5.4 mg/l air - 4 hours (based on a

substantially similar formulation)

Eye Contact: Highly Irritating (Rabbit) (based on a substantially similar formulation)

Skin Contact: Irritating (Rabbit) (based on a substantially similar formulation)

Skin Sensitization: Sensitizing (Guinea Pig) (based on a substantially similar formulation)

#### Reproductive/Developmental Effects

Difenoconazole: None observed.

Chronic/Subchronic Toxicity Studies

Difenoconazole: Kidney and liver effects at high doses (>5000 ppm; rats); Eye effects in dogs at high dose levels.

Carcinogenicity

Difenoconazole: Did not show carcinogenic effects in animal experiments.

Chemical Name NTP/IARC/OSHA Carcinogen

Naphthalene See "Toxicity", Sec. 11

Petroleum Solvent No
Other ingredients No
1H-1,2,4-Triazole, 1-[[2-[2-chloro-4-(4-chlorophenoxy)phenyl]-4-methyl-1,3-dioxolan-

2-yl]methyl]-

#### Other Toxicity Information

None

# **Toxicity of Other Components**

Naphthalene

Exposure to naphthalene can cause cataracts, liver damage, kidney failure, respiratory failure, hematuria, anemia, damage to red blood cells, leukocytosis, or coma.

Carcinogen Status:

NTP: Anticipated Carcinogen

IARC: Group 2B Possible Human Carcinogen

Other ingredients

Not Applicable

Petroleum Solvent

Repeated exposure may cause skin dryness or cracking. If swallowed, may be aspirated and cause lung damage. May be irritating to the eyes, nose, throat and lungs. May cause central nervous system depression.

**Target Organs** 

Active Ingredients

Difenoconazole: Brain, liver, kidney, gastrointestinal tract

**Inert Ingredients** 

Naphthalene: Eye, liver, kidney, respiratory tract, blood, CNS



# TOP MP

Date: 3/31/2015 Replaces: 8/17/2011

Other ingredients: Not Applicable

Petroleum Solvent: Skin, eye, respiratory tract, CNS

#### 12. ECOLOGICAL INFORMATION

**Eco-Acute Toxicity** 

Difenoconazole:

Fish (Rainbow Trout) 96-hour LC50 1.1 mg/l

Invertebrate (Water Flea) Daphnia Magna 48-hour EC50 0.77 mg/l

Green Algae 72-hour EbC50 0.032 mg/

#### **Environmental Fate**

Difenoconazole:

The information presented here is for the active ingredient, difenoconazole.

Stable in soil and water. Low to moderate mobility in soil. Sinks in water (after 24 h).

# 13. DISPOSAL CONSIDERATIONS

#### Disposal:

Do not reuse product containers. Dispose of product containers, waste containers, and residues according to local, state, and federal health and environmental regulations.

Characteristic Waste: Not Applicable Listed Waste: Not Applicable

## 14. TRANSPORT INFORMATION

## **DOT Classification**

Ground Transport - NAFTA

Packages smaller than 119 gallons: Not regulated

Packages larger than 119 gallons:

Proper Shipping Name: Compounds, Weed Killing, Liquid, (Petroleum Naphtha)

Hazard Class or Division: Combustible Liquid

Identification Number: NA 1993

Packing Group: PG III

Note: Packages prepared for export are classified in compliance with the international shipping standards.

### Comments

Water Transport - International

Proper Shipping Name: Environmentally Hazardous Substance, Liquid, N.O.S. (Difenoconazole/Petroleum Naphtha),

Marine Pollutant Hazard Class: Class 9

Identification Number: UN 3082

Packing Group: PG III

IMDG Flash Point: 156°F (69°C)

Air Transport

Proper Shipping Name: Environmentally Hazardous Substance, Liquid, N.O.S. (Difenoconazole/Petroleum Naphtha)

Hazard Class: Class 9

Identification Number: UN 3082

Packing Group: PG III



# TOP MP

Date: 3/31/2015 Replaces: 8/17/2011

## 15. REGULATORY INFORMATION

# Pesticide Registration:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Warning: Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Harmful if swallowed, inhaled, or absorbed through the skin. Avoid contact with eyes, skin or clothing. Avoid breathing vapor or spray mist.

EPA Registration Number(s):

100-1262

EPCRA SARA Title III Classification:

Section 311/312 Hazard Classes: Acute Health Hazard

Chronic Health Hazard

Fire Hazard

Section 313 Toxic Chemicals: Naphthalene <1.0% (CAS No. 91-20-3)

CERCLA/SARA 304 Reportable Quantity (RQ):

Report product spills > 1800 gal (based on naphthalene [RQ = 100 lbs.] content in the formulation)

RCRA Hazardous Waste Classification (40 CFR 261):

Not Applicable

TSCA Status:

Exempt from TSCA, subject to FIFRA

#### 16. OTHER INFORMATION

**HMIS Hazard Ratings** NFPA Hazard Ratings Minimal Health: 2 Health: 2 1 Slight 2 Flammability: 2 2 Moderate Flammability: 3 Instability: Reactivity: Serious Extreme Syngenta Hazard Category: C,S Chronic

For non-emergency questions about this product call:

1-800-334-9481

Original Issued Date: 10/8/2010

Revision Date: 3/31/2015 Replaces: 8/17/2011

Section(s) Revised: 1-16

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein.



# TOP MP

Date: 3/31/2015 Replaces: 8/17/2011