

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## VIBRANCE RST

Version	Revision Date:	SDS Number:	Date of last issue: 07/24/2020
5.0	05/17/2024	S00057929826	Date of first issue: 12/19/2019

### SECTION 1. IDENTIFICATION

Product name : VIBRANCE RST  
Design code : A21606B

Product Registration number : 100-1656

#### Manufacturer or supplier's details

Company name of supplier : Syngenta Crop Protection, LLC  
Address : Post Office Box 18300  
Greensboro NC 27419  
United States of America (USA)

Telephone : 1 800 334 9481  
Telefax : 1 336 632 2192

E-mail address : sds.requests@syngenta.com  
Emergency telephone : 1 800 888 8372

#### Recommended use of the chemical and restrictions on use

Recommended use : Fungicide

Restrictions on use : General Use Pesticide

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity (Oral) : Category 4

Specific target organ toxicity : Category 2 (Bile duct)  
- repeated exposure

#### GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H302 Harmful if swallowed.  
H373 May cause damage to organs (Bile duct) through prolonged or repeated exposure.

Precautionary Statements : **Prevention:**  
P260 Do not breathe mist or vapors.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## VIBRANCE RST

Version 5.0      Revision Date: 05/17/2024      SDS Number: S00057929826      Date of last issue: 07/24/2020  
Date of first issue: 12/19/2019

### Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.

P314 Get medical advice/ attention if you feel unwell.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
propane-1,2-diol	57-55-6	$\geq 5 - < 10$
titanium dioxide	13463-67-7	$\geq 5 - < 10$
metalaxyl-M	70630-17-0	6.71
Azoxystrobin	131860-33-8	6.71
sedaxane	874967-67-6	3.13
fludioxonil	131341-86-1	1.12
ethanamine, N,N-diethyl-	121-44-8	0 - < 0.1

Actual concentration is withheld as a trade secret

## SECTION 4. FIRST AID MEASURES

- General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.
- If inhaled : Take the victim into fresh air.  
If breathing is irregular or stopped, administer artificial respiration.  
Keep patient warm and at rest.  
Call a physician or poison control center immediately.
- In case of skin contact : Take off all contaminated clothing immediately.  
Wash off immediately with plenty of water.  
If skin irritation persists, call a physician.  
Wash contaminated clothing before re-use.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
Remove contact lenses.  
Immediate medical attention is required.
- If swallowed : If swallowed, seek medical advice immediately and show this container or label.  
Do NOT induce vomiting.
- Most important symptoms and effects, both acute and delayed : Nonspecific  
No symptoms known or expected.  
Harmful if swallowed.  
May cause damage to organs through prolonged or repeated exposure.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## VIBRANCE RST

Version	Revision Date:	SDS Number:	Date of last issue: 07/24/2020
5.0	05/17/2024	S00057929826	Date of first issue: 12/19/2019

Notes to physician : There is no specific antidote available.  
Treat symptomatically.

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Extinguishing media - small fires  
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.  
Extinguishing media - large fires  
Alcohol-resistant foam  
or  
Water spray

Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

Specific hazards during fire fighting : As the product contains combustible organic ingredients, fire will produce dense black smoke containing hazardous products of combustion (see section 10).  
Exposure to decomposition products may be a hazard to health.

Further information : Do not allow run-off from fire fighting to enter drains or water courses.  
Cool closed containers exposed to fire with water spray.

Special protective equipment for fire-fighters : Wear full protective clothing and self-contained breathing apparatus.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Refer to protective measures listed in sections 7 and 8.

#### 6.2 Environmental precautions

Environmental precautions : Prevent further leakage or spillage if safe to do so.  
Do not flush into surface water or sanitary sewer system.  
If the product contaminates rivers and lakes or drains inform respective authorities.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).  
Clean contaminated surface thoroughly.  
Clean with detergents. Avoid solvents.  
Retain and dispose of contaminated wash water.

#### 6.4 Reference to other sections

For disposal considerations see section 13., Refer to protective measures listed in sections 7 and 8.

### SECTION 7. HANDLING AND STORAGE

Advice on safe handling : No special protective measures against fire required.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## VIBRANCE RST

Version 5.0      Revision Date: 05/17/2024      SDS Number: S00057929826      Date of last issue: 07/24/2020  
Date of first issue: 12/19/2019

Conditions for safe storage : Avoid contact with skin and eyes.  
When using do not eat, drink or smoke.  
For personal protection see section 8.  
No special storage conditions required.  
Keep containers tightly closed in a dry, cool and well-ventilated place.  
Keep out of the reach of children.  
Keep away from food, drink and animal feedingstuffs.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
propane-1,2-diol	57-55-6	TWA	10 mg/m3	US WEEL
titanium dioxide	13463-67-7	TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (Total dust)	10 mg/m3	OSHA P0
		TWA (Respirable particulate matter)	2.5 mg/m3 (Titanium dioxide)	ACGIH
metalaxyl-M	70630-17-0	TWA	5 mg/m3	Syngenta
Azoxystrobin	131860-33-8	TWA	0.7 mg/m3	Syngenta
sedaxane	874967-67-6	TWA	5 mg/m3	Syngenta
fludioxonil	131341-86-1	TWA	5 mg/m3	Syngenta
		TWA (Inhalable particulate matter)	1 mg/m3	ACGIH
ethanamine, N,N-diethyl-	121-44-8	TWA	0.5 ppm	ACGIH
		STEL	1 ppm	ACGIH
		TWA	25 ppm 100 mg/m3	OSHA Z-1
		STEL	15 ppm 60 mg/m3	OSHA P0
		TWA	10 ppm 40 mg/m3	OSHA P0

Engineering measures : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.  
The extent of these protection measures depends on the actual risks in use.  
Maintain air concentrations below occupational exposure standards.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## VIBRANCE RST

Version	Revision Date:	SDS Number:	Date of last issue: 07/24/2020
5.0	05/17/2024	S00057929826	Date of first issue: 12/19/2019

Where necessary, seek additional occupational hygiene advice.

### Personal protective equipment

Respiratory protection : Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection

Remarks : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The breakthrough time depends amongst other things from the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : No special protective equipment required.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.  
Remove and wash contaminated clothing before re-use.  
Wear as appropriate:

Protective measures : Impervious clothing  
The use of technical measures should always have priority over the use of personal protective equipment.  
When selecting personal protective equipment, seek appropriate professional advice.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Color	: white
Odor	: No data available
Odor Threshold	: No data available
pH	: 6 - 10 Concentration: 1 %w/v

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## VIBRANCE RST

Version	Revision Date:	SDS Number:	Date of last issue: 07/24/2020
5.0	05/17/2024	S00057929826	Date of first issue: 12/19/2019

Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Method: Pensky-Martens closed cup does not flash
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Density	:	1.10 - 1.14 g/cm <sup>3</sup> (68 °F / 20 °C)
Solubility(ies)		
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	869 °F / 465 °C
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Particle characteristics		
Particle size	:	No data available

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	None reasonably foreseeable.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	No decomposition if used as directed.
Incompatible materials	:	None known.
Hazardous decomposition	:	No hazardous decomposition products are known.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## VIBRANCE RST

Version	Revision Date:	SDS Number:	Date of last issue: 07/24/2020
5.0	05/17/2024	S00057929826	Date of first issue: 12/19/2019

products

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Ingestion  
Inhalation  
Skin contact  
Eye contact

#### Acute toxicity

Harmful if swallowed.

#### Product:

Acute oral toxicity	: LD50 (Rat, female): 1,750 mg/kg
Acute inhalation toxicity	: LC50 (Rat, male and female): > 5.08 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The component/mixture is minimally toxic after short term inhalation.
Acute dermal toxicity	: LD50 (Rat, male and female): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

#### Components:

##### **propane-1,2-diol:**

Acute oral toxicity	: LD50 (Rat): > 20,000 mg/kg  Assessment: The substance or mixture has no acute oral toxicity
Acute inhalation toxicity	: LC50 (Rabbit): 317,042 mg/l Exposure time: 2 h Test atmosphere: dust/mist
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

##### **metalaxyl-M:**

Acute oral toxicity	: LD50 (Rat, female): 375 mg/kg
Acute inhalation toxicity	: LC50 (Rat, male and female): > 2.29 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity Remarks: Highest attainable concentration
Acute dermal toxicity	: LD50 (Rat, male and female): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## VIBRANCE RST

Version	Revision Date:	SDS Number:	Date of last issue: 07/24/2020
5.0	05/17/2024	S00057929826	Date of first issue: 12/19/2019

toxicity

### **Azoxystrobin:**

Acute oral toxicity	:	LD50 (Rat, male and female): > 5,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat, female): 0.698 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rat, male and female): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

### **sedaxane:**

Acute oral toxicity	:	LD50 (Rat, female): 5,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat, male and female): > 5.244 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	:	LD50 (Rat, male and female): > 5,000 mg/kg

### **fludioxonil:**

Acute oral toxicity	:	LD50 (Rat, male and female): > 5,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat, male and female): > 2.6 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	:	LD50 (Rat, male and female): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

### **ethanamine, N,N-diethyl-:**

Acute oral toxicity	:	LD50 (Rat): 730 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 7.22 mg/l Exposure time: 4 h Test atmosphere: vapor
Acute dermal toxicity	:	LD50 (Rat): 580 mg/kg

### **Skin corrosion/irritation**

Based on available data, the classification criteria are not met.

### **Product:**

Species	:	Rabbit
---------	---	--------



# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## VIBRANCE RST

Version	Revision Date:	SDS Number:	Date of last issue: 07/24/2020
5.0	05/17/2024	S00057929826	Date of first issue: 12/19/2019

Result : No skin irritation

### **Components:**

#### **propane-1,2-diol:**

Result : No skin irritation

#### **metalaxyl-M:**

Species : Rabbit

Result : No skin irritation

#### **Azoxystrobin:**

Species : Rabbit

Result : No skin irritation

#### **sedaxane:**

Species : Rabbit

Result : No skin irritation

#### **fludioxonil:**

Species : Rabbit

Result : No skin irritation

#### **ethanamine, N,N-diethyl-:**

Species : Rabbit

Result : Corrosive after 3 minutes or less of exposure

### **Serious eye damage/eye irritation**

Based on available data, the classification criteria are not met.

### **Product:**

Species : Rabbit

Result : No eye irritation

### **Components:**

#### **propane-1,2-diol:**

Result : No eye irritation

#### **metalaxyl-M:**

Species : Rabbit

Result : Risk of serious damage to eyes.

#### **Azoxystrobin:**

Species : Rabbit

Result : No eye irritation

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## VIBRANCE RST

Version	Revision Date:	SDS Number:	Date of last issue: 07/24/2020
5.0	05/17/2024	S00057929826	Date of first issue: 12/19/2019

### **sedaxane:**

Species	:	Rabbit
Result	:	No eye irritation

### **fludioxonil:**

Species	:	Rabbit
Result	:	No eye irritation

### **ethanamine, N,N-diethyl-:**

Result	:	Risk of serious damage to eyes.
--------	---	---------------------------------

## **Respiratory or skin sensitization**

### **Skin sensitization**

Based on available data, the classification criteria are not met.

### **Respiratory sensitization**

Not classified due to lack of data.

### **Product:**

Test Type	:	Local lymph node assay (LLNA)
Species	:	Mouse
Result	:	Does not cause skin sensitization.

### **Components:**

#### **propane-1,2-diol:**

Result	:	Does not cause skin sensitization.
--------	---	------------------------------------

#### **metalaxyl-M:**

Species	:	Guinea pig
Result	:	Does not cause skin sensitization.

#### **Azoxystrobin:**

Species	:	Guinea pig
Result	:	Does not cause skin sensitization.

### **sedaxane:**

Test Type	:	Local lymph node assay (LLNA)
Species	:	Mouse
Result	:	Not a skin sensitizer.

### **fludioxonil:**

Species	:	Guinea pig
Result	:	Does not cause skin sensitization.

## **Germ cell mutagenicity**

Not classified due to lack of data.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## VIBRANCE RST

Version	Revision Date:	SDS Number:	Date of last issue: 07/24/2020
5.0	05/17/2024	S00057929826	Date of first issue: 12/19/2019

### Components:

#### **propane-1,2-diol:**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

#### **metalaxyl-M:**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

#### **Azoxystrobin:**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

#### **sedaxane:**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

#### **fludioxonil:**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

#### **ethanamine, N,N-diethyl-:**

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects

### **Carcinogenicity**

Not classified due to lack of data.

### Components:

#### **propane-1,2-diol:**

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

#### **titanium dioxide:**

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

Based on the results of chronic inhalation studies (with positive results only in a single species - rat), IARC has concluded that: "There is inadequate evidence in humans for the carcinogenicity of titanium dioxide." but that: "There is sufficient evidence in experimental animals for carcinogenicity of titanium dioxide". IARC's overall evaluation was that "titanium dioxide is possibly carcinogenic to humans (Group 2B)". Our supplier has examined all of the available animal carcinogenicity and mechanistic data together with workplace epidemiology data for titanium dioxide and concludes that the weight of scientific evidence indicates that there is no causative link between titanium dioxide exposure and cancer risk in humans and that workplace exposures in compliance with applicable exposure standards will not result in lung cancer or chronic respiratory diseases in humans.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## VIBRANCE RST

Version	Revision Date:	SDS Number:	Date of last issue: 07/24/2020
5.0	05/17/2024	S00057929826	Date of first issue: 12/19/2019

### metalaxyl-M:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

### Azoxystrobin:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

### sedaxane:

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen. At extremely high doses, numerically higher incidences of uterine, thyroid and liver tumors (male and/or female rats) and liver tumors (male mice) were within the range of normal background variation and thus considered unrelated to treatment. Some Regulatory Authorities have taken a more conservative position that these high-dose findings are treatment-related in rats and mice. The dose levels where these findings occur are not relevant to human exposure levels.

### fludioxonil:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

### IARC

Group 2B: Possibly carcinogenic to humans  
titanium dioxide

13463-67-7

### OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

### NTP

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### Reproductive toxicity

Not classified due to lack of data.

### Components:

#### propane-1,2-diol:

Reproductive toxicity - Assessment : No toxicity to reproduction, No effects on or via lactation  
Animal testing did not show any effects on fetal development.

#### metalaxyl-M:

Reproductive toxicity - Assessment : No toxicity to reproduction

#### Azoxystrobin:

Reproductive toxicity - Assessment : No toxicity to reproduction, No effects on or via lactation

#### sedaxane:

Reproductive toxicity - Assessment : No toxicity to reproduction

#### fludioxonil:

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## VIBRANCE RST

Version	Revision Date:	SDS Number:	Date of last issue: 07/24/2020
5.0	05/17/2024	S00057929826	Date of first issue: 12/19/2019

Reproductive toxicity - Assessment : No toxicity to reproduction

### **ethanamine, N,N-diethyl-:**

Reproductive toxicity - Assessment : No toxicity to reproduction

### **STOT-single exposure**

Not classified due to lack of data.

### **Components:**

#### **propane-1,2-diol:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

#### **ethanamine, N,N-diethyl-:**

Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

### **STOT-repeated exposure**

May cause damage to organs (Bile duct) through prolonged or repeated exposure.

### **Components:**

#### **propane-1,2-diol:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### **metalaxyl-M:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

#### **Azoxystrobin:**

Target Organs	:	Bile duct
Assessment	:	The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

#### **sedaxane:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### **fludioxonil:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### **Aspiration toxicity**

Not classified due to lack of data.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## VIBRANCE RST

Version	Revision Date:	SDS Number:	Date of last issue: 07/24/2020
5.0	05/17/2024	S00057929826	Date of first issue: 12/19/2019

### Components:

#### **propane-1,2-diol:**

No aspiration toxicity classification

## SECTION 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

#### Components:

#### **propane-1,2-diol:**

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l Exposure time: 96 h Test Type: static test
Toxicity to daphnia and other aquatic invertebrates	:	(Ceriodaphnia dubia (water flea)): 18,340 mg/l Exposure time: 48 h Test Type: static test
Toxicity to algae/aquatic plants	:	ErC50 (Raphidocelis subcapitata (freshwater green alga)): 19,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Ceriodaphnia dubia (Water flea)): 13,020 mg/l Exposure time: 7 d Test Type: semi-static test

#### **metalaxyl-M:**

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h  LC50 (Cyprinus carpio (Carp)): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Raphidocelis subcapitata (freshwater green alga)): 271 mg/l Exposure time: 96 h  NOEC (Raphidocelis subcapitata (freshwater green alga)): 19.7 mg/l End point: Growth rate Exposure time: 96 h
Toxicity to fish (Chronic toxicity)	:	NOEC (Oncorhynchus mykiss (rainbow trout)): 50 mg/l Exposure time: 28 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 25 mg/l Exposure time: 21 d

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## VIBRANCE RST

Version	Revision Date:	SDS Number:	Date of last issue: 07/24/2020
5.0	05/17/2024	S00057929826	Date of first issue: 12/19/2019

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l  
Exposure time: 3 h

### Azoxystrobin:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.47 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.28 mg/l  
Exposure time: 48 h

EC50 (Americamysis): 0.055 mg/l  
Exposure time: 96 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 1.109 mg/l  
Exposure time: 72 h

EC10 (Raphidocelis subcapitata (freshwater green alga)): 0.0303 mg/l  
End point: Growth rate  
Exposure time: 72 h

ErC50 (Skeletonema costatum (marine diatom)): 0.250 mg/l  
Exposure time: 72 h

NOEC (Skeletonema costatum (marine diatom)): 0.010 mg/l  
End point: Growth rate  
Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.16 mg/l  
Exposure time: 28 d

EC10 (Pimephales promelas (fathead minnow)): 0.2197 mg/l  
Exposure time: 33 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.044 mg/l  
Exposure time: 21 d

NOEC (Americamysis): 0.00954 mg/l  
Exposure time: 28 d

Toxicity to microorganisms : IC50 (Pseudomonas putida): > 3.2 mg/l  
Exposure time: 6 h

### sedaxane:

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): 0.62 mg/l  
Exposure time: 96 h

LC50 (Pimephales promelas (fathead minnow)): 0.98 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 6.10 mg/l  
Exposure time: 48 h

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## VIBRANCE RST

Version	Revision Date:	SDS Number:	Date of last issue: 07/24/2020
5.0	05/17/2024	S00057929826	Date of first issue: 12/19/2019

- Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 3 mg/l  
Exposure time: 96 h
- NOEC (Raphidocelis subcapitata (freshwater green alga)): 1 mg/l  
End point: Growth rate  
Exposure time: 96 h
- ErC50 (Lemna gibba (gibbous duckweed)): 6.5 mg/l  
Exposure time: 7 d
- NOEC (Lemna gibba (gibbous duckweed)): 2.398 mg/l  
End point: Growth rate  
Exposure time: 7 d
- Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.165 mg/l  
Exposure time: 33 d
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.711 mg/l  
Exposure time: 21 d
- fludioxonil:**
- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.23 mg/l  
Exposure time: 96 h
- LC50 (Pimephales promelas (fathead minnow)): 0.7 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.4 mg/l  
Exposure time: 48 h
- EC50 (Americamysis): 0.27 mg/l  
Exposure time: 96 h
- Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 0.259 mg/l  
Exposure time: 96 h
- EC10 (Raphidocelis subcapitata (freshwater green alga)): 0.077 mg/l  
End point: Growth rate  
Exposure time: 96 h
- ErC50 (Skeletonema costatum (marine diatom)): 0.43 mg/l  
Exposure time: 96 h
- NOEC (Skeletonema costatum (marine diatom)): 0.14 mg/l  
End point: Growth rate  
Exposure time: 96 h
- Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.04 mg/l  
Exposure time: 28 d



# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## VIBRANCE RST

Version	Revision Date:	SDS Number:	Date of last issue: 07/24/2020
5.0	05/17/2024	S00057929826	Date of first issue: 12/19/2019

EC10 (Pimephales promelas (fathead minnow)): 0.018 mg/l  
Exposure time: 116 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.035 mg/l  
Exposure time: 21 d

NOEC (Americamysis): 0.018 mg/l  
Exposure time: 28 d

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l  
Exposure time: 3 h

### ethanamine, N,N-diethyl-:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 36 mg/l  
Exposure time: 96 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 9.8 mg/l  
Exposure time: 72 h

### Persistence and degradability

#### Components:

##### **propane-1,2-diol:**

Biodegradability : Result: Readily biodegradable.

##### **metalaxyl-M:**

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 22.4 - 47.5 d  
Remarks: Product is not persistent.

##### **Azoxystrobin:**

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 224 d  
Remarks: Persistent in water.

##### **sedaxane:**

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: > 1 yr  
Remarks: Persistent in water.

##### **fludioxonil:**

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 450 - 700 d  
Remarks: Persistent in water.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## VIBRANCE RST

Version	Revision Date:	SDS Number:	Date of last issue: 07/24/2020
5.0	05/17/2024	S00057929826	Date of first issue: 12/19/2019

### ethanamine, N,N-diethyl-:

Biodegradability : Result: Readily biodegradable.

### Bioaccumulative potential

#### Components:

#### metalaxyl-M:

Bioaccumulation : Remarks: Low bioaccumulation potential.

Partition coefficient: n-octanol/water : log Pow: 1.71 (77 °F / 25 °C)

#### Azoxystrobin:

Bioaccumulation : Remarks: Does not bioaccumulate.

#### sedaxane:

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 3.3 (77 °F / 25 °C)

#### fludioxonil:

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 4.12 (77 °F / 25 °C)

### Mobility in soil

#### Components:

#### metalaxyl-M:

Distribution among environmental compartments : Remarks: Metalaxyl has a range from low to very high mobility in soil depending on soil type.

Stability in soil : Dissipation time: < 50 d  
Percentage dissipation: 50 % (DT50)  
Remarks: Product is not persistent.

#### Azoxystrobin:

Distribution among environmental compartments : Remarks: Low mobility in soil.

Stability in soil : Dissipation time: 81.3 d  
Percentage dissipation: 50 % (DT50)  
Remarks: Product is not persistent.

#### sedaxane:

Distribution among environmental compartments : Remarks: Low mobility in soil.

Stability in soil : Dissipation time: 83 d  
Percentage dissipation: 50 % (DT50)  
Remarks: Product is not persistent.

#### fludioxonil:

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## VIBRANCE RST

Version	Revision Date:	SDS Number:	Date of last issue: 07/24/2020
5.0	05/17/2024	S00057929826	Date of first issue: 12/19/2019

Distribution among environmental compartments : Remarks: immobile  
Stability in soil : Dissipation time: 14 d  
Percentage dissipation: 50 % (DT50)  
Remarks: Product is not persistent.

### Other adverse effects

#### Components:

##### **metalaxyl-M:**

Results of PBT and vPvB assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).  
Substance is not very persistent and very bioaccumulative (vPvB).

##### **Azoxystrobin:**

Results of PBT and vPvB assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).  
Substance is not very persistent and very bioaccumulative (vPvB).

##### **sedaxane:**

Results of PBT and vPvB assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).  
Substance is not very persistent and very bioaccumulative (vPvB).

##### **fludioxonil:**

Results of PBT and vPvB assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).  
Substance is not very persistent and very bioaccumulative (vPvB).

##### **ethanamine, N,N-diethyl-:**

Results of PBT and vPvB assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).  
Substance is not very persistent and very bioaccumulative (vPvB).

## SECTION 13. DISPOSAL CONSIDERATIONS

### **Disposal methods**

Waste from residues : Do not contaminate ponds, waterways or ditches with chemical or used container.  
Do not dispose of waste into sewer.  
Where possible recycling is preferred to disposal or incineration.  
If recycling is not practicable, dispose of in compliance with local regulations.  
This product will not be classified as a RCRA characteristic hazardous waste when discarded.

Contaminated packaging : Empty remaining contents.  
Triple rinse containers.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## VIBRANCE RST

Version	Revision Date:	SDS Number:	Date of last issue: 07/24/2020
5.0	05/17/2024	S00057929826	Date of first issue: 12/19/2019

Do not re-use empty containers.

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (AZOXYSTROBIN, SEDAXANE)
Class	:	9
Packing group	:	III
Labels	:	9
Environmentally hazardous	:	yes
Remarks	:	This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

#### IATA-DGR

UN/ID No.	:	UN 3082
Proper shipping name	:	Environmentally hazardous substance, liquid, n.o.s. (AZOXYSTROBIN, SEDAXANE)
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	964
Packing instruction (passenger aircraft)	:	964
Environmentally hazardous	:	yes
Remarks	:	This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

#### IMDG-Code

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (AZOXYSTROBIN, SEDAXANE)
Class	:	9
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes
Remarks	:	This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## VIBRANCE RST

Version	Revision Date:	SDS Number:	Date of last issue: 07/24/2020
5.0	05/17/2024	S00057929826	Date of first issue: 12/19/2019

### 49 CFR

Not regulated as a dangerous good

Remarks : Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Caution

Harmful if swallowed.

Harmful if absorbed through skin.

Avoid contact with skin, eyes or clothing.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Remove and wash contaminated clothing before re-use.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Acute toxicity (any route of exposure)  
Acute toxicity (any route of exposure)  
Specific target organ toxicity (single or repeated exposure)

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

## SECTION 16. OTHER INFORMATION

Further information

# SAFETY DATA SHEET


according to the OSHA Hazard Communication Standard



## VIBRANCE RST

Version	Revision Date:	SDS Number:	Date of last issue: 07/24/2020
5.0	05/17/2024	S00057929826	Date of first issue: 12/19/2019

### NFPA 704:



### HMIS® IV:

HEALTH	*	2
FLAMMABILITY		0
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

### Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
OSHA P0	: USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
Syngenta	: Syngenta Occupational Exposure Limits
US WEEL	: USA. Workplace Environmental Exposure Levels (WEEL)
ACGIH / TWA	: 8-hour, time-weighted average
ACGIH / STEL	: Short-term exposure limit
OSHA P0 / TWA	: 8-hour time weighted average
OSHA P0 / STEL	: Short-term exposure limit
OSHA Z-1 / TWA	: 8-hour time weighted average
Syngenta / TWA	: Time weighted average
US WEEL / TWA	: 8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Oth-

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## VIBRANCE RST

Version	Revision Date:	SDS Number:	Date of last issue: 07/24/2020
5.0	05/17/2024	S00057929826	Date of first issue: 12/19/2019

erwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 05/17/2024

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8