

AATREX 4L

Version **Revision Date:** SDS Number: 07/27/2021 S1253740 2.0

This version replaces all previous versions.

SECTION 1. IDENTIFICATION

Product name : AATREX 4L

Design code. : A8566A

Product Registration number : 100-497

Manufacturer or supplier's details

Company name of supplier Syngenta Crop Protection, LLC

Post Office Box 18300 Address

Greensboro NC 27419

United States of America (USA)

Telephone 1 800 334 9481 Telefax 1 336 632 2192

E-mail address : sds.requests@syngenta.com

Emergency telephone : 18008888372

Recommended use of the chemical and restrictions on use

Recommended use Herbicide

Restrictions on use Restricted Use Pesticide

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Specific target organ toxicity : Category 2 (Kidney)

- repeated exposure

Specific target organ toxicity

- repeated exposure (Oral)

Category 2 (Heart)

GHS label elements

Hazard pictograms

Signal Word Warning

Hazard Statements H373 May cause damage to organs (Kidney) through prolonged

or repeated exposure.

H373 May cause damage to organs (Heart) through prolonged

or repeated exposure if swallowed.



AATREX 4L

Version **Revision Date:** SDS Number: This version replaces all previous versions. 07/27/2021 S1253740 2.0

Precautionary Statements Prevention:

P260 Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.

Response:

P314 Get medical advice/ attention if you feel unwell.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components

Chemical name	CAS-No.	Concentration (% w/w)
atrazine	1912-24-9	43.5
ethane-1,2-diol	107-21-1	>= 5 - < 10
alcohols, C11-14-isoalcs., C13-rich,	78330-21-9	>= 1 - < 5
ethoxylated		

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice Have the product container, label or Safety Data Sheet with

you when calling the emergency number, a poison control

center or physician, or going for treatment.

If inhaled Take the victim into fresh air.

If breathing is irregular or stopped, administer artificial

respiration.

Keep patient warm and at rest.

Call a physician or poison control center immediately.

Take off all contaminated clothing immediately. In case of skin contact

Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.

In case of eye contact Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes. Remove contact lenses.

Immediate medical attention is required.

If swallowed If swallowed, seek medical advice immediately and show this

container or label.

Do NOT induce vomiting.

Most important symptoms

Nonspecific

and effects, both acute and

Notes to physician

No symptoms known or expected.

delayed

There is no specific antidote available.

Treat symptomatically.



AATREX 4L

Version **Revision Date:** SDS Number: 2.0 07/27/2021 S1253740

This version replaces all previous versions.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Extinguishing media - small fires

Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Extinguishing media - large fires

Alcohol-resistant foam

or

Water spray

Unsuitable extinguishing

media

fire.

Specific hazards during fire

fighting

Do not use a solid water stream as it may scatter and spread As the product contains combustible organic ingredients, fire

will produce dense black smoke containing hazardous

products of combustion (see section 10).

Exposure to decomposition products may be a hazard to

health.

Further information Do not allow run-off from fire fighting to enter drains or water

courses.

Cool closed containers exposed to fire with water spray. Wear full protective clothing and self-contained breathing

Special protective equipment :

for fire-fighters

apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Refer to protective measures listed in sections 7 and 8.

Environmental precautions Prevent further leakage or spillage if safe to do so.

> Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth,

vermiculite) and place in container for disposal according to

local / national regulations (see section 13). Clean contaminated surface thoroughly. Clean with detergents. Avoid solvents.

Retain and dispose of contaminated wash water.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling No special protective measures against fire required.

> Avoid contact with skin and eyes. When using do not eat, drink or smoke. For personal protection see section 8.

Conditions for safe storage No special storage conditions required.

Keep containers tightly closed in a dry, cool and well-

ventilated place.

Keep out of the reach of children.

Keep away from food, drink and animal feedingstuffs.



AATREX 4L

Version **Revision Date:** SDS Number:

This version replaces all previous versions. 07/27/2021 S1253740 2.0

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
atrazine	1912-24-9	TWA	2 mg/m3	Syngenta
		TWA	5 mg/m3	NIOSH REL
		TWA	5 mg/m3	OSHA P0
		TWA (Inhalable particulate matter)	2 mg/m3	ACGIH
ethane-1,2-diol	107-21-1	С	50 ppm OSHA P0 125 mg/m3	
		TWA (Vapor)	25 ppm	ACGIH
		STEL (Vapor)	50 ppm	ACGIH
		STEL (Inhalable fraction, Aerosol only)	10 mg/m3	ACGIH

Engineering measures

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated. The extent of these protection measures depends on the

actual risks in use.

Maintain air concentrations below occupational exposure

Where necessary, seek additional occupational hygiene

advice.

Personal protective equipment

No personal respiratory protective equipment normally Respiratory protection

required.

When workers are facing concentrations above the exposure

limit they must use appropriate certified respirators.

Hand protection

Remarks Wear protective gloves. The choice of an appropriate glove

does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the



AATREX 4L

Version Revision Date: SDS Number: 2.0 07/27/2021 S1253740

This version replaces all previous versions.

gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things from the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Eye protection : No special protective equipment required.

Skin and body protection : Choose body protection in relation to its type, to the

concentration and amount of dangerous substances, and to

the specific work-place.

Remove and wash contaminated clothing before re-use.

Wear as appropriate: Impervious clothing

Protective measures : The use of technical measures should always have priority

over the use of personal protective equipment. When selecting personal protective equipment, seek

appropriate professional advice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : white

Odor : odorless

Odor Threshold : No data available

pH : 8

Concentration: 100 % w/v

Melting point/range : No data available

Boiling point/boiling range : 212 - 223 °F / 100 - 106 °C

Flash point : Method: Pensky-Martens closed cup

does not flash

Evaporation rate : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available



AATREX 4L

Version Revision Date: SDS Number: This version replaces all previous versions. 2.0 07/27/2021 S1253740

Density : 1.102 g/cm3

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Autoignition temperature : 1202 °F / 650 °C

> 1202 °F / > 650 °C

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : None reasonably foreseeable.
Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid : No decomposition if used as directed.

Incompatible materials : None known.

Hazardous decomposition : No hazardous decomposition products are known.

products

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Ingestion Inhalation Skin contact Eye contact

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 2.72 mg/l

Exposure time: 4 h



AATREX 4L

Version Revision Date: SDS Number: 2.0 07/27/2021 S1253740

This version replaces all previous versions.

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute

inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 5,050 mg/kg

Components:

atrazine:

Acute oral toxicity : LD50 (Rat, male and female): 3,090 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.82 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute

inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 3,100 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

ethane-1,2-diol:

Acute oral toxicity : Assessment: The component/mixture is moderately toxic after

single ingestion.

alcohols, C11-14-isoalcs., C13-rich, ethoxylated:

Acute oral toxicity : Assessment: The component/mixture is moderately toxic after

single ingestion.

Skin corrosion/irritation

Product:

Species : Rabbit

Result : No skin irritation

Components:

atrazine:

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Product:

Species : Rabbit

Result : No eye irritation



AATREX 4L

Version Revision Date: SDS Number: This version replaces all previous versions.

2.0 07/27/2021 S1253740

Components:

atrazine:

Species : Rabbit

Result : No eye irritation

alcohols, C11-14-isoalcs., C13-rich, ethoxylated:

Result : Risk of serious damage to eyes.

Respiratory or skin sensitization

Product:

Species : Guinea pig

Result : Does not cause skin sensitization.

Components:

atrazine:

Test Type : Maximization Test

Species : Guinea pig

Result : The product is a skin sensitizer, sub-category 1A.

Germ cell mutagenicity

Components:

atrazine:

Germ cell mutagenicity -

Did not show mutagenic or teratogenic effects in animal

Assessment experiments.

Carcinogenicity

Components:

atrazine:

Carcinogenicity - Assessment

This substance has been reported to cause tumors in certain animal species., These is no evidence that these findings are

relevant to humans.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

OSHANo component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.



AATREX 4L

Version Revision Date: SDS Number: This version replaces all previous versions. 2.0 07/27/2021 S1253740

Reproductive toxicity

Components:

atrazine:

Reproductive toxicity -

Assessment

No toxicity to reproduction

STOT-repeated exposure

Components:

atrazine:

Routes of exposure : Ingestion Target Organs : Heart

Assessment : The substance or mixture is classified as specific target organ

toxicant, repeated exposure, category 2.

ethane-1,2-diol:

Target Organs : Kidney

Assessment : The substance or mixture is classified as specific target organ

toxicant, repeated exposure, category 2.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

atrazine:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 4.5 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Americamysis): 5.4 mg/l

Exposure time: 96 h

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)):

0.16 mg/l

Exposure time: 96 h

NOEC (Raphidocelis subcapitata (freshwater green alga)):

0.011 mg/l

End point: Growth rate Exposure time: 96 h

EC50 (Lemna gibba (gibbous duckweed)): 0.05 mg/l

Exposure time: 14 d

NOEC (Lemna gibba (gibbous duckweed)): 0.0083 mg/l

Exposure time: 14 d

M-Factor (Acute aquatic : 10



AATREX 4L

Version **Revision Date:** SDS Number: This version replaces all previous versions. S1253740 2.0 07/27/2021

Exposure time: 28 d

Exposure time: 3 h

Exposure time: 16 h

10

NOEC (Americamysis): 0.26 mg/l

EC50 (activated sludge): > 100 mg/l

Result: Not readily biodegradable.

Result: Readily biodegradable.

EC50 (Pseudomonas putida): > 10,000 mg/l

Remarks: Medium bioaccumulation potential.

toxicity)

Toxicity to daphnia and other :

aquatic invertebrates

(Chronic toxicity)

M-Factor (Chronic aquatic

ethane-1,2-diol:

toxicity)

Toxicity to microorganisms

Toxicity to microorganisms

Persistence and degradability

Components:

atrazine:

Biodegradability

ethane-1,2-diol:

Biodegradability

Bioaccumulative potential

Components:

atrazine:

Bioaccumulation

Partition coefficient: n-

octanol/water

Mobility in soil

Components:

atrazine:

Distribution among

environmental compartments

Stability in soil

Dissipation time: 43 d

Remarks: Highly mobile in soils

log Pow: 2.5 (77 °F / 25 °C)

Percentage dissipation: 50 % (DT50) Remarks: Product is not persistent.

Other adverse effects

Components:

atrazine:

Results of PBT and vPvB

assessment

This substance is not considered to be persistent,

bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating

(vPvB).



AATREX 4L

Version Revision Date: SDS Number: This version replaces all previous versions.

2.0 07/27/2021 S1253740

ethane-1,2-diol:

Results of PBT and vPvB : This substance is not considered to be persistent,

assessment

bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating

(vPvB).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not contaminate ponds, waterways or ditches with

chemical or used container.

Do not dispose of waste into sewer.

Where possible recycling is preferred to disposal or

incineration.

If recycling is not practicable, dispose of in compliance with

local regulations.

Contaminated packaging : Empty remaining contents.

Triple rinse containers.

Empty containers should be taken to an approved waste

handling site for recycling or disposal. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(ATRAZINE)

Class : 9
Packing group : III
Labels : 9

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(ATRAZINE)

UN 3082

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo : 964

aircraft)

UN number

Packing instruction : 964

(passenger aircraft)

Environmentally hazardous : yes

oritally riazaraous

IMDG-Code

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,



AATREX 4L

Version Revision Date: SDS Number: This version replaces all previous versions. 2.0 07/27/2021 S1253740

N.O.S.

ves

(ATRAZINE)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

Marine pollutant

49 CFR

Not regulated as a dangerous good

Remarks : Shipment by ground under DOT is non-regulated; however it

may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: Caution

Causes moderate eye irritation.

Avoid contact with skin or clothing.

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
ethane-1.2-diol	107-21-1	5000	

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Specific target organ toxicity (single or repeated exposure)

SARA 313 : The following components are subject to reporting levels

established by SARA Title III, Section 313:

atrazine 1912-24-9 >= 30 - < 50 %

ethane-1,2-diol 107-21-1 >= 5 - < 10 %



AATREX 4L

Version Revision Date: SDS Number: This version replaces all previous versions. 2.0 07/27/2021 S1253740

TSCA : On or in compliance with the active portion of the TSCA

inventory

The ingredients of this product are reported in the following inventories:

TSCA list


No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



Special hazard

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL : USA. NIOSH Recommended Exposure Limits

OSHA PO : USA. OSHA - TABLE Z-1 Limits for Air Contaminants -

1910.1000

ACGIH / TWA : 8-hour, time-weighted average ACGIH / STEL : Short-term exposure limit

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour

workday during a 40-hour workweek

OSHA P0 / TWA : 8-hour time weighted average

OSHA P0 / C : Ceiling limit

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely



AATREX 4L

Version Revision Date: SI 2.0 07/27/2021 S1

SDS Number: S1253740

This version replaces all previous versions.

Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG -International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL -Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Cooperation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT -Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA -Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG -United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 07/27/2021

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8